



2026 RAM 3500/4500/5500 CHASSIS CAB



SELECT FEATURES

6.4L HEMI® V8 Engine/8-speed Automatic Transmission (3500)/8-speed ZF 8AP430 TorqueFlite® Automatic Transmission (4500/5500)

Air Conditioning

Alternator – 220-amp

Antispin Differential – Rear

Auxiliary Input Jack for Mobile Devices

Auxiliary Power Outlets – 12-volt

Auxiliary Switches – Five

Battery – 730-amp (one per vehicle with gas engine; two per vehicle with diesel engine)

Engine Cooling – Heavy-duty

Lamps – Cab-clearance

LED Fog Lamps

LED Reflector Headlamps with Automatic Function

Shock Absorbers – Heavy-duty

Speed Control

Stabilizer Bar – Front

Steering – Power, recirculation ball

USB Port – Media port with Type-A/-C USB pairs and auxiliary input port

Windshield Wipers – Variable/intermittent

SAFETY & SECURITY

Adaptive Cruise Control (ACC) with Stop⁽⁶⁾

Air Bags⁽³¹⁾ – Multistage front

Brakes – Power-assisted four-wheel antilock disc

Electronic Stability Control (ESC)⁽⁸⁾ System

Full-Speed Forward Collision Warning Plus⁽⁹⁾ with Auto Emergency Braking⁽⁹⁾

ParkView® Rear Back-Up Camera⁽⁴⁾ (Available)

Pedestrian/Cyclist Emergency Braking⁽⁹⁾

Sentry Key® Theft Deterrent System – Engine immobilizer

AVAILABLE FLEET FEATURES

Emergency/Fire/Rescue Special Emissions Package

Low-Volume Paint Options

Mopar® Black Tubular Side Steps for Tradesman® and Big Horn®

Mopar Front Splash/Mud Guards

Two Additional Key Fobs

ENGINES	HORSEPOWER ⁽³²⁾	TORQUE ⁽³²⁾
6.4L HEMI V8	370 hp @ 5,600 rpm	429 lb-ft @ 4,000 rpm
6.7L I-6 Cummins® Turbo Diesel	360 hp @ 2,800 rpm	800 lb-ft @ 1,800 rpm

INTERIOR DIMENSIONS ⁽³³⁾		
All Ram Chassis Cab Interiors	Regular Cab	Crew Cab
Headroom (front / rear)	39.8	40.9 / 39.8
Hip Room (front / rear)	62.9	62.9 / 62.7
Shoulder Room (front / rear)	65.9	65.9 / 65.6
Legroom (front / rear)	40.9	40.9 / 40.2
Seating Capacity (max occupants)	3	6


RAM 3500 CHASSIS CAB MAX JOB RATING INFORMATION (3500 DD) ^{(32),(33),(38)}						
3500 Chassis Cab (3500 DD)		Regular Cab			Crew Cab	
		60" CA (4x2 / 4x4)	60" CA (4x2 / 4x4)	84" CA (4x2 / 4x4)	60" CA (4x2 / 4x4)	60" CA (4x2 / 4x4)
Powertrain	Capacity Type	SRW	DRW		SRW	DRW
6.4L HEMI V8/ ZF 8HP75 TorqueFlite® 8-speed Automatic Transmission	MAX GVWR	11,040	13,500	13,500	11,040	13,500
	MAX PAYLOAD	5,190 / 4,850	7,390 / 7,050	7,330 / 6,980	4,750 / 4,330	6,950 / 6,450
	MAX GAWR, FRONT	5,500	5,500	5,500	5,500	5,500
	MAX GAWR, REAR	6,800	9,850	9,850	6,800	9,850
	MAX TOWING	16,000 / 15,660	15,740 / 15,400	15,680 / 15,330	15,560 / 15,140	15,300 / 14,800
	MAX GCWR	22,000	22,000	22,000	22,000	22,000
6.4L HEMI V8/ ZF 8AP430 TorqueFlite HD 8-speed Automatic Transmission	MAX GVWR	11,040	14,000	14,000	11,040	14,000
	MAX PAYLOAD	5,070 / 4,730	7,710 / 7,440	7,650 / 7,290	4,630 / 4,210	7,270 / 6,850
	MAX GAWR, FRONT	5,500	5,500	5,500	5,500	5,500
	MAX GAWR, REAR	6,800	9,850	9,850	6,800	9,850
	MAX TOWING	18,880 / 18,540	18,550 / 18,280	18,500 / 18,140	18,440 / 18,020	18,110 / 17,700
	MAX GCWR	25,000	25,000	25,000	25,000	25,000
6.7L I-6 Cummins Turbo Diesel/ ZF TorqueFlite HD 8-speed Automatic Transmission	MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
	MAX PAYLOAD	4,690 / 4,820	6,830 / 6,570	6,770 / 6,370	4,250 / 4,190	6,350 / 5,960
	MAX GAWR, FRONT	6,000	6,000	6,000	6,000	6,000
	MAX GAWR, REAR	6,800	9,850	9,850	6,800	9,850
	MAX TOWING	20,440 / 20,170	25,680 / 25,410	25,620 / 25,210	20,000 / 19,540	25,200 / 24,810
	MAX GCWR	27,500	33,000	33,000	27,500	33,000

CA = Cab-to-Axle SRW = Single Rear Wheel DRW = Dual Rear Wheel



2026 RAM 3500/4500/5500 CHASSIS CAB

EXTERIOR PAINT COLORS



RAM 4500 CHASSIS CAB MAX JOB RATING INFORMATION ^{(32),(33),(38)}							
4500 Chassis Cab		Regular Cab				Crew Cab	
		60" CA (4x2/4x4)	84" CA (4x2/4x4)	108" CA (4x2/4x4)	120" CA (4x2/4x4)	60" CA (4x2/4x4)	84" CA (4x2/4x4)
Powertrain	Capacity Type	DRW				DRW	
6.4L HEMI® V8/ ZF 8AP430 TorqueFlite® HD 8-speed Automatic Transmission	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
	MAX PAYLOAD	9,390/9,070	9,230/8,890	9,130/8,710	9,140/8,720	8,910/8,460	8,790/8,450
	MAX GAWR, FRONT	6,500	6,500	7,000	7,000	7,000	7,000
	MAX GAWR, REAR	12,000	12,000	12,000	12,000	12,000	12,000
	MAX TOWING	21,240/20,920	21,080/20,740	20,970/20,560	20,990/20,570	20,760/20,300	20,630/20,300
	MAX GCWR	28,500	28,500	28,500	28,500	28,500	28,500
6.7L I-6 Cummins® Turbo Diesel/ZF TorqueFlite HD 8-speed Automatic Transmission	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
	MAX PAYLOAD	8,560/8,220	8,410/8,040	8,280/7,860	8,290/7,870	8,110/7,700	7,910/7,610
	MAX GAWR, FRONT	7,250	7,250	7,250	7,250	7,250	7,250
	MAX GAWR, REAR	12,000	12,000	12,000	12,000	12,000	12,000
	MAX TOWING	29,440/29,110	29,260/28,890	29,130/28,710	29,140/28,720	28,950/28,550	28,760/28,460
	MAX GCWR	37,500	37,500	37,500	37,500	37,500	37,500

RAM 5500 CHASSIS CAB MAX JOB RATING INFORMATION ^{(32),(33),(38)}							
5500 Chassis Cab		Regular Cab				Crew Cab	
		60" CA (4x2/4x4)	84" CA (4x2/4x4)	108" CA (4x2/4x4)	120" CA (4x2/4x4)	60" CA (4x2/4x4)	84" CA (4x2/4x4)
Powertrain	Capacity Type	DRW				DRW	
6.4L HEMI V8/ ZF 8AP430 TorqueFlite HD 8-speed Automatic Transmission	MAX GVWR	19,000	19,500	19,500	19,500	19,500	19,500
	MAX PAYLOAD	11,880/11,590	12,290/11,960	12,370/11,830	12,070/11,720	11,890/11,540	11,750/11,380
	MAX GAWR, FRONT	6,500	6,500	7,000	7,000	7,000	7,000
	MAX GAWR, REAR	13,500	13,500	13,500	13,500	13,500	13,500
	MAX TOWING	21,230/20,930	21,140/20,810	21,220/20,680	20,920/20,570	20,740/20,380	20,600/20,230
	MAX GCWR	28,500	28,500	28,500	28,500	28,500	28,500
6.7L I-6 Cummins Turbo Diesel/ZF TorqueFlite HD 8-speed Automatic Transmission	MAX GVWR	19,500	19,500	19,500	19,500	19,500	19,500
	MAX PAYLOAD	11,530/11,190	11,420/11,040	11,260/10,940	11,220/10,870	11,040/10,680	10,880/10,510
	MAX GAWR, FRONT	7,250	7,250	7,250	7,250	7,250	7,250
	MAX GAWR, REAR	13,500	13,500	13,500	13,500	13,500	13,500
	MAX TOWING	29,380/34,540	29,270/34,380	29,110/34,290	29,070/34,220	28,890/34,020	28,730/33,860
	MAX GCWR	37,500/43,000	37,500/43,000	37,500/43,000	37,500/43,000	37,500/43,000	37,500/43,000

CA = Cab-to-Axle SRW = Single Rear Wheel DRW = Dual Rear Wheel



2026 RAM 3500/4500/5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
BODY MODELS		
3500 (DD) – Regular Cab - 60-inch CA (143.5-inch wheelbase) (L63)	O	O
– Regular Cab - 84-inch CA (167.5-inch wheelbase; DD only) (L64)	O	O
– Crew Cab - 60-inch CA (172.4-inch wheelbase) (L93)	O	O
Drive Systems – 4x2 (DD)	•	
– 4x4 (DD)	O	•
4500/5500 (DP) – Regular Cab - 60-inch CA (144.5-inch wheelbase) (L63)	O	O
– Regular Cab - 84-inch CA (168.5-inch wheelbase) (L64)	O	O
– Regular Cab - 108-inch CA (192.5-inch wheelbase) (L65)	O	O
– Regular Cab - 120-inch CA (204.5-inch wheelbase) (L66)	O	O
– Crew Cab - 60-inch CA (173.5-inch wheelbase) (L93)	O	O
– Crew Cab - 84-inch CA (197.4-inch wheelbase) (L94)	O	O
Drive Systems – 4x2 (DP 4/5)	•	•
– 4x4 (DP 9/0)	O	O
ENGINES/TRANSMISSIONS		
6.4L HEMI® V8/8HP75 TorqueFlite® 8-speed Automatic (3500 only) (ESL/DFX)	•	
6.4L HEMI V8/8-speed ZF 8AP430 TorqueFlite HD Automatic (optional for 3500 Tradesman; standard on 4500/5500) (ESL/DFZ)	O/•	•
6.7L I-6 Cummins® Turbo Diesel/8-speed ZF TorqueFlite HD Automatic (ETN/DFM)	O	O
MECHANICAL FEATURES		
Alternators – 220-amp (BAJ)	•	•
– 400-amp (dual alternators; require 6.4L HEMI V8) (XBJ)	O	O
– 480-amp (dual alternators; require 6.7L I-6 Cummins; included with Emergency/Fire/Rescue Special Emissions Package (AH6)) (XF1)	O/P	O/P
Axles: 3500 – Single Rear Wheel (SRW) Group (standard on 3L63, 8L63, 3L93 and 8L93) (WL1)	•	•
– Dual Rear Wheels (DRW) (standard on 3L64 and 8L64) (WLA)	•	•
– DRW (optional on DD 3L63, 8L63, 3L93 and 8L93; includes front, 205-mm (DRW axle) and rear, 11.5-inch (DRW axle)) (WLA)	O	O
– Front, 6,000-lb GAWR (SRW axle; standard on 3L63, 8L63, 3L93 and 8L93) (DJN)	•	•
– Rear, 11.5-inch (SRW axle; standard on 3L63, 8L63, 3L93 and 8L93) (DRQ)	•	•
– Front, 205-mm (DRW axle; standard on 3L64 and 8L64; included with optional DRW on 3L63, 8L63, 3L93 and 8L93) (DJM)	•/P	•/P
– Rear, 11.5-inch (DRW axle; standard on 3L64 and 8L64; included with optional DRW on 3L63, 8L63, 3L93 and 8L93) (DRX)	•/P	•/P
Axle Ratios: 3500 – 3.42 (included with diesel models only) (DMR)	P	P
– 4.10 (standard with 6.4L HEMI V8) (DMF)	•	•

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
MECHANICAL FEATURES (CONTINUED)		
Axle Ratios: 3500 (continued) – Front-axle disconnect, electronic disconnect (4x4 only)	•	•
– Rear, antispin differential (DSA)	•	•
Axles: 4500/5500 – DRW (WLA)	•	•
– Front, 10.5-inch (DJK)	•	•
– Front, 10.5-inch, 7,250-lb GAWR (includes taller springs) (AZB)	O	O
– Front-axle disconnect, electronic disconnect (4x4 only)	•	•
– Rear, antispin differential (DSA)	•	•
Axle Ratios: 4500 – Rear, 4.44 (DMK)	•	•
– Rear, by American Axle (12,000-lb GAWR) (DR8)	•	•
Axle Ratios: 5500 – 4.44 (DMK)	•	•
– Rear, by American Axle (13,500-lb GAWR) (DR8)	•	•
Battery – 730-amp maintenance-free (included with 6.4L HEMI V8) (BCN)	•	•
– Dual 730-amp maintenance-free (included with 6.7L I-6 Cummins) (BCC)	P	P
Engine Block Heater (available with 6.4L HEMI V8; included with Cold Weather Group with 6.7L I-6 Cummins) (NHK)	O/P	O/P
Diesel Engine – Diesel Exhaust Brake (included with 6.7L I-6 Cummins) (NEN)	P	P
– Manual DPF regeneration (optional with 6.7L I-6 Cummins; included with Emergency/Fire/Rescue Special Emissions Package (AH6)) (XNR)	O/P	O/P
– Clean idle emission label (4500/5500 only; included with 6.7L I-6 Cummins) (XKH)	P	P
– Selective catalytic reduction (urea; included with 6.7L I-6 Cummins) (XAL)	P	P
– Winter front grille cover (included with Cold Weather Group) (XD6)	P	P
Dash Pass-Through Wire Circuits (BC3)	•	•
Emissions – 50-state-compliant (included with 6.7L I-6 Cummins) (NAS)	P	P
Engine Cooling – Heavy-duty (NMC)	•	•
Vehicle Speed (max speed options) – 65-mph (JJ4)	O	O
– 70-mph (JJ5)	O	O
– 77-mph (JJ9)	O	O
Fuel Tank – 52-gallon, rear (NFH)	•	•
– 74-gallon dual - 52- and 22-gallon tanks (not available with 6.4L HEMI V8 on 63/93 models) (NLL)	O	O
– 22-gallon mid-ship fuel tank (optional on 3500 DD and 4500/5500 Chassis Cab models) (NFA)	O	O
Right-/Left-Side Power Take-Off (included with DFZ or DFM transmission) (XG7)	P	P
– Split-shaft (included with Right-/Left-Side Power Take-Off with 6.7L I-6 Cummins) (LBX)	P	P
– Hardwired Remote Start ⁽²⁷⁾ /Stop (included with Right-/Left-Side Power Take-Off) (XBV)	P	P
Shock Absorbers – Front, heavy-duty (SFB)	•	•
– Rear, heavy-duty (SGB)	•	•
Skid Plate – Transfer case (included with DFZ or DFM transmission (4x4 only)) (XEF)	P	P
Steering – Power, recirculating ball (SBE)	•	•
Suspension – Stabilizer Bar - Front (SHA)	•	•

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.



2026 RAM 3500/4500/5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ

MECHANICAL FEATURES (CONTINUED)		
Tow Hooks – Black (XEA)	•	•
Trailer Tow – Seven wires (seven blunt-cut wires, shrink-wrapped and labeled) (XFK)	•	•
Trailer Brake Controller (included with L1 and L2 Groups on 3500/4500/5500; included with Max Tow Package on 5500 4x4) (XHC)	O/P	•
Transfer Case – Electric shift, part-time (4x4 only) (DK3)	•	•
– Max tow electric shift, part-time (included with Max Tow Package on 5500 4x4 only) (DHV)	P	P
Transmission – Electronic range select (DH4)	•	•
Voltage Monitoring – Auto idle-up (XF6)	•	•

EXTERIOR FEATURES		
Antenna – Shark-fin (AM/FM; passenger-side roof) (RD3)	•	•
Bumpers – Front, Black (MB1)	•	
– Front, Chrome (included with Chrome Appearance Group) (MCT)	P	•
– Front, painted (included with H3 Group) (MBA)		P
Cab Steps – Tubular side steps (Black; Regular Cab and Crew Cab) (MRU)	F	F
Door Handles – Black (included with low-volume paints) (MNA)	•	•
– Body-color (included with H3 Group) (MNK)		P
Engine Shut-Off Timer – 6.4L HEMI® V8 and 6.7L I-6 Cummins® (5 minutes; dealer-programmable from 1 to 60 minutes) (XCL)	•	•
Fog Lamps – LED (LNV)	•	•
Grille – Upper header/lower appliqué – Matte Black-painted (MM5)	•	
– Upper header/lower appliqué – Chrome (included with Chrome Appearance Group) (MNQ)	P	•
– Tradesman grille – Matte Black-painted nostrils (MFF)	•	
– Matte Black mesh with Chrome (included with Chrome Appearance Group) (MAF)	P	•
– Chrome billets/accents (included with H3 Group) (MF1)		P
– Active grille shutters (MDX)	•	•
– Grille module (X79)	•	•
Headlamps – Auto-on (LMG)	•	•
– Headlamp-off – Time delay (LHD)	•	•
– LED-reflector (LM3)	•	•
– LED-projector (included with H3 Group) (LM6)		P
– Black headlamp bezels (MFA)	•	
– Daytime running lamps (DRLs) (customer on/off programmability availability in radios) (LM1)	•	•
Lighting, Exterior Cab – Roof-mounted LED clearance lamps (LNC)	•	•
– Center High-Mounted Stop Lamp (CHMSL) Delete, CHMSL/cargo lamp plate (LP8)	•	•
– CHMSL (incandescent) and cargo lamps (not available with CHMSL camera) (LPE)	O	O
– CHMSL LED with camera (included with H2 and H3 Groups) (LPD)		P

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ

EXTERIOR FEATURES (CONTINUED)		
Mirrors, Exterior – Black, manual-folding, manual-adjust, manual-telescoping (Regular Cab only) (GT1)	•	
– Black, heated, manual-folding, manual-telescoping, power-adjust; includes courtesy lamps, supplemental turn signal and running lights (included with L1 and L2 Groups) (GT2)	P	•
Start Engine Feature – Tip start (XBN)	•	•
Remote Start ⁽²⁷⁾ System (included with L2, H1, H2 and H3 Groups) (XBM)	P	P
Tires, 3500 – LT275/70R18E BSW All-Season (A/S) (standard with Single Rear Wheels (SRW)) (TCM)	•	•
– LT235/80R17E BSW A/S (standard on 3L64 and 8L64; included with Dual Rear Wheels (DRW) on 3L63, 8L63, 3L93 and 8L93) (TV2)	•/P	•/P
– LT235/80R17E Off-Road (TSG)	O	O
Tires, 4500/5500 – 225/70R19.5G BSW All-Purpose (A/P) (4x2 models only) (TAE)	•	•
– 225/70R19.5G BSW A/P front, rear traction (standard on 4x4; optional for 4x2 models) (TAJ)	•/O	•/O
– LT225/70R19.5 Michelin® XDS Off-Road (TSJ)	O	O
Taillamps – Incandescent (LA6)	•	•
Wheel Flares – Black (included with L2, H1 and H2 Groups on 3500; standard with 4500/5500) (MMZ)	P/•	P/•
– Body-color (included with H3 Group) (MML)		O/P
Windshield Wipers – Variable/intermittent (JHA)	•	•
Wheel Well Liners – Front (MHR)	•	•
– Splash guards/mud flaps, front (4500/5500 only) (MKM)	F	F
Wheels, 3500 SRW – 18x8-inch Black-painted steel (WBF)	•	
– 18x8-inch polished aluminum (included with Chrome Appearance Group) (WBE)	P	•
– 18x8-inch Diamond-Cut aluminum with Black pockets (included with H3 Group) (WBC)		O/P
Wheels, 3500 DRW – 17x6-inch Black-painted steel (WFG)	•	
– 17x6-inch polished aluminum (included with Chrome Appearance Group) (WF7)	P	•
Wheels, 4500/5500 DRW – 19.5x6-inch Black-painted steel (WPJ)	•	
– 19.5x6-inch steel (included with Chrome Appearance Group) (WP3)	P	•
– 19.5x6-inch polished aluminum (set of four; included with H2 and H3 Groups) (WP4)		P

INTERIOR FEATURES		
Air Conditioning – Single-Zone manual temperature control (HAA)	•	•
– Dual-Zone automatic temperature control (included with L2, H1, H2 and H3 Groups) (HAF)	P	P
Auxiliary Switches – Six push-button switches (the sixth switch becomes a Power Take-Off on/off switch when equipped with DFM/DFZ transmissions only) (LHL)	•	•
Consoles – Floor – Storage tray (included with *TX, *V9 and *AP bench seats) (CUY)	P	P
– Full-length upgraded floor console (included with *GJ bucket seats) (CUP)		P
Console, Overhead – Incandescent lighting (included with L1 and L2 Groups; standard on Crew Cab Tradesman) (CUN)	P/•	•
– Premium; includes LED overhead lamps (included with H3 Group) (CUS)		P

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.



2026 RAM 3500/4500/5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS		Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS		2TA	2TZ
INTERIOR FEATURES (CONTINUED)			
Door Locks – Manual (Regular Cab only) (JE8)		•	
– Speed-sensitive (included with L1 and L2 Groups; standard on Crew Cab Tradesman) (JPH)		P/•	•
– Remote keyless entry (included with L1 and L2 Groups; standard on Crew Cab Tradesman) (GXM)		P/•	•
– Remote proximity, passive keyless entry (included with H3 Group) (GXD)			P
Floor Covering – Heavy-duty vinyl (CKJ)		•	
– Carpet (CKE)		•	
Floor Mats – Front, carpeted (Regular Cab; included with carpet) (CLA)		•	
– Front and rear, carpeted (Crew Cab; included with carpet) (CLE)		•	
Heat (supplemental) – Rapid cabin supplemental heater (included with 6.7L I-6 Cummins®) (HDB)		P	P
Instrument Cluster Displays – 3.5-inch Driver Information Display (DID), color (JAK)		•	•
– 7-inch DID (included with Safety Group and H1 and H2 Groups) (JAL)		P	P
– Premium digital 12-inch DID (included with H3 Group) (JAN)			P
Key – Extra base metal key option (Regular Cab only; adds two keys for a total of four; each key includes a fob; not available with L1 or L2 Group, GXM or JPH) (GXJ)		F	
– Sentry Key® Theft Deterrent System (GXX)		•	•
Mirrors (inside; DD and DP only) – Day/night, manual (GNA)		•	•
– Digital rearview mirror (included with L2, H1 and H2 Groups and Safety Group) (GRG)		P	P
Pedals – Non-adjustable (3500/4500/5500) (XA8)		•	•
Seats – Heavy-duty vinyl 40/20/40 split-bench front with manual-adjust, rear full-length fold-up bench (Crew Cab only) (*TX)		•	
– Cloth 40/20/40 split-bench front with manual-adjust, rear full-length fold-up bench (Crew Cab only) (*V9)		O	•
– Leather-trimmed, 40/20/40 split-bench with power-adjust for driver and passenger (Regular Cab only) (*AP)			F
– Leather-trimmed, ventilated front bucket with full-length center console, power-adjust for driver and passenger, rear 60/40 split-folding bench with center fold-down armrest and fold-flat load floor (included with H3 Group) (*GJ)			P
– Power two-way lumbar-adjust for driver’s (optional with vinyl and cloth seats; packaged with leather seats) (JPE)		F	F/P
Seat Delete Options – Front Center Seat Delete (included with Interior Trim Delete Group) (CJT)		F/P	F/P
– Rear Seat Delete (Crew Cab) (CF8)		F	F
Seat Belts – Front, shoulder, height-adjustable (CGD)		•	•
– Red (CGQ)		O	O
Steering – Tilt column (SUA)		•	•
– Four-spoke, urethane (SCF)		•	•
– Luxury with remote audio control buttons (included with Safety Group; H1, H2 and H3 Groups; and *AP seats) (SCK)		P	P
– Audio controls (included with SCK and SCW steering wheels) (RDZ)		P	P
– Heated steering wheel (included with H1, H2 and H3 Groups and *AP seats) (NHS)			P
Storage – Front, behind-seat (Regular Cab only) (CU3)		•	•
– Front, center-seat cushion (included with *AP seats) (CVH)			P
– Rear, underseat (standard with Crew Cab only) (CUE)		•	•
– Fold-flat load floor (included with *GJ seats) (CVN)			P

STANDARD FEATURES AND OPTIONS		Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS		2TA	2TZ
INTERIOR FEATURES (CONTINUED)			
Turn Signals – One-touch three-blink lane-change feature		•	•
Upfitter Interface – Vehicle System Interface Module (VSIM) (XXS)		•	•
Universal Garage Door Opener (included with H2 and H3 Groups) (XGD)			P
Visors – Passenger-side vinyl with mirror (GNM)		•	
– Passenger-side cloth with lighted mirror (GN6)			•
– Driver's-/passenger-side cloth incandescent illuminated mirrors and Universal Garage Door Opener (included with H2 and H3 Groups) (GNC)			P
Windows – Manual (Regular Cab only) (JF8)		•	
– Power, front with driver’s one-touch down (Regular Cab only; included with L1 and L2 Groups) (JPY)		P	•
– Power, front and rear with driver’s one-touch up/down (Crew Cab models only) (JP3)		•	•
– Rear backlight, fixed (GJD)		•	•
– Rear backlight, power-sliding – Includes rear defroster (Crew Cab models only; included with L2, H1, H2 and H3 Groups) (GFE)		P	P
– Rear defroster (included with L1 Group and GFE rear window) (GFA)		P	P
UCONNECT® MULTIMEDIA			
Uconnect Voice Command (XRB)		•	•
Compass – Compass display in the radio (JFJ)		•	•
GPS Antenna Input on Radio (JLP)		•	•
Connectivity – Front: Media Hub – Includes two fully functional Type-A/-C USB port pairs and one auxiliary jack (four USB connection points) (RSF)		•	•
– Middle: 2.5-amp charge-only single USB port (located in center console or armrest) (RS3)		•	•
– Rear: Dual remote USB port, two Type-A/-C pairs; charge-only (included with H3 Group) (RS2)			P
– Auxiliary headphone jack for mobile devices (RSU)		•	•
– Dual wireless charging pads (included with *GJ seats) (CMS)			P
Power – Accessory delay (JKY)		•	•
– Auxiliary outlets (one battery and one ignition-fed) (JJJ)		•	•
– 115-volt auxiliary power outlet, instrument-panel-mounted (included with L2, H1, H2 and H3 Groups) (JKV)		P	P
– 115-volt auxiliary power outlet, rear-facing (included with *GJ seats; Crew Cab only) (JJN)			P
– 400-watt inverter (included with JKV and JJN) (XHR)		P	P
– 2.4-kW on-board power system (requires XBJ or XF1 dual alternators) (XBH)		O	O
Radios – Uconnect 5 with 8.4-inch touchscreen display and available SiriusXM® Radio ⁽²¹⁾ (UBE)		•	•
– Uconnect 5 NAV with 12-inch touchscreen display, navigation, available SiriusXM Radio ⁽²¹⁾ and HD radio (included with L2, H1, H2 and H3 Groups) (UBQ)		P	P
– Radio controls – Steering wheel-mounted audio controls (included with SCK and SCW steering wheels) (RDZ)		P	P
SiriusXM Radio ⁽²¹⁾ (RSD)		•	•
TomTom® Connected Travel and Traffic Services ⁽²²⁾ (included with NAV radios) (RTV)		P	P
SiriusXM with 360L ⁽²¹⁾ (included with NAV radios) (RTU)		•	•

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.



2026 RAM 3500/4500/5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS			Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS			2TA	2TZ
UCONNECT® MULTIMEDIA (CONTINUED)				
Speakers – Four standard (Regular Cab only) (RCD)			•	
– Six (standard on Crew Cab Tradesman) (RCG)			•	•
– Premium seven-speaker audio system (Regular Cab only; included with H1 and H2 Groups) (RCK)			P	
– Premium 10-speaker Surround Sound system (Crew Cab only; included with H1 and H2 Groups) (RC3)			P	
– Premium 17-speaker Surround Sound system (included with H3 Group) (RCA)			P	
SAFETY & SECURITY				
Air Bags ⁽³¹⁾ – Multistage front (3500/4500/5500) (CG3)			•	•
Belt Alert – Driver’s			•	•
Rear-Seat Reminder Alert (JFB)			•	•
Brakes – Power-assisted four-wheel antilock disc (BRT)			•	•
Electronic Stability Control (ESC) ⁽⁸⁾ System – Four-channel Antilock Brake System, Electronic Brake-Force Distribution, Traction Control, Ready Alert Braking, Brake Assist; ⁽⁹⁾ Hydraulic Boost Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Damping; ⁽⁶⁾ Electronic Roll Mitigation and Hill Start Assist (BNB)			•	•
Cameras – ParkView® Rear Back-Up Camera ⁽⁴⁾ (XAC)			O	O
– Cargo camera (requires UBX radio; includes LED Center High-Mounted Stop Lamp (CHMSL) and cargo lamps; included with H2 and H3 Groups) (LPD)				P
ParkSense® Rear Park Assist ⁽¹²⁾ (XAA)			O	O
ParkSense Front/Rear Park Assist System ⁽¹²⁾ (included with H3 Group) (XAG)			O	P
SAFETY FEATURES				
Security Alarm ⁽³⁴⁾ (included with Safety Group) (LSA)			P	P
Back-Up Alarm – Audible alarm when vehicle is in Reverse (XAW)			O	O
Adaptive Cruise Control (ACC) with Stop ⁽⁶⁾ (NH3)			•	•
LaneSense® Lane Departure Warning Plus ⁽⁵⁾ (included with Safety Group) (LAS)			P	P
Ready Alert Braking (BHD)			•	•
Full-Speed Forward Collision Warning Plus ⁽⁹⁾ with Auto Emergency Braking ⁽⁹⁾ (LSU)			•	•
Trailer Tire Pressure Monitoring System (XG9)			O	O
DOT-Certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses) (ACL)			O	O
Auto High-Beam Headlamp Control (included with H3 Group and Safety Group) (LMS)			P	P
Rain-Sensitive Windshield Wipers (included with H3 Group and Safety Group) (JHC)			P	P
Pedestrian/Cyclist Emergency Braking ⁽⁹⁾ (LST)			•	•
Drowsy-Driver Detection ⁽⁶⁾ (included with Safety Group) (XNM)			P	P
Traffic Sign Recognition ⁽¹³⁾ (included with Safety Group) (SJB)			P	P
Adaptive Steering System ⁽⁶⁾ (included with Safety Group) (SJE)			P	P

STANDARD FEATURES AND OPTIONS			Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS			2TA	2TZ
PACKAGES/EQUIPMENT GROUPS				
Emergency/Fire/Rescue Special Emissions Package – Includes dual alternators rated at 480 amps, manual DPF regeneration and Rear Air Conditioning/Heater Prep Group (requires valid Fleet Account Number) (AH6)			F	F
Ambulance Prep Group – Includes remote rear heat/air conditioning (provides ability to run auxiliary-mounted heater and air conditioning independently of instrument-panel controls), air conditioning line tap and engine coolant access for upfitter (AH2)			O	O
Chrome Appearance Group – Includes Chrome front bumper, Chrome grille and polished aluminum wheels on 3500 models (AMP)			O	
Cold Weather Group – Includes engine block heater cord and winter front grille cover (diesel models only) (ADE)			O	O
Heavy-Duty Front Suspension Group (a stand-alone option for 4500/5500 only) – Increases max front GAWR to 7,000 with the 6.4L HEMI® V8 and max front GAWR to 7,250 with the 6.7L I-6 Cummins® (AZB)			O	O
Tradesman Level 1 Equipment (L1 Group) – Includes overhead console, power windows (Regular Cab), power door locks (Regular Cab), trailer brake controller, rear window defroster, GT2 exterior mirrors, upgraded door trim panels and remote keyless entry (A7B)			O	
Tradesman Level 2 Equipment (L2 Group) – Includes L1 Group, Remote Start ⁽²⁷⁾ System, power-sliding rear window, digital rearview mirror, tinted acoustic windshield, Dual-Zone automatic temperature control, 115-volt power outlet and Uconnect 5 NAV with 12-inch touchscreen display (A7C)			O	
Big Horn Level 1 Equipment (H1 Group) – Includes Remote Start ⁽²⁷⁾ System, power-sliding rear window, digital rearview mirror, Dual-Zone automatic temperature control, 115-volt power outlet, dual glove boxes, driver’s-door foam bottle insert, 7-inch Driver Information Display (DID) cluster, glove box lamp, rear dome lamp with on/off switch, premium speaker audio system (seven for Regular Cab; nine for Crew Cab), luxury steering wheel and Uconnect 5 NAV with 12-inch touchscreen display (A7E)				O
Big Horn Level 2 Equipment (H2 Group) – Includes H1 Group, sun visors with illuminated vanity mirrors, Universal Garage Door Opener, LED CHMSL with camera and polished aluminum wheels on 4500/5500 (A7F)				O
Big Horn Level 3 Equipment (H3 Group) – Includes premium overhead console, highline door trim panel, *GJ leather-trimmed bucket seats, Body-color door handles, Remote Start ⁽²⁷⁾ System, power-sliding rear window, sun visors with illuminated vanity mirrors, remote proximity keyless entry, Dual-Zone automatic temperature control, Universal Garage Door Opener, heated steering wheel, 115-volt power outlet, dual glove boxes, driver’s-door foam bottle insert, rain-sensitive windshield wipers, digital 12-inch DID cluster, heated front seats, glove box lamp, exterior mirror-mounted Reverse lamps, LED interior lighting, LED CHMSL with camera, Auto High-Beam Headlamp Control, LED projector headlamps, LED daytime running lamps (DRLs), Body-color wheel flares, Body-color front bumper, Chrome Billet grille, ultra-premium 17-speaker audio system, RS2 Media Hub, Uconnect 5 NAV with 12-inch touchscreen display, luxury steering wheel, ParkSense Front/Rear Park Assist System ⁽¹²⁾ and aluminum wheels (A7G)				O
Safety Group – Includes security alarm; ⁽³⁴⁾ Drowsy-Driver Detection; ⁽⁶⁾ digital rearview mirror, rain-sensitive windshield wipers, 7-inch DID cluster for Tradesman and Big Horn, Auto High-Beam Headlamp Control, LaneSense Lane Departure Warning Plus; ⁽⁵⁾ Traffic Sign Recognition; ⁽¹³⁾ Adaptive Steering System; ⁽⁶⁾ and luxury steering wheel for Tradesman and Big Horn (AAU)			O	O
Max Tow Package – Includes max tow electronic shift part-time transfer case and trailer brake controller for Tradesman (5500 4x4 only; requires diesel engine) (AHQ)			O	O
Max Payload Package – Includes 19,000-lb GVWR on 63 and 93 models and 19,500-lb GVWR on 64, 65, 66 and 94 models (5500 gas models only) (AH5)			O	O
Interior Trim Delete Group – Includes Front Center Seat Delete, Rear Floor Storage Tray Delete and Cab Back Trim Panel Delete (Regular Cab only) (AS8)			F	F
15,000 GVWR Package – Includes 15,000-lb GVWR (4500) 4x2 (Z4B), 4x4 (Z9B) (Z4B/Z9B)			O	O
16,000 GVWR Package – Includes 16,000-lb GVWR (4500) 4x2 (Z4C), 4x4 (Z9C) (Z4C/Z9C)			O	O

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.



2026 RAM SPECIAL EXTERIOR PAINT COLORS

1

RAM HEAVY DUTY PICKUPS

2

RAM CHASSIS CAB

Black – 1 and 2	Midnight Blue – 1 and 2	Patriot Blue – 1 and 2	Republic Blue – 1 and 2	Holland Blue – 1 and 2	Robin Egg Blue – 1 and 2
Timberline Green Pearl – 1 and 2	Tree Green – 1 and 2	Bright Green – 1 and 2	Hills Green – 1 and 2	Light Green – 1 and 2	Agriculture Red – 1 and 2
Bright Red – 1 and 2	Utility Orange – 1 and 2	Omaha Orange – 1 and 2	School Bus Yellow – 1 and 2	Construction Yellow – 1 and 2	Detonator Yellow – 1 and 2
Yellow – 1 and 2	National Safety Yellow – 1 and 2	Light Cream – 1 and 2			