



# 2026 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE



### SELECT FEATURES

- 6.4L HEMI® V8 Engine/8HP75 8-speed Automatic Transmission
- Alternator – 220-amp
- Battery – 730-amp, maintenance-free
- Class V Hitch Receiver
- Driver's- and Passenger-Side Assist Handles
- Four-Wheel Antilock Disc Brakes
- LED Fog Lamps
- LED Reflector Headlamps with Auto Feature
- Locking Tailgate
- Power Recirculating Ball Steering
- Ram Air Filtration System
- Rear Axle – 11.5-inch
- Tilt Steering Column
- Tinted Glass, All Windows
- Trailer-Tow Harness – Four-/seven-pin connector
- Variable/Intermittent Windshield Wipers

### SAFETY & SECURITY

- Adaptive Cruise Control (ACC) with Stop<sup>(6)</sup>
- Air Bags<sup>(31)</sup> – Multistage driver's and front-passenger, supplemental side-curtain and side-seat
- Dynamic Front Crumple Zones and Side-Impact Door Beams

- Electronic Stability Control (ESC)<sup>(8)</sup> – Includes Brake Assist,<sup>(9)</sup> Electronic Roll Mitigation, Hill Start Assist, Rain Brake Support, Ready Alert Braking, Full-Function All-Speed Traction Control and Trailer Sway Damping<sup>(8)</sup>
- Enhanced Accident Response System
- Full-Speed Forward Collision Warning Plus<sup>(9)</sup>
- ParkView® Rear Back-Up Camera<sup>(4)</sup>
- Pedestrian/Cyclist Emergency Braking<sup>(9)</sup>
- Sentry Key® Theft Deterrent System
- Tire Pressure Information System (3500 models)
- Tire Pressure Monitoring System with Display (2500 only)

### AVAILABLE FLEET FEATURES

- \*V9 Cloth Bench Seat Option for Tradesman®
- Blind Spot Monitoring (BSM)<sup>(7)</sup> and Rear Cross-Path Detection System<sup>(4)</sup> for Tradesman
- Low-Volume Paint Options
- Two Additional Key Fobs for Tradesman

| ENGINES                                         | HORSEPOWER <sup>(32)</sup> | TORQUE <sup>(32)</sup>  |
|-------------------------------------------------|----------------------------|-------------------------|
| 6.4L HEMI V8                                    | 405 hp @ 5,600 rpm         | 429 lb-ft @ 4,000 rpm   |
| 6.7L I-6 High-Output (HO) Cummins® Turbo Diesel | 430 hp @ 2,800 rpm         | 1,075 lb-ft @ 1,800 rpm |

| RAM 2500 EXTERIOR DIMENSIONS <sup>(33)</sup> |             |          |        |
|----------------------------------------------|-------------|----------|--------|
| All specs are for base models only.          | Regular Cab | Crew Cab |        |
|                                              | 8' Box      | 6'4" Box | 8' Box |
| Overall Width                                | 83.5        | 83.5     | 83.5   |
| Overall Height (4x4)                         | 80.2        | 80.2     | 80.1   |
| Overall Length                               | 232         | 238.8    | 260.8  |
| Track – Front                                | 68.7        | 68.7     | 68.7   |
| Track – Rear                                 | 68.1        | 68.1     | 68.1   |
| Wheelbase                                    | 140.2       | 149.1    | 169    |

| RAM 3500 EXTERIOR DIMENSIONS <sup>(33)</sup> |             |            |          |        |            |
|----------------------------------------------|-------------|------------|----------|--------|------------|
| All specs are for base models only.          | Regular Cab |            | Crew Cab |        |            |
|                                              | 8' Box      | 8' Box DRW | 6'4" Box | 8' Box | 8' Box DRW |
| Overall Width                                | 83.5        | 96.5       | 83.5     | 83.5   | 96.5       |
| Overall Height (4x4)                         | 80.4        | 79.5       | 80.3     | 79.8   | 79.3       |
| Overall Length                               | 232         | 232        | 238.8    | 260.8  | 260.8      |
| Track – Front                                | 67.7        | 67.7       | 67.7     | 67.7   | 67.7       |
| Track – Rear                                 | 67.1        | 75.9       | 67.1     | 67.1   | 75.9       |
| Wheelbase                                    | 140.2       | 140.2      | 149      | 169.3  | 169.3      |

| TOWING <sup>(29)</sup> |        |
|------------------------|--------|
| Maximum Towing (lb)    |        |
| – 2500                 | 19,930 |
| – 3500                 | 36,610 |

| INTERIOR DIMENSIONS <sup>(33)</sup> |             |             |
|-------------------------------------|-------------|-------------|
| Ram Interiors                       | Regular Cab | Crew Cab    |
| Headroom (front / rear)             | 39.8        | 40.9 / 39.8 |
| Hip Room (front / rear)             | 62.9        | 62.9 / 62.7 |
| Shoulder Room (front / rear)        | 65.9        | 65.9 / 65.6 |
| Legroom (front / rear)              | 40.9        | 40.9 / 40.2 |
| Seating Capacity (max occupants)    | 3           | 6           |


| ALL RAM PICKUP BOXES <sup>(33)</sup> | 6'4" BOX    | 8' BOX      |
|--------------------------------------|-------------|-------------|
| Maximum Length at Floor              | 76.3        | 98.3        |
| Front of Box to End of Open Tailgate | 100.2       | 120.2       |
| Depth of Box/Open Tailgate           | 20.1 / 20.1 | 20.2 / 20.2 |
| Cargo Volume (cu ft)                 | 57.5        | 74.7        |
| Width between Wheelhousings          | 51          | 51          |
| Maximum Width, Wall-to-Wall          | 66.4        | 66.4        |

| PAYLOAD <sup>(29)</sup> |       |
|-------------------------|-------|
| Maximum Payload (lb)    |       |
| – 2500                  | 4,580 |
| – 3500                  | 7,200 |



2026 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

EXTERIOR PAINT COLORS



STANDARD FEATURES AND OPTIONS

|      |     |
|------|-----|
| CPOS | 2TA |
|------|-----|

CONFIGURATIONS

|                                                                                 |   |
|---------------------------------------------------------------------------------|---|
| Body Model – Regular Cab 8'-box – 140.2-inch wheelbase (-62)                    | • |
| – Crew Cab 6'4"-box – 149.1-inch wheelbase (Single Rear Wheel (SRW) only) (-91) | O |
| – Crew Cab 8'-box – 169.1-inch wheelbase (-92)                                  | O |
| Drive – 4x4 (2500/3500)                                                         | • |

ENGINES/TRANSMISSIONS

|                                                                                          |   |
|------------------------------------------------------------------------------------------|---|
| 6.4L HEMI® V8/8-speed Automatic (8HP75) (ESL/DFX)                                        | • |
| 6.7L I-6 High-Output (HO) Cummins® Turbo Diesel/8-speed ZF Powerline Automatic (ETM/DFM) | O |

MECHANICAL FEATURES

|                                                             |   |
|-------------------------------------------------------------|---|
| Alternators – Single 220-amp (BAJ)                          | • |
| – Dual: 400-amp (XBJ)                                       | O |
| – Dual: 480-amp (diesel engine only) (XF1)                  | O |
| Axle Ratios – 3.42 (included with ETM) (DMR)                | P |
| – 3.73 (DME)                                                | • |
| – 4.10 (requires ESL) (DMF)                                 | O |
| Brakes – Power-assisted four-wheel antilock (BRT)           | • |
| – Electronic Stability Control (ESC) <sup>(8)</sup> (BNB)   | • |
| – Brake Assist <sup>(9)</sup> (BGE)                         | • |
| – Pedestrian/Cyclist Emergency Braking <sup>(9)</sup> (LST) | • |

STANDARD FEATURES AND OPTIONS

|      |     |
|------|-----|
| CPOS | 2TA |
|------|-----|

MECHANICAL FEATURES (CONTINUED)

|                                                                                                                 |     |
|-----------------------------------------------------------------------------------------------------------------|-----|
| Brakes (continued) – Electronic Roll Mitigation (BNS)                                                           | •   |
| – Hill Start Assist (BNG)                                                                                       | •   |
| – Traction Control (BNM)                                                                                        | •   |
| – Trailer Sway Damping <sup>(8)</sup> (BNT)                                                                     | •   |
| – Ready Alert Braking (BHD)                                                                                     | •   |
| – Mechanical park brake                                                                                         | •   |
| – Diesel exhaust brake (included with diesel engine) (NEN)                                                      | P   |
| Differential – Open (2500 only) (DS8)                                                                           | •   |
| – Antispin rear (2500: optional; required if 4.10 axle and gas engine; 3500: standard) (DSA)                    | O/• |
| Engine Thermal Management – Engine cooling, heavy-duty (standard with diesel engine) (NMC)                      | P   |
| – Active grille shutters (MDX)                                                                                  | •   |
| – Front grille cover (included with Cold Weather Group) (XD6)                                                   | P   |
| – Engine block heater (included with Cold Weather Group on diesel engine) (NHK)                                 | O/P |
| – Supplemental cabin heater (included with diesel engine) (HDB)                                                 | P   |
| Fuel Tank – 28-gallon (included with Regular Cab with diesel engine) (NGC)                                      | P   |
| – 31-gallon (standard on Crew Cab with 6'4" box) (NFT)                                                          | •   |
| – 32-gallon (standard on Regular Cab and Crew Cab with 8' box) (NFX)                                            | •   |
| – 50-gallon (optional on Crew Cab with 8' box; Tradesman only for 2500 model) (NFC)                             | O   |
| Shocks – Front and rear, heavy-duty - Magneti Marelli™ with KONI® Frequency Selective Damping valving (SFB/SGB) | •   |
| Skid Plates (4x4) – Transfer case (included with Special Service Vehicle Group (AAP)) (XEF)                     | •   |

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.





2026 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

| STANDARD FEATURES AND OPTIONS                                                                                                                             | Tradesman® |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| CPOS                                                                                                                                                      | 2TA        |
|                                                                                                                                                           |            |
| MECHANICAL FEATURES (CONTINUED)                                                                                                                           |            |
| Start Control – Keyless push-button start (GX4)                                                                                                           | •          |
| Steering – Power, recirculating ball (SBE)                                                                                                                | •          |
| Suspension – Three-link front                                                                                                                             | •          |
| – Rear link with coil springs (2500 only)                                                                                                                 | •          |
| – Rear Hotchkis leaf-spring (3500 only)                                                                                                                   | •          |
| – Stabilizer bar, front, standard (SHA)                                                                                                                   | •          |
| – Auto-Level Rear Air Suspension (3500 only) (SEB)                                                                                                        | O          |
| Tow Hooks – Black (XEA)                                                                                                                                   | •          |
| Trailer Tow – Four-pin trailer harness plug, rear bumper (combination receptacle with seven-pin) (XFU)                                                    | •          |
| – Seven-pin trailer harness plug, rear bumper (combination receptacle with four-pin) (XFK)                                                                | •          |
| – Class V hitch receiver (20K-lb 2500/23K-lb 3500) (XFR)                                                                                                  | •          |
| – Mopar® Fifth-Wheel Hitch, 20K lb (requires Fifth-Wheel/Gooseneck Prep Group) (XML)                                                                      | O          |
| – Mopar Fifth-Wheel Hitch, 30K lb (3500 Dual Rear Wheel (DRW) only; requires Fifth-Wheel/Gooseneck Prep Group) (XNH)                                      | O          |
| Transfer Case (4x4 only) – Electronic shift-on-the-fly (DK3)                                                                                              | •          |
| Upfitter Module – Upfitter Electronic Monitoring Module (Vehicle System Interface Module (VSIM); included with Special Service Vehicle Group (AAP)) (XXS) | •          |
|                                                                                                                                                           |            |
| EXTERIOR FEATURES                                                                                                                                         |            |
| Bed Step, Rear, Deployable – Mopar (included with Bed Utility Group) (MDN)                                                                                | P          |
| Bedliner – Spray-in (included with Bed Utility Group) (XMF)                                                                                               | P          |
| Bumpers – Black-painted, front and rear (MB1/MBN)                                                                                                         | •          |
| – Chrome, front and rear (included with Chrome Appearance Group and L2 Group) (MCT/MBF)                                                                   | P          |
| Center High-Mounted Stop Lamp (CHMSL) – Lamp (incandescent) with cargo-box illumination (LPE)                                                             | •          |
| – LED with camera (included with Towing Technology Group; requires UBQ radio) (LPD)                                                                       | P          |
| Clearance Lamps, LED – Cab-mounted (optional on 2500 and 3500 Single Rear Wheel (SRW); included with 3500 DRW) (LNC)                                      | O/P        |
| – Box- and rear-fender-mounted (included with 3500 DRW) (LND)                                                                                             | P          |
| Fog Lamps – LED with cornering feature (LNV)                                                                                                              | •          |
| Grilles – Matte Black upper header/lower appliqué (MM5)                                                                                                   | •          |
| – Chrome upper header/lower appliqué (included with Chrome Appearance Group and L2 Group) (MNQ)                                                           | P          |
| – Tradesman grille with Matte Black-painted nostrils (MFF)                                                                                                | •          |
| – Matte Black mesh with Chrome (included with Chrome Appearance Group and L2 Group) (MAF)                                                                 | P          |

| STANDARD FEATURES AND OPTIONS                                                                                                                                                                                                                                         | Tradesman® |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| CPOS                                                                                                                                                                                                                                                                  | 2TA        |
|                                                                                                                                                                                                                                                                       |            |
| EXTERIOR FEATURES (CONTINUED)                                                                                                                                                                                                                                         |            |
| Headlamps/Taillamps – LED reflector headlamps (LM3)                                                                                                                                                                                                                   | •          |
| – Incandescent taillamps (LA6)                                                                                                                                                                                                                                        | •          |
| – Daytime running lamps (DRLs), low-beam (LM1)                                                                                                                                                                                                                        | •          |
| – Premium LED taillamps (included with Blind Spot Monitoring (BSM) <sup>(7)</sup> ) (LAY)                                                                                                                                                                             | P          |
| – Automatic headlamps (LMG)                                                                                                                                                                                                                                           | •          |
| – Auto High-Beam Headlamp Control (included with Safety Group) (LMS)                                                                                                                                                                                                  | P          |
| Lighting – Pickup box (included with Bed Utility Group) (LPL)                                                                                                                                                                                                         | P          |
| Mirrors, Exterior – Trailer-tow, manual-adjust for flat and convex mirrors, manual-adjust for folding and telescoping (GT1)                                                                                                                                           | •          |
| – Trailer-tow, heated, power-adjust for flat and convex mirrors, manual-adjust for folding and telescoping; includes mirror running lights, courtesy lamps and supplemental turn signals (included with L1 and L2 Groups) (GT2)                                       | P          |
| – Trailer-tow, heated, power-adjust for flat and convex mirrors, power-adjust for folding and telescoping; includes mirror running lights, courtesy lamps, supplemental turn signals and forward/reverse utility lights (included with Towing Technology Group) (GT3) | P          |
| – Exterior mirror color – Black (LE4)                                                                                                                                                                                                                                 | •          |
| Paint – Monotone (APA)                                                                                                                                                                                                                                                | •          |
| Side Steps/Running Boards – Side steps, tubular, Black, cab-length (included with L1 and L2 Groups) (MRU)                                                                                                                                                             | O/P        |
| Tailgate – Locking (XJJ)                                                                                                                                                                                                                                              | •          |
| Tie-Downs – Lower, fixed (four)                                                                                                                                                                                                                                       | •          |
| Tonneau Cover – Soft tri-fold (CS7)                                                                                                                                                                                                                                   | O          |
| Windshield Wipers – Variable/intermittent (JHA)                                                                                                                                                                                                                       | •          |
| – Rain-sensitive (included with Safety Group) (JHC)                                                                                                                                                                                                                   | P          |
|                                                                                                                                                                                                                                                                       |            |
| INTERIOR FEATURES                                                                                                                                                                                                                                                     |            |
| Air Conditioning – Manual temperature control; base (HAA)                                                                                                                                                                                                             | •          |
| – Dual-Zone automatic temperature control (included with Convenience Group) (HAF)                                                                                                                                                                                     | P          |
| Auxiliary Switches – Instrument panel-mounted (included with Special Service Vehicle Group (AAP)) (LHL)                                                                                                                                                               | •          |
| Auxiliary Pass-Through Wires (quantity four; included with Special Service Vehicle Group (AAP)) (BC3)                                                                                                                                                                 | •          |
| Consoles and Storage – Storage, floor-mounted tray (included with bench seat only; not included on Regular Cab 4x2) (CUY)                                                                                                                                             | P          |
| – Storage, behind-seat (Regular Cab) (CU3)                                                                                                                                                                                                                            | •          |
| – Storage, rear underseat compartment (Crew Cab only) (CUE)                                                                                                                                                                                                           | •          |
| – Close-out panel, in-floor storage (Crew Cab only) (CUH)                                                                                                                                                                                                             | •          |
| – Overhead console (incandescent lighting; included with Chrome Appearance Group and L1 and L2 Groups on Regular Cab) (CUN)                                                                                                                                           | P/•        |

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.



# 2026 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

| STANDARD FEATURES AND OPTIONS                                                                                                                         | Tradesman® |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| CPOS                                                                                                                                                  | 2TA        |
|                                                                                                                                                       |            |
| INTERIOR FEATURES (CONTINUED)                                                                                                                         |            |
| Door Locks – Powered and speed-sensitive (JPH)                                                                                                        | •          |
| – Remote Keyless Entry (GXM)                                                                                                                          | •          |
| Instrument Cluster, Display – 3.5-inch Driver Information Display, color (JAK)                                                                        | •          |
| – 7-inch Driver Information Display, color (included with Safety Group) (JAL)                                                                         | P          |
| Off-Road Pages Application in Radio (included with UBQ radio) (JA8)                                                                                   | P          |
| Pedals – Non-adjustable (XA8)                                                                                                                         | •          |
| Seats – Heavy-duty vinyl 40/20/40 split-bench front with manual-adjust and folding rear bench (Crew Cab) (*TX)                                        | •          |
| – Cloth 40/20/40 split-bench front with manual-adjust and folding rear bench (Crew Cab; included with L1 and L2 Groups) (*V9)                         | F/P        |
| Speed Control – Adaptive Cruise Control (ACC) with Stop <sup>(6)</sup> (NH3)                                                                          | •          |
| Steering Wheel – Urethane (SCF)                                                                                                                       | •          |
| – Luxury (included with Safety Group) (SCK)                                                                                                           | P          |
| – Audio controls (included with SCK) (RDZ)                                                                                                            | P          |
| Mirror – Rearview, auto-dimming (included with Safety Group and Convenience Group) (GNK)                                                              | P          |
| – Rearview, digital (dedicated camera located in Center High-Mounted Stop Lamp (CHMSL); included with Tow-Mode Digital Rearview Mirror Package) (GRG) | P          |
| – Rearview, digital 3.0 (included with Tow Technology Plus Group) (GNQ)                                                                               | P          |
| Windows – Power, front one-touch down (Regular Cab only) (JPY)                                                                                        | •          |
| – Power, front one-touch up/down (Crew Cab) (JP3)                                                                                                     | •          |
| – Rear, fixed (GJD)                                                                                                                                   | •          |
| – Rear, manual-sliding (Regular Cab only; included with L1 and L2 Groups) (GFD)                                                                       | P          |
| – Rear, power-sliding (Crew Cab only; paired with defroster; included with L1 and L2 Groups) (GFE)                                                    | P          |
| – Rear window defroster (optional with fixed rear glass on Tradesman) (GFA)                                                                           | O          |
|                                                                                                                                                       |            |
| UCONNECT® MULTIMEDIA                                                                                                                                  |            |
| Uconnect Voice Command (XRB)                                                                                                                          | •          |
| Compass – Compass and temperature display (in radio) (JFJ)                                                                                            | •          |
| – GPS antenna input on radio (JLP)                                                                                                                    | •          |
| Connectivity, Radio – Auxiliary input, headphone jack                                                                                                 | •          |
| – Front Media Hub (one fully functional USB, one charging-only USB and one auxiliary input; each USB connection is a Type-A/-C USB pair) (RSF)        | •          |
| – Single-remote USB port - Charging only (center armrest, Type-A; included with *TX and *V9 seats) (RS3)                                              | P          |
| – Apple CarPlay <sup>TM(16)</sup> (RFP)                                                                                                               | •          |
| – Android Auto <sup>TM(15)</sup> (RF5)                                                                                                                | •          |

| STANDARD FEATURES AND OPTIONS                                                                                                                                                                  | Tradesman® |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| CPOS                                                                                                                                                                                           | 2TA        |
|                                                                                                                                                                                                |            |
| UCONNECT MULTIMEDIA (CONTINUED)                                                                                                                                                                |            |
| Power – 12-volt DC auxiliary power point (JJJ)                                                                                                                                                 | •          |
| – Front 115-volt, 400-watt outlet (three-prong; included with Chrome Appearance Group, Commercial Features Package, and L1 and L2 Groups) (JKV)                                                | P          |
| – Exterior 115-volt, 400-watt outlet (three-prong, located in driver's-side pickup box inner; included with Chrome Appearance Group and L1 and L2 Groups; not available with Box Delete) (XBE) | P          |
| – 2.4-kW On-Board Power System (requires XF1 or XBJ dual alternators) (XBH)                                                                                                                    | O          |
| – Accessory delay                                                                                                                                                                              | •          |
| Systems – Uconnect 5 with 8.4-inch touchscreen display (UBE)                                                                                                                                   | •          |
| – Uconnect 5 NAV with 12-inch touchscreen display (included with Convenience Group) (UBQ)                                                                                                      | P          |
| SiriusXM® Radio <sup>(21)</sup> (RSD)                                                                                                                                                          | •          |
| TomTom® Connected Travel and Traffic Services <sup>(22)</sup> (included with UBQ radio) (RTV)                                                                                                  | P          |
| SiriusXM with 360L <sup>(21)</sup> (included with UBQ radio) (RTU)                                                                                                                             | P          |
| Speaker Systems, Audio – Base four-speaker system (standard on Regular Cab Tradesman only) (RCD)                                                                                               | •          |
| – Base six-speaker system (standard on Crew Cab; included with Convenience Group on Regular Cab) (RCG)                                                                                         | •/P        |
| Active Noise Control System (standard with 6.4L gas engine and 6.7L diesel engine on Crew Cab; included with L1 Group if equipped with 6.7L diesel engine on Regular Cab only) (JLW)           | •/P        |
|                                                                                                                                                                                                |            |
| TIRES                                                                                                                                                                                          |            |
| Tires – Single Rear Wheel (SRW) - LT245/70R17E BSW Firestone® Transforce HT All-Season (A/S) (2500 only) (TWD)                                                                                 | •          |
| – LT275/70R18E OWL Firestone Transforce On-/Off-Road (TCP)                                                                                                                                     | O          |
| Dual Rear Wheel (DRW) – LT235/80R17E BSW A/S (TV2)                                                                                                                                             | •          |
| – LT235/80R17E Off-Road (TSG)                                                                                                                                                                  | O          |
| Spare Tire – Full-size, matching (TBB)                                                                                                                                                         | •          |
| – Full-size, delete (included with Box Delete) (TBF)                                                                                                                                           | P          |
| – Full-size, add (requires Box Delete) (TBE)                                                                                                                                                   | O          |
| – Carrier (TBM)                                                                                                                                                                                | •          |
|                                                                                                                                                                                                |            |
| SAFETY, SECURITY & CONVENIENCE                                                                                                                                                                 |            |
| Air Bags <sup>(31)</sup> – Advanced multistage front (CG3)                                                                                                                                     | •          |
| – Supplemental side-curtain (CGS)                                                                                                                                                              | •          |
| – Supplemental side-seat (CJ1)                                                                                                                                                                 | •          |
| Cameras – ParkView® Rear Back-Up Camera <sup>(4)</sup> (not available with Surround-View Camera System <sup>(4)</sup> ) (XAC)                                                                  | •          |
| – Surround-View Camera System <sup>(4)</sup> (included with Towing Technology Group; requires Cargo-View Camera <sup>(4)</sup> ; not available with Pickup Box Delete or Regular Cab) (XAK)    | P          |

• = Standard.    O = Optional.    P = Available with Package noted.    F = Fleet only.



2026 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

| STANDARD FEATURES AND OPTIONS                                                                                                                                                                                                                                                                                                  | Tradesman® |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| CPOS                                                                                                                                                                                                                                                                                                                           | 2TA        |
|                                                                                                                                                                                                                                                                                                                                |            |
| SAFETY, SECURITY & CONVENIENCE (CONTINUED)                                                                                                                                                                                                                                                                                     |            |
| Cameras (continued) – Cargo-View Camera <sup>(4)</sup> with LED Center High-Mounted Stop Lamp (CHMSL) and cargo-box illumination (includes dynamic centerline with Surround-View Camera System <sup>(4)</sup> ; requires UBQ or UBW radio; not available with incandescent CHMSL; included with Towing Technology Group) (LPD) | P          |
| – Auxiliary (Trailer) Camera Prep provides in-cab wiring, camera HDMI in radio, seven-/12-pin rear-bumper connector and/or seven-/12-pin pickup bed connector (requires L1 or L2 Group) (XFQ)                                                                                                                                  | O          |
| Drowsy-Driver Detection <sup>(6)</sup> (included with Safety Group) (XNM)                                                                                                                                                                                                                                                      | P          |
| Traffic Sign Recognition System <sup>(13)</sup> (included with Safety Group) (SJB)                                                                                                                                                                                                                                             | P          |
| Active Lane Management System <sup>(5)</sup> (included with Safety Group) (XNW)                                                                                                                                                                                                                                                | P          |
| Blind Spot Monitoring (BSM) <sup>(7)</sup> and Rear Cross-Path Detection System <sup>(4)</sup> – Includes LED taillamps on Tradesman (included with Safety Group and Towing Technology Group) (XAN)                                                                                                                            | F/P        |
| Full-Speed Forward Collision Warning Plus <sup>(9)</sup> – With Auto Emergency Braking (LSU)                                                                                                                                                                                                                                   | •          |
| Trailer Reverse Guidance <sup>(4)</sup> (included with Towing Technology Group) (XPU)                                                                                                                                                                                                                                          | P          |
| Trailer Reverse Steering Control <sup>(5)</sup> (included with Tow Technology Plus Group) (XA1)                                                                                                                                                                                                                                | P          |
| Adaptive Cruise Control (ACC) with Stop <sup>(6)</sup> (NH3)                                                                                                                                                                                                                                                                   | •          |
| Back-Up Alarm – Audible alarm when vehicle is in Reverse (XAW)                                                                                                                                                                                                                                                                 | O          |
| DOT Safety Kit – Includes DOT fire extinguisher, three reflecting triangles, two red flags and spare fuses (ACL)                                                                                                                                                                                                               | O          |
| Parking Sensors – ParkSense® Front/Rear Park Assist <sup>(12)</sup> (included with L1 and L2 Groups) (XAG)                                                                                                                                                                                                                     | P          |
| Restraints – Front, height-adjustable three-point seat belts (outboard positions only) (CGD)                                                                                                                                                                                                                                   | •          |
| Rear-Seat Reminder Alert (JFB)                                                                                                                                                                                                                                                                                                 | •          |
| LATCH – Child Seat Anchor System (CGU)                                                                                                                                                                                                                                                                                         | •          |
| Adaptive Steering System <sup>(6)</sup> – Variable Steering Effort System (included with Safety Group) (SJE)                                                                                                                                                                                                                   | P          |
| Security – Sentry Key® Theft Deterrent System - Engine immobilizer (GXX)                                                                                                                                                                                                                                                       | •          |
| Tailgate-Ajar Warning Lamp (LAN)                                                                                                                                                                                                                                                                                               | •          |
| Tire Pressure Monitor – Tire Pressure Monitoring System, cluster display (2500 only) (XGM)                                                                                                                                                                                                                                     | •          |
| – Tire Pressure Information System, cluster display (3500 only) (XBT)                                                                                                                                                                                                                                                          | •          |
| – Selectable Tire-Fill Alert (LA5)                                                                                                                                                                                                                                                                                             | •          |
| – Tire-Fill Alert (LAW)                                                                                                                                                                                                                                                                                                        | •          |
| Trailer Brake Controller – Electronic Trailer Brake Controller (ITBM) (XHC)                                                                                                                                                                                                                                                    | •          |
| Trailer-Light Check Out (cluster-activated routine) (JJ1)                                                                                                                                                                                                                                                                      | •          |
| Trailer Tire Pressure Monitoring System – Includes four trailer tire sensors (included with Towing Technology Group) (XG9)                                                                                                                                                                                                     | P          |

| STANDARD FEATURES AND OPTIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Tradesman® |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| CPOS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 2TA        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            |
| EQUIPMENT PACKAGES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |            |
| Tradesman Level 1 Equipment (L1 Group) – Includes Convenience Group, overhead console, *V9 cloth bench seats, carpet floor covering, rear antispin differential, exterior 115-volt outlet, 400-watt inverter, Active Noise Control System, sliding rear window (Regular Cab only), power sliding rear window on Crew Cab, GT2 exterior mirrors, carpet floor mats, interior front 115-volt outlet, Black tubular side steps on Crew Cab and ParkSense Front/Rear Park Assist System <sup>(12)</sup> (A7B) | O          |
| Tradesman Level 2 Equipment (L2 Group) – Includes L1 Group, Chrome grille surround, Chrome front and rear bumpers, and Chrome-clad steel wheels for Single Rear Wheels (SRWs) or polished aluminum wheels for Dual Rear Wheels (DRWs) (A7D)                                                                                                                                                                                                                                                               | O          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            |
| FUNCTIONAL PACKAGES/GROUPS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |            |
| Chrome Appearance Group – Includes overhead console, exterior 115-volt outlet, 400-watt inverter, interior front 115-volt outlet, Chrome grille surround, Chrome front and rear bumpers, and Chrome-clad steel wheels for SRW or polished aluminum wheels for DRW (A7C)                                                                                                                                                                                                                                   | O          |
| Convenience Group – Includes auto-dimming rearview mirror, tinted acoustic windshield, Dual-Zone automatic temperature control, six speakers (Regular Cab only) and Uconnect® 5 NAV with 12-inch touchscreen display (included with L1 and L2 Groups) (ADC)                                                                                                                                                                                                                                               | P          |
| Bed Utility Group – Includes LED bed lighting, spray-in bedliner and rear, deployable bed step (ANT)                                                                                                                                                                                                                                                                                                                                                                                                      | O          |
| Cold Weather Group – Includes engine block heater and winter front grille cover (diesel engine only) (ADE)                                                                                                                                                                                                                                                                                                                                                                                                | O          |
| Dual Rear Wheel (DRW) Group – Includes 6,000-lb front axle with hub extension, rear wheelhouse liners, cab-mounted LED clearance lamps, and box- and rear-fender-mounted LED clearance lamps (3500 only) (WLA)                                                                                                                                                                                                                                                                                            | O          |
| Fifth-Wheel/Gooseneck Prep Group – Includes bed-mounted seven-pin connector (seven-/12-pin connector if equipped with Auxiliary Camera Prep), mounting holes for fifth-wheel hitch and gooseneck ball, and mounting hole covers (included with Max Tow Package on 3500) (AHU)                                                                                                                                                                                                                             | O/P        |
| Commercial Features Package – Includes exterior 115-volt outlet, 400-watt inverter, interior front 115-volt outlet and ParkSense Front/Rear Park Assist System <sup>(12)</sup> (AGS)                                                                                                                                                                                                                                                                                                                      | O          |
| Safety Group – Includes Drowsy-Driver Detection <sup>(6)</sup> auto-dimming rearview mirror, rain-sensitive windshield wipers, cluster with 7-inch Driver Information Display on Tradesman, Auto High-Beam Headlamp Control, Traffic Sign Recognition System <sup>(13)</sup> Adaptive Steering System <sup>(6)</sup> Active Lane Management System <sup>(5)</sup> luxury steering wheel, and BSM <sup>(7)</sup> and Rear Cross-Path Detection System <sup>(4)</sup> (AAU)                                 | O          |
| Special Service Vehicle Group – Includes transfer case skid plate, dash pass-through wire circuits, upfitter electronic module (Vehicle System Interface Module (VSIM)) and dash-mounted auxiliary switches (AAP)                                                                                                                                                                                                                                                                                         | •          |
| Max Tow Package – Includes Fifth-Wheel/Gooseneck Prep Group, DOT-certified roadside safety kit, LED CHMSL with Cargo-View Camera <sup>(4)</sup> and Auto-Level Rear Air Suspension on select 4x4 models (requires DRW and diesel engine) (AJL)                                                                                                                                                                                                                                                            | O          |
| Towing Technology Group – Includes Surround-View Camera System <sup>(4)</sup> LED CHMSL with Cargo-View Camera <sup>(4)</sup> Trailer Reverse Guidance <sup>(4)</sup> Trailer Tire Pressure Monitoring System, GT3 exterior mirrors for Tradesman, and BSM <sup>(7)</sup> and Rear Cross-Path Detection System <sup>(4)</sup> (requires L2 Group) (AAN)                                                                                                                                                   | O          |
| Tow Technology Plus Group – Includes 3.0 digital rearview mirror, auxiliary switch prep and Trailer Reverse Steering Control <sup>(5)</sup> (requires Adaptive Steering System <sup>(6)</sup> Surround-View Camera System <sup>(4)</sup> and L2 Group) (AVS)                                                                                                                                                                                                                                              | O          |
| Tow-Mode Digital Rearview Mirror Package – Includes digital rearview mirror and wired tow-mode camera (requires L1 or L2 Group) (AVF)                                                                                                                                                                                                                                                                                                                                                                     | O          |

• = Standard.   O = Optional.   P = Available with Package noted.   F = Fleet only.