2027 RAM 3500 / 4500 / 5500 CHASSIS CAB





SELECT FEATURES

6.4L HEMI® V8 Engine / 8-speed Automatic Transmission (3500) / 8-speed ZF 8AP430 TorqueFlite® Automatic Transmission (4500 / 5500)
Air Conditioning
Alternator – 220-amp
Antispin Differential – Rear
Auxiliary Input Jack for Mobile Devices
Auxiliary Power Outlets – 12-volt
Auxiliary Switches – Five
Battery – 730-amp (one per vehicle with gas engine; two per vehicle with diesel engine)
Engine Cooling – Heavy-duty
Lamps – Cab-clearance
LED Fog Lamps
LED Reflector Headlamps with Automatic Function
Shock Absorbers – Heavy-duty
Speed Control
Stabilizer Bar – Front
Steering – Power, recirculation ball
USB Port – Media port with Type-A / -C USB pairs and auxiliary input port
Windshield Wipers – Variable / intermittent

SAFETY & SECURITY

Adaptive Cruise Control (ACC) with Stop[6]
Air Bags[31] – Multistage front
Brakes – Power-assisted four-wheel-disc Antilock Brake System (ABS)
Electronic Stability Control (ESC)[8] System
Full-Speed Forward Collision Warning Plus[9] with Auto Emergency Braking[9]
ParkView® Rear Back-Up Camera[4] (Available)
Pedestrian / Cyclist Emergency Braking[9]
Sentry Key® Theft Deterrent System – Engine immobilizer

AVAILABLE FLEET FEATURES

Emergency / Fire / Rescue Special Emissions Package
Low-Volume Paint Options
Mopar® Black Tubular Side Steps for Tradesman® and Big Horn®
Mopar Front Splash / Mud Guards
Two Additional Key Fobs

ENGINES	HORSEPOWER[32]	TORQUE[32]
6.4L HEMI V8	370 hp @ 5,600 rpm	429 lb-ft @ 4,000 rpm
6.7L I-6 Cummins® Turbo Diesel	360 hp @ 2,800 rpm	800 lb-ft @ 1,800 rpm

INTERIOR DIMENSIONS[33]		
All Ram Chassis Cab Interiors	Regular Cab	Crew Cab
Headroom (front / rear)	39.8	40.9 / 39.8
Hip Room (front / rear)	62.9	62.9 / 62.7
Shoulder Room (front / rear)	65.9	65.9 / 65.6
Legroom (front / rear)	40.9	40.9 / 40.2
Seating Capacity (max occupants)	3	6

RAM 3500 CHASSIS CAB MAX JOB RATING INFORMATION (3500 DD)[32],[33],[38]

3500 Chassis Cab (3500 DD)		Regular Cab			Crew Cab	
		60" CA (4x2 / 4x4)	60" CA (4x2 / 4x4)	84" CA (4x2 / 4x4)	60" CA (4x2 / 4x4)	60" CA (4x2 / 4x4)
Powertrain	Capacity Type	SRW	DRW		SRW	DRW
6.4L HEMI V8/ ZF 8HP75 TorqueFlite 8-speed Automatic Transmission	MAX GVWR	11,040	13,500	13,500	11,040	13,500
	MAX PAYLOAD	5,190 / 4,850	7,390 / 7,050	7,330 / 6,980	4,750 / 4,330	6,950 / 6,450
	MAX GAWR, FRONT	5,500	5,500	5,500	5,500	5,500
	MAX GAWR, REAR	6,800	9,850	9,850	6,800	9,850
	MAX TOWING	16,000 / 15,660	15,740 / 15,400	15,680 / 15,330	15,560 / 15,140	15,300 / 14,800
	MAX GCWR	22,000	22,000	22,000	22,000	22,000
6.4L HEMI V8/ ZF 8AP430 TorqueFlite HD 8-speed Automatic Transmission	MAX GVWR	11,040	14,000	14,000	11,040	14,000
	MAX PAYLOAD	5,070 / 4,730	7,710 / 7,440	7,650 / 7,290	4,630 / 4,210	7,270 / 6,850
	MAX GAWR, FRONT	5,500	5,500	5,500	5,500	5,500
	MAX GAWR, REAR	6,800	9,850	9,850	6,800	9,850
	MAX TOWING	18,880 / 18,540	18,550 / 18,280	18,500 / 18,140	18,440 / 18,020	18,110 / 17,700
	MAX GCWR	25,000	25,000	25,000	25,000	25,000
6.7L I-6 Cummins Turbo Diesel/ ZF TorqueFlite HD 8-speed Automatic Transmission	MAX GVWR	11,600 / 12,000	14,000	14,000	11,600 / 12,000	14,000
	MAX PAYLOAD	4,690 / 4,820	6,830 / 6,570	6,770 / 6,370	4,250 / 4,190	6,350 / 5,960
	MAX GAWR, FRONT	6,000	6,000	6,000	6,000	6,000
	MAX GAWR, REAR	6,800	9,850	9,850	6,800	9,850
	MAX TOWING	20,440 / 20,170	25,680 / 25,410	25,620 / 25,210	20,000 / 19,540	25,200 / 24,810
	MAX GCWR	27,500	33,000	33,000	27,500	33,000

CA = Cab-to-Axle SRW = Single Rear Wheel DRW = Dual Rear Wheel

2027 RAM 3500 / 4500 / 5500 CHASSIS CAB

EXTERIOR PAINT COLORS



RAM 4500 CHASSIS CAB MAX JOB RATING INFORMATION[32],[33],[38]

4500 Chassis Cab		Regular Cab				Crew Cab	
		60" CA (4x2 / 4x4)	84" CA (4x2 / 4x4)	108" CA (4x2 / 4x4)	120" CA (4x2 / 4x4)	60" CA (4x2 / 4x4)	84" CA (4x2 / 4x4)
Powertrain	**Capacity Type**	**DRW**				**DRW**	
6.4L HEMI® V8 / ZF 8AP430 TorqueFlite® HD 8-speed Automatic Transmission	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
	MAX PAYLOAD	9,390 / 9,070	9,230 / 8,890	9,130 / 8,710	9,140 / 8,720	8,910 / 8,460	8,790 / 8,450
	MAX GAWR, FRONT	6,500	6,500	7,000	7,000	7,000	7,000
	MAX GAWR, REAR	12,000	12,000	12,000	12,000	12,000	12,000
	MAX TOWING	21,240 / 20,920	21,080 / 20,740	20,970 / 20,560	20,990 / 20,570	20,760 / 20,300	20,630 / 20,300
	MAX GCWR	28,500	28,500	28,500	28,500	28,500	28,500
6.7L I-6 Cummins® Turbo Diesel / ZF TorqueFlite HD 8-speed Automatic Transmission	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
	MAX PAYLOAD	8,560 / 8,220	8,410 / 8,040	8,280 / 7,860	8,290 / 7,870	8,110 / 7,700	7,910 / 7,610
	MAX GAWR, FRONT	7,250	7,250	7,250	7,250	7,250	7,250
	MAX GAWR, REAR	12,000	12,000	12,000	12,000	12,000	12,000
	MAX TOWING	29,440 / 29,110	29,260 / 28,890	29,130 / 28,710	29,140 / 28,720	28,950 / 28,550	28,760 / 28,460
	MAX GCWR	37,500	37,500	37,500	37,500	37,500	37,500

RAM 5500 CHASSIS CAB MAX JOB RATING INFORMATION[32],[33],[38]

5500 Chassis Cab		Regular Cab				Crew Cab	
		60" CA (4x2 / 4x4)	84" CA (4x2 / 4x4)	108" CA (4x2 / 4x4)	120" CA (4x2 / 4x4)	60" CA (4x2 / 4x4)	84" CA (4x2 / 4x4)
Powertrain	**Capacity Type**	**DRW**				**DRW**	
6.4L HEMI V8 / ZF 8AP430 TorqueFlite HD 8-speed Automatic Transmission	MAX GVWR	19,000	19,500	19,500	19,500	19,500	19,500
	MAX PAYLOAD	11,880 / 11,590	12,290 / 11,960	12,370 / 11,830	12,070 / 11,720	11,890 / 11,540	11,750 / 11,380
	MAX GAWR, FRONT	6,500	6,500	7,000	7,000	7,000	7,000
	MAX GAWR, REAR	13,500	13,500	13,500	13,500	13,500	13,500
	MAX TOWING	21,230 / 20,930	21,140 / 20,810	21,220 / 20,680	20,920 / 20,570	20,740 / 20,380	20,600 / 20,230
	MAX GCWR	28,500	28,500	28,500	28,500	28,500	28,500
6.7L I-6 Cummins Turbo Diesel / ZF TorqueFlite HD 8-speed Automatic Transmission	MAX GVWR	19,500	19,500	19,500	19,500	19,500	19,500
	MAX PAYLOAD	11,530 / 11,190	11,420 / 11,040	11,260 / 10,940	11,220 / 10,870	11,040 / 10,680	10,880 / 10,510
	MAX GAWR, FRONT	7,250	7,250	7,250	7,250	7,250	7,250
	MAX GAWR, REAR	13,500	13,500	13,500	13,500	13,500	13,500
	MAX TOWING	29,380 / 34,540	29,270 / 34,380	29,110 / 34,290	29,070 / 34,220	28,890 / 34,020	28,730 / 33,860
	MAX GCWR	37,500 / 43,000	37,500 / 43,000	37,500 / 43,000	37,500 / 43,000	37,500 / 43,000	37,500 / 43,000

CA = Cab-to-Axle SRW = Single Rear Wheel DRW = Dual Rear Wheel

2027 RAM 3500 / 4500 / 5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
BODY MODELS		
3500 (DD) – Regular Cab – 60-inch CA (143.5-inch wheelbase) (L63)	O	O
– Regular Cab – 84-inch CA (167.5-inch wheelbase; DD only) (L64)	O	O
– Crew Cab – 60-inch CA (172.4-inch wheelbase) (L93)	O	O
Drive Systems – 4x2 (DD)	•	
– 4x4 (DD)	O	•
4500 / 5500 (DP) – Regular Cab – 60-inch CA (144.5-inch wheelbase) (L63)	O	O
– Regular Cab – 84-inch CA (168.5-inch wheelbase) (L64)	O	O
– Regular Cab – 108-inch CA (192.5-inch wheelbase) (L65)	O	O
– Regular Cab – 120-inch CA (204.5-inch wheelbase) (L66)	O	O
– Crew Cab – 60-inch CA (173.5-inch wheelbase) (L93)	O	O
– Crew Cab – 84-inch CA (197.4-inch wheelbase) (L94)	O	O
Drive Systems – 4x2 (DP 4 / 5)	•	•
– 4x4 (DP 9 / 0)	O	O
ENGINES / TRANSMISSIONS		
6.4L HEMI® V8 / 8HP75 TorqueFlite® 8-speed Automatic (3500 only) (ESL / DFX)	•	
6.4L HEMI V8 / 8-speed ZF TorqueFlite HD Automatic (optional for 3500 Tradesman; standard on 4500 / 5500) (ESL / DFZ)	O/•	•
6.7L I-6 Cummins® Turbo Diesel / 8-speed ZF TorqueFlite HD Automatic (ETN / DFM)	O	O
MECHANICAL FEATURES		
Alternators – 220-amp (BAJ)	•	•
– 400-amp (dual alternators; require 6.4L HEMI V8) (XBJ)	O	O
– 480-amp (dual alternators; require 6.7L I-6 Cummins; included with Emergency / Fire / Rescue Special Emissions Package (AH6)) (XF1)	O/P	O/P
Axles: 3500 – Single Rear Wheel (SRW) Group (standard on 3L63, 8L63, 3L93 and 8L93) (WL1)	•	•
– Dual Rear Wheels (DRW) (standard on 3L64 and 8L64) (WLA)	•	•
– DRW (optional on DD 3L63, 8L63, 3L93 and 8L93; includes front, 205-mm (DRW axle) and rear, 11.5-inch (DRW axle)) (WLA)	O	O
– Front, 6,000-lb GAWR (SRW axle; standard on 3L63, 8L63, 3L93 and 8L93) (DJN)	•	•
– Rear, 11.5-inch (SRW axle; standard on 3L63, 8L63, 3L93 and 8L93) (DRQ)	•	•
– Front, 205-mm (DRW axle; standard on 3L64 and 8L64; included with optional DRW on 3L63, 8L63, 3L93 and 8L93) (DJM)	•/P	•/P
– Rear, 11.5-inch (DRW axle; standard on 3L64 and 8L64; included with optional DRW on 3L63, 8L63, 3L93 and 8L93) (DRX)	•/P	•/P

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
MECHANICAL FEATURES (CONTINUED)		
Axle Ratios: 3500 – 3.42 (included with diesel models only) (DMR)	P	P
– 4.10 (standard with 6.4L HEMI V8) (DMF)	•	•
– Front-axle disconnect, electronic disconnect (4x4 only)	•	•
– Rear, antispin differential (DSA)	•	•
Axles: 4500 / 5500 – DRW (WLA)	•	•
– Front, 10.5-inch (DJK)	•	•
– Front, 10.5-inch, 7,250-lb GAWR (includes taller springs) (AZB)	O	O
– Front-axle disconnect, electronic disconnect (4x4 only)	•	•
– Rear, antispin differential (DSA)	•	•
Axle Ratios: 4500 – Rear, 4.44 (DMK)	•	•
– Rear, by American Axle (12,000-lb GAWR) (DR8)	•	•
Axle Ratios: 5500 – 4.44 (DMK)	•	•
– Rear, by American Axle (13,500-lb GAWR) (DR8)	•	•
Battery – 730-amp maintenance-free (included with 6.4L HEMI V8) (BCN)	•	•
– Dual 730-amp maintenance-free (included with 6.7L I-6 Cummins) (BCC)	P	P
Engine Block Heater (available with 6.4L HEMI V8; included with Cold Weather Group with 6.7L I-6 Cummins) (NHK)	O/P	O/P
Diesel Engine – Diesel exhaust brake (included with 6.7L I-6 Cummins) (NEN)	P	P
– Manual DPF regeneration (optional with 6.7L I-6 Cummins; included with Emergency / Fire / Rescue Special Emissions Package (AH6)) (XNR)	O/P	O/P
– Clean idle emission label (4500 / 5500 only; included with 6.7L I-6 Cummins) (XKH)	P	P
– Selective catalytic reduction (urea; included with 6.7L I-6 Cummins) (XAL)	P	P
– Winter front grille cover (included with Cold Weather Group) (XD6)	P	P
Dash Pass-Through Wire Circuits (BC3)	•	•
Emissions – 50-state-compliant (included with 6.7L I-6 Cummins) (NAS)	P	P
Engine Cooling – Heavy-duty (NMC)	•	•
Vehicle Speed (max speed options) – 65-mph (JJ4)	O	O
– 70-mph (JJ5)	O	O
– 77-mph (JJ9)	O	O
Fuel Tank – 52-gallon, rear (NFH)	•	•
– 74-gallon dual – 52- and 22-gallon tanks (not available with 6.4L HEMI V8 on 63/93 models) (NLL)	O	O
– 22-gallon mid-ship fuel tank (optional on 3500 DD and 4500 / 5500 Chassis Cab models) (NFA)	O	O
Right- / Left-Side Power Take-Off (included with DFZ or DFM transmission) (XG7)	P	P
– Split-shaft (included with Right- / Left-Side Power Take-Off with 6.7L I-6 Cummins) (LBX)	P	P
– Hardwired Remote Start[27] / Stop (included with Right- / Left-Side Power Take-Off) (XBV)	P	P

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

2027 RAM 3500 / 4500 / 5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
MECHANICAL FEATURES (CONTINUED)		
Shock Absorbers – Front, heavy-duty (SFB)	•	•
– Rear, heavy-duty (SGB)	•	•
Skid Plate – Transfer case (included with DFZ or DFM transmission (4x4 only)) (XEF)	P	P
Steering – Power, recirculating ball (SBE)	•	•
Suspension – Front stabilizer bar (SHA)	•	•
Tow Hooks – Black (XEA)	•	•
Trailer Tow – Seven wires (seven blunt-cut wires, shrink-wrapped and labeled) (XFK)	•	•
Trailer Brake Controller (included with L1 and L2 Groups on 3500 / 4500 / 5500; included with Max Tow Package on 5500 4x4) (XHC)	O/P	•
Transfer Case – Electric shift, part-time (4x4 only) (DK3)	•	•
– Max tow electric shift, part-time (included with Max Tow Package on 5500 4x4 only) (DHV)	P	P
Transmission – Electronic range select (DH4)	•	•
Voltage Monitoring – Auto idle-up (XF6)	•	•
EXTERIOR FEATURES		
Antenna – Shark-fin (AM / FM; passenger-side roof) (RD3)	•	•
Bumpers – Front, Black (MB1)	•	
– Front, Chrome (included with Chrome Appearance Group) (MCT)	P	•
– Front, painted (included with Laramie Trim Group or Limited Trim Group) (MBA)		P
Cab Steps – Tubular side steps (Black; Regular Cab and Crew Cab) (MRU)	F	F
Door Handles – Black (included with low-volume paints) (MNA)	•	•
– Body-color (included with Laramie Trim Group or Limited Trim Group) (MNK)		P
Engine Shut-Off Timer – 6.4L HEMI® V8 and 6.7L I-6 Cummins® (5 minutes; dealer-programmable from 1 to 60 minutes) (XCL)	•	•
Fog Lamps – LED (LNV)	•	•
Grille – Upper header / lower appliqué – Matte Black-painted (MM5)	•	
– Upper header / lower appliqué – Chrome (included with Chrome Appearance Group) (MNQ)	P	•
– Tradesman grille – Matte Black-painted nostrils (MFF)	•	
– Matte Black mesh with Chrome (included with Chrome Appearance Group) (MAF)	P	•
– Chrome billets / accents (included with Laramie Trim Group) (MF1)		P
– Active grille shutters (MDX)	•	•
– Grille module (X79)	•	•
Headlamps – Auto-on (LMG)	•	•
– Headlamp-off – Time delay (LHD)	•	•
– LED-reflector (LM3)	•	•

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
EXTERIOR FEATURES (CONTINUED)		
Headlamps (continued) – LED-projector (included with Laramie Trim Group or Limited Trim Group) (LM6)		P
– Black headlamp bezels (MFA)	•	
– Daytime running lamps (DRLs) (customer on / off programmability availability in radios) (LM1)	•	•
Lighting, Exterior Cab – Roof-mounted LED clearance lamps (LNC)	•	•
– Center High-Mounted Stop Lamp (CHMSL) Delete, CHMSL / cargo lamp plate (LP8)	•	•
– CHMSL (incandescent) and cargo lamps (not available with CHMSL camera) (LPE)	O	O
– CHMSL LED with camera (included with H2 Group, Laramie Trim Group or Limited Trim Group) (LPD)		P
Mirrors, Exterior – Black, manual-folding, manual-adjust, manual-telescoping (Regular Cab only) (GT1)	•	
– Black, heated, manual-folding, manual-telescoping, power-adjust; includes courtesy lamps, supplemental turn signal and running lights (included with L1 and L2 Groups) (GT2)	P	•
Start Engine Feature – Tip start (XBN)	•	•
Remote Start[27] System (included with L2, H1 and H2 Groups and Laramie Group or Limited Trim Group) (XBM)	P	P
Tires, 3500 – LT275/70R18E BSW All-Season (A / S) (standard with Single Rear Wheels (SRW)) (TCM)	•	•
– LT235/80R17E BSW A / S (standard on 3L64 and 8L64; included with Dual Rear Wheels (DRW) on 3L63, 8L63, 3L93 and 8L93) (TV2)	•/P	•/P
– LT235/80R17E Off-Road (TSG)	O	O
Tires, 4500 / 5500 – 225/70R19.5G BSW All-Purpose (A / P) (4x2 models only) (TAE)	•	•
– 225/70R19.5G BSW A / P front, rear traction (standard on 4x4; optional for 4x2 models) (TAJ)	•/O	•/O
– LT225/70R19.5 Michelin® XDS Off-Road (TSJ)	O	O
Taillamps – Incandescent (LA6)	•	•
Wheel Flares – Black (included with L2, H1 and H2 Groups on 3500; standard with 4500 / 5500) (MMZ)	P/•	P/•
– Body-color (included with Laramie Trim Group or Limited Trim Group) (MML)		O/P
Windshield Wipers – Variable / intermittent (JHA)	•	•
Wheel Well Liners – Front (MHR)	•	•
– Splash guards / mud flaps, front (4500 / 5500 only) (MKM)	F	F
Wheels, 3500 SRW – 18x8-inch Black-painted steel (WBF)	•	
– 18x8-inch polished aluminum (included with Chrome Appearance Group) (WBE)	P	•
– 18x8-inch Diamond-Cut aluminum with Black pockets (included with Laramie Trim Group or Limited Trim Group) (WBC)		O/P
Wheels, 3500 DRW – 17x6-inch Black-painted steel (WFG)	•	
– 17x6-inch polished aluminum (included with Chrome Appearance Group) (WF7)	P	•
Wheels, 4500 / 5500 DRW – 19.5x6-inch Black-painted steel (WPJ)	•	
– 19.5x6-inch steel (included with Chrome Appearance Group) (WP3)	P	•
– 19.5x6-inch polished aluminum (set of four; included with H2 Group and Laramie Trim Group or Limited Trim Group) (WP4)		P

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

2027 RAM 3500 / 4500 / 5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
INTERIOR FEATURES		
Air Conditioning – Single-Zone manual temperature control (HAA)	•	•
– Dual-Zone automatic temperature control (included with L2, H1 and H2 Groups, and Laramie Trim Group or Limited Trim Group) (HAF)	P	P
Auxiliary Switches – Six push-button switches (the sixth switch becomes a Power Take-Off on / off switch when equipped with DFM / DFZ transmissions only) (LHL)	•	•
Consoles – Floor – Storage tray (included with *TX, *V9 and *AP bench seats) (CUY)	P	P
– Full-length upgraded floor console (included with *GJ bucket seats) (CUP)		P
Console, Overhead – Incandescent lighting (included with L1 and L2 Groups; standard on Crew Cab Tradesman) (CUN)	P/•	•
– Premium; includes LED overhead lamps (included with Laramie Trim Group or Limited Trim Group) (CUS)		P
Door Locks – Manual (Regular Cab only) (JE8)	•	
– Speed-sensitive (included with L1 and L2 Groups; standard on Crew Cab Tradesman) (JPH)	P/•	•
– Remote keyless entry (included with L1 and L2 Groups; standard on Crew Cab Tradesman) (GXM)	P/•	•
– Remote proximity, passive keyless entry (included with Laramie Trim Group or Limited Trim Group) (GXD)		P
Floor Covering – Heavy-duty vinyl (CKJ)	•	
– Carpet (CKE)		•
Floor Mats – Front, carpeted (Regular Cab; included with carpet) (CLA)		•
– Front and rear, carpeted (Crew Cab; included with carpet) (CLE)		•
Heat (supplemental) – Rapid cabin supplemental heater (included with 6.7L I-6 Cummins®) (HDB)	P	P
Instrument Cluster Displays – 3.5-inch Driver Information Display (DID), color (JAK)	•	•
– 7-inch DID (included with Safety Group and H1 and H2 Groups) (JAL)	P	P
– Premium digital 12-inch DID (included with Laramie Trim Group or Limited Trim Group) (JAN)		P
Key – Extra base metal key option (Regular Cab only; adds two keys for a total of four; each key includes a fob; not available with L1 or L2 Group, GXM or JPH) (GXJ)	F	
– Sentry Key® Theft Deterrent System (GXX)	•	•
Mirrors (inside; DD and DP only) – Day / night, manual (GNA)	•	•
– Digital rearview mirror (included with L2, H1 and H2 Groups and Safety Group) (GRG)	P	P
Pedals – Non-adjustable (3500 / 4500 / 5500) (XA8)	•	•
Seats – Heavy-duty vinyl 40/20/40 split-bench front with manual-adjust, rear full-length fold-up bench (Crew Cab only) (*TX)	•	
– Cloth 40/20/40 split-bench front with manual-adjust, rear full-length fold-up bench (Crew Cab only) (*V9)	O	•
– Leather-trimmed, 40/20/40 split-bench with power-adjust for driver and passenger (Regular Cab only) (*AP)		F
– Leather-trimmed, ventilated front bucket with full-length center console, power-adjust for driver and passenger, rear 60/40 split-folding bench with center fold-down armrest and fold-flat load floor (included with Laramie Trim Group) (*GJ)		P
– Power two-way lumbar-adjust for driver's (optional with vinyl and cloth seats; packaged with leather seats) (JPE)	F	F/P
Seat Delete Options – Front Center Seat Delete (included with Interior Trim Delete Group) (CJT)	F/P	F/P
– Rear Seat Delete (Crew Cab) (CF8)	F	F

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
INTERIOR FEATURES (CONTINUED)		
Seat Belts – Front, shoulder, height-adjustable (CGD)	•	•
– Red (CGQ)	O	O
Steering – Tilt column (SUA)	•	•
– Four-spoke, urethane (SCF)	•	•
– Luxury with remote audio control buttons (included with Safety Group, Laramie Trim Group, H1 and H2 Groups, and *AP seats) (SCK)	P	P
– Audio controls (included with SCK and SCW steering wheels) (RDZ)	P	P
– Heated steering wheel (included with *AP seats, H1 and H2 Groups, and Laramie Trim Group or Limited Trim Group) (NHS)		P
Storage – Front, behind-seat (Regular Cab only) (CU3)	•	•
– Front, center-seat cushion (included with *AP seats) (CVH)		P
– Rear, underseat (standard with Crew Cab only) (CUE)	•	•
– Fold-flat load floor (included with *GJ seats) (CVN)		P
Turn Signals – One-touch three-blink lane-change feature	•	•
Upfitter Interface – Vehicle System Interface Module (VSIM) (XXS)	•	•
Universal Garage Door Opener (included with H2 Group and Laramie Trim Group or Limited Trim Group) (XGD)		P
Visors – Passenger-side vinyl with mirror (GNM)	•	
– Passenger-side cloth with lighted mirror (GN6)		•
– Driver's- / passenger-side cloth incandescent illuminated mirrors and Universal Garage Door Opener (included with H2 and H3 Groups) (GNC)		P
Windows – Manual (Regular Cab only) (JF8)	•	
– Power, front with driver's one-touch down (Regular Cab only; included with L1 and L2 Groups) (JPY)	P	•
– Power, front and rear with driver's one-touch up / down (Crew Cab models only) (JP3)	•	•
– Rear backlight, fixed (GJD)	•	•
– Rear backlight, power-sliding – Includes rear defroster (Crew Cab models only; included with L2, H1 and H2 Groups, and Laramie Trim Group or Limited Trim Group) (GFE)	P	P
– Rear defroster (included with L1 Group and GFE rear window) (GFA)	P	P
UCONNECT® MULTIMEDIA		
Uconnect Voice Command (XRB)	•	•
Compass – Compass display in the radio (JFJ)	•	•
GPS Antenna Input on Radio (JLP)	•	•
Connectivity – Front: Media Hub – Includes two fully functional Type-A / -C USB port pairs and one auxiliary jack (four USB connection points) (RSF)	•	•
– Middle: 2.5-amp charge-only single USB port (located in center console or armrest) (RS3)	•	•
– Rear: Dual remote USB port, two Type-A / -C pairs; charge-only (included with Laramie Trim Group or Limited Trim Group) (RS2)		P

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

2027 RAM 3500 / 4500 / 5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
UCONNECT® MULTIMEDIA (CONTINUED)		
Connectivity (continued) – Auxiliary headphone jack for mobile devices (RSU)	•	•
– Dual wireless charging pads (included with *GJ seats) (CMS)		P
Power – Accessory delay (JKY)	•	•
– Auxiliary outlets (one battery and one ignition-fed) (JJJ)	•	•
– 115-volt auxiliary power outlet, instrument-panel-mounted (included with L2, H1 and H2 Groups, and Laramie Trim Group or Limited Trim Group) (JKV)	P	P
– 115-volt auxiliary power outlet, rear-facing (included with *GJ seats; Crew Cab only) (JJN)		P
– 400-watt inverter (included with JKV and JJN) (XHR)	P	P
– 2.4-kW onboard power system (requires XBJ or XF1 dual alternators) (XBH)	O	O
Radios – Uconnect 5 with 8.4-inch touchscreen display and available SiriusXM® Radio[21] (UBE)	•	•
– Uconnect 5 NAV with 12-inch touchscreen display, navigation, available SiriusXM Radio[21] and HD radio (included with L2, H1, H2 and Laramie Trim Group) (UBQ)	P	P
– Uconnect 5 NAV with 14.5-inch touchscreen display (included with Limited Trim Group) (UBW)		P
– Radio controls – Steering wheel-mounted audio controls (included with SCK and SCW steering wheels) (RDZ)	P	P
SiriusXM Radio[21] (RSD)	•	•
TomTom® Connected Travel and Traffic Services[22] (included with NAV radios) (RTV)	P	P
SiriusXM with 360L[21] (included with NAV radios) (RTU)	•	•
Speakers – Four standard (Regular Cab only) (RCD)	•	
– Six (standard on Crew Cab Tradesman) (RCG)	•	•
– Premium seven-speaker audio system (Regular Cab only; included with H1 and H2 Groups) (RCK)		P
– Premium 10-speaker Surround Sound system (Crew Cab only; included with H1 and H2 Groups) (RC3)		P
– Premium 17-speaker Surround Sound system (included with Laramie Trim Group or Limited Trim Group) (RCA)		P
SAFETY & SECURITY		
Air Bags[31] – Multistage front (3500 / 4500 / 5500) (CG3)	•	•
Belt Alert – Driver's	•	•
Rear-Seat Reminder Alert (JFB)	•	•
Brakes – Power-assisted four-wheel antilock disc (BRT)	•	•
Electronic Stability Control (ESC)[8] System – Four-channel Antilock Brake System, Electronic Brake-Force Distribution, Traction Control, Ready Alert Braking, Brake Assist,[9] Hydraulic Boost Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Damping,[8] Electronic Roll Mitigation and Hill Start Assist (BNB)	•	•
Cameras – ParkView® Rear Back-Up Camera[4] (XAC)	O	O
– Cargo camera (requires UBQ radio; includes LED Center High-Mounted Stop Lamp (CHMSL) and cargo lamps; included with H2 Group and Laramie Trim Group or Limited Trim Group) (LPD)		P
ParkSense® Rear Park Assist[12] (XAA)	O	O
ParkSense Front / Rear Park Assist System[12] (included with Laramie Trim Group or Limited Trim Group) (XAG)	O	P

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
SAFETY FEATURES		
Security Alarm[34] (included with Safety Group) (LSA)	P	P
Back-Up Alarm – Audible alarm when vehicle is in Reverse (XAW)	O	O
Adaptive Cruise Control (ACC) with Stop[6] (NH3)	•	•
LaneSense® Lane Departure Warning Plus[5] (included with Safety Group) (LAS)	P	P
Ready Alert Braking (BHD)	•	•
Full-Speed Forward Collision Warning Plus[9] with Auto Emergency Braking[9] (LSU)	•	•
Trailer Tire Pressure Monitoring System (XG9)	O	O
DOT-Certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses) (ACL)	O	O
Auto High-Beam Headlamp Control (included with Safety Group and Laramie Trim Group or Limited Trim Group) (LMS)	P	P
Rain-Sensitive Windshield Wipers (included with Safety Group and Laramie Trim Group or Limited Trim Group) (JHC)	P	P
Pedestrian / Cyclist Emergency Braking[9] (LST)	•	•
Drowsy-Driver Detection[6] (included with Safety Group) (XNM)	P	P
Traffic Sign Recognition[13] (included with Safety Group) (SJB)	P	P
Adaptive Steering System[6] (included with Safety Group) (SJE)	P	P
PACKAGES / EQUIPMENT GROUPS		
Emergency / Fire / Rescue Special Emissions Package – Includes dual alternators rated at 480 amps, manual DPF regeneration and Rear Air Conditioning / Heater Prep Group (requires valid Fleet Account Number) (AH6)	F	F
Ambulance Prep Group – Includes remote rear heat / air conditioning (provides ability to run auxiliary-mounted heater and air conditioning independently of instrument-panel controls), air conditioning line tap and engine coolant access for upfitter (AH2)	O	O
Chrome Appearance Group – Includes Chrome front bumper, Chrome grille and polished aluminum wheels on 3500 models (AMP)	O	
Cold Weather Group – Includes engine block heater cord and winter front grille cover (diesel models only) (ADE)	O	O
Heavy-Duty Front Suspension Group (a stand-alone option for 4500 / 5500 only) – Increases max front GAWR to 7,000 with the 6.4L HEMI® V8 and max front GAWR to 7,250 with the 6.7L I-6 Cummins® (AZB)	O	O
Tradesman Level 1 Equipment (L1 Group) – Includes overhead console, trailer brake controller, rear-window defroster, upgraded door trim panels and remote keyless entry (for Regular Cabs equipped with power windows and power door locks, adds GT2 powered exterior mirrors) (A7B)	O	
Tradesman Level 2 Equipment (L2 Group) – Includes L1 Group, Remote Start[27] System, power-sliding rear window (Crew Cab only), digital rearview mirror, tinted acoustic windshield, Dual-Zone automatic temperature control, 115-volt power outlet and Uconnect 5 NAV with 12-inch touchscreen display (A7C)	O	
Big Horn Level 1 Equipment (H1 Group) – Includes Remote Start[27] System, power-sliding rear window (Crew Cab only), digital rearview mirror, Dual-Zone automatic temperature control, 115-volt power outlet, dual glove boxes, driver's-door foam bottle insert, 7-inch Driver Information Display (DID) cluster, glove box lamp, rear dome lamp with on / off switch, premium speaker audio system (seven for Regular Cab; nine for Crew Cab), luxury steering wheel and Uconnect 5 NAV with 12-inch touchscreen display (A7E)		O
Big Horn Level 2 Equipment (H2 Group) – Includes H1 Group, sun visors with illuminated vanity mirrors, Universal Garage Door Opener, LED CHMSL with camera and polished aluminum wheels on 4500 / 5500 (A7F)		O

2027 RAM 3500 / 4500 / 5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
PACKAGES / EQUIPMENT GROUPS (CONTINUED)		
Laramie Trim Group – Includes premium overhead console, highline door trim panel, *GJ leather-trimmed bucket seats, Body-color door handles, Remote Start[27] System, power-sliding rear window, sun visors with illuminated vanity mirrors, remote proximity keyless entry, Dual-Zone automatic temperature control, Universal Garage Door Opener, heated steering wheel, 115-volt power outlet, dual glove boxes, driver's-door foam bottle insert, rain-sensitive windshield wipers, digital 12-inch Driver Information Display (DID) cluster, heated front seats, glove box lamp, exterior mirror-mounted Reverse lamps, LED interior lighting, LED Center High-Mounted Stop Lamp (CHMSL) with camera, Auto High-Beam Headlamp Control, LED projector headlamps, LED daytime running lamps (DRLs), Body-color wheel flares, Body-color front bumper, Chrome Billet grille, ultra-premium 17-speaker audio system, RS2 Media Hub, Uconnect® 5 NAV with 12-inch touchscreen display, luxury steering wheel, ParkSense® Front / Rear Park Assist System[12] and aluminum wheels (A7G)	O	
Limited Trim Group – Includes leather-wrapped grab handles, premium overhead console, luxury door trim panels, leather-wrapped shift control, *SJ ultra premium leather seating, Body-color door handles, security alarm,[34] Remote Start[27] System, Drowsy-Driver Detection,[6] power-sliding rear window, sun visors with illuminated vanity mirrors, passive entry system, digital rearview mirror, Dual-Zone automatic temperature control, Universal Garage Door Opener, Bright front scuff sill plates, 115-volt power outlet, dual glove boxes, driver's-door foam bottle insert, rain-sensitive windshield wipers, real wood interior accents, 12-inch digital DID cluster, Chrome bodyside moldings, LED interior lighting, CHMSL with camera, Auto High-Beam Headlamp Control, bifunctional LED projector headlamps, Body-color wheel flares, Chrome belt moldings, Body-color front bumper, Limited grille, 17-speaker premium audio system, Uconnect 5 NAV with 14.5-inch touchscreen display, Lane Keep Assist,[5] Traffic Sign Recognition,[13] Adaptive Steering System,[6] leather-wrapped steering wheel with wood accents, ParkSense Front / Rear Park Assist System,[12] Surround-View Camera System,[4] Trailer Surround-View Camera System[4] and 17-inch polished aluminum wheels for 3500 and 19.5-inch polished aluminum wheels for 4500 / 5500 (A7H)	O	

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ
PACKAGES / EQUIPMENT GROUPS (CONTINUED)		
Safety Group – Includes security alarm,[34] Drowsy-Driver Detection,[6] digital rearview mirror, rain-sensitive windshield wipers, 7-inch DID cluster for Tradesman and Big Horn, Auto High-Beam Headlamp Control, LaneSense® Lane Departure Warning Plus,[5] Traffic Sign Recognition,[13] Adaptive Steering System,[6] and luxury steering wheel for Tradesman and Big Horn (AAU)	O	O
Max Tow Package – Includes max tow electronic shift part-time transfer case and trailer brake controller for Tradesman (5500 4x4 only; requires diesel engine) (AHQ)	O	O
Max Payload Package – Includes 19,000-lb GVWR on 63 and 93 models and 19,500-lb GVWR on 64, 65, 66 and 94 models (5500 gas models only) (AH5)	O	O
Interior Trim Delete Group – Includes Front Center Seat Delete, Rear Floor Storage Tray Delete and Cab Back Trim Panel Delete (Regular Cab only) (AS8)	F	F
15,000 GVWR Package – Includes 15,000-lb GVWR (4500) 4x2 (Z4B), 4x4 (Z9B) (Z4B / Z9B)	O	O
16,000 GVWR Package – Includes 16,000-lb GVWR (4500) 4x2 (Z4C), 4x4 (Z9C) (Z4C / Z9C)	O	O

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

(1) Visit Mopar.com for complete details and a copy of the Powertrain Limited Warranty. (2) Visit Mopar.com for complete details and a copy of the Basic Limited Warranty. (3) Based on Nauto customer case. (4) Always check entire surroundings visually before proceeding. (5) This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and maintain control of the vehicle. (6) This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (7) Always check visually for vehicles prior to changing lanes. (8) Always drive carefully, consistent with conditions. Always wear your seat belt and obey traffic laws. (9) This system is an alert system for the front of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (10) This system is a driver convenience system, not a substitute for active driver involvement. Factors including weather and condition of the traffic sign can impact recognition and display of the sign. Driver must remain aware of traffic conditions and maintain control of the vehicle. (11) This system is an alert system for the front and sides of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (12) Always look before proceeding. An electronic drive aid is not a substitute for conscientious driving. Always be aware of your surroundings. (13) Traffic Sign Recognition System is not a substitute for safe and attentive driving. Factors including weather and condition of the traffic sign can impact recognition and display of the sign. Always check traffic signs visually while driving. (14) Vehicle must be enrolled with Dodge, Jeep or Ram Connect, be in an active and usable cellular range, have an active subscription and be properly equipped with a Uconnect 5 NAV system. Requires a Wi-Fi Hotspot data plan and linked Amazon account to run Alexa in the vehicle. (15) To wirelessly use Android Auto on your display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at g.co/androidauto/requirements. Android Auto is a trademark of Google LLC. (16) Requires compatible iPhone. See dealer for phone compatibility. Data plan rates apply. Vehicle user interface is a product of Apple. Apple CarPlay is a trademark of Apple Inc. iPhone is a registered trademark of Apple Inc., registered in the US and other countries. Apple terms of use and privacy statements apply. (17) All vehicles properly equipped to receive connected services come with a three-month trial of Assistance Package or Assistance + Navigation Package (if equipped), five years of Vehicle Performance Package, and 10 years of Safety and Security Package effective from the date of purchase or lease of a new vehicle. Enrollment in the trial is required to receive services. Upon expiration of the trial period, purchase of a subscription is required to continue or renew services. Services are available on equipped vehicles purchased within the United States, Canada and Puerto Rico. Services can only be used where cellular coverage is available. See the applicable Terms of Service for complete terms and conditions, including service limitations. (18) Vehicle must be in an active and usable cellular range and be properly equipped with a Uconnect 5 NAV system and the Rear-Seat Entertainment Package. For streaming, requires a Wi-Fi connection and linked Amazon account to run Fire TV in the vehicle. Streaming service subscriptions are not included. Certain services are subject to change or withdrawal at any time, may not be available in all areas and languages, and may require separate subscriptions. (19) SiriusXM Guardian equipped vehicles only. Vehicle uses Connected Travel and Traffic Services. All SiriusXM Guardian equipped vehicles come with a three-month complimentary trial effective on the date of purchase or lease of a new vehicle. Enrollment in the trial is required to receive service. Upon expiration of the trial period, purchase of a subscription is required to continue SiriusXM Guardian. SiriusXM Guardian is available only on equipped vehicles purchased within the United States and Puerto Rico. Services can only be used where cellular coverage is available. See Uconnect and SiriusXM Guardian Terms of Service for complete service limitations. (20) Not all vehicles or devices are capable of receiving all services offered by SiriusXM. Data displays and individual product availability vary by vehicle hardware. Current information and features may not be available in all locations, or on all receivers. Weather Forecast, Current Conditions may not be available in all locations. (21) All SiriusXM services require a subscription, sold separately by SiriusXM after the trial period. Your SiriusXM service will automatically stop at the end of your trial unless you decide to subscribe. **If you decide to continue service after the trial, the subscription plan chosen will automatically renew and you will be charged according to your chosen payment method at the then-current rates.** Fees and taxes apply. **See the SiriusXM Customer Agreement and Privacy Policy at www.siriusxm.com for full terms and how to cancel, which includes online methods or calling 1-866-635-2349.** Available in the 48 contiguous United States, D.C. and Puerto Rico (with coverage limits and capable receiver). Visit www.siriusxm.com/FAQS for most current service area information. Availability of some services and features is subject to device capabilities and location restrictions. All fees, content and features are subject to change. SiriusXM and all related logos are trademarks of SiriusXM Radio Inc. and its respective subsidiaries. SiriusXM with 360L is only available on select vehicles. Certain features and/or content may not be available unless an active data connection is enabled in the vehicle. Content varies by subscription plan. Features and display may vary by vehicle. (22) Vehicle must be enrolled in an active subscription with Connected Services. (23) Three-month/1GB trial included with the purchase or lease of a new vehicle. Upon expiration of the trial period, purchase of a subscription is required. Wi-Fi Hotspot available through third-party subscription. Requires Internet-enabled mobile device. See dealer for details. This feature is not intended for use by the driver while the vehicle is in motion. Always drive carefully. (24) The Uconnect Phone requires a mobile phone equipped with the Bluetooth Hands-Free Profile. To check phone compatibility, please visit www.UconnectPhone.com. (25) This system is not intended to be used while vehicle is in motion. (26) Highway Assist System requires the driver to keep his or her hands on the steering wheel at all times. This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and maintain control of the vehicle. (27) Check state and local laws regarding the use of remote start systems. (28) Based on manufacturer's estimates – actual mileage may vary. (29) When properly equipped. See dealer for details. (30) Only available in Texas. (31) Always sit properly in designated seating positions with seat belts fastened at all times. (32) Based on 2026 model-year specifications. (33) All dimensions are in inches unless otherwise noted. (34) Vehicle must be locked and system activated for alarm to sound. (35) 2026MY EPA estimates shown. Actual mileage may vary. (36) Always sit properly with the head restraint properly adjusted. Never place anything in front of the head restraint. (37) Does not include allowances for wheelhousings. (38) Payload and Max Trailer Weights are ESTIMATED values. All values are shown in lb unless otherwise stated. Payload and Max Trailer Weight values are rounded to the nearest 10 lb. Payload = GVWR – Base Weight. GAWRs, GVWRs and GCWRs should never be exceeded. Recommended tongue weight determined by class of hitch receiver and hardware limits of upfit. Upfit or aftermarket equipment weight not included with Base Weight. Frontal Area: maximum allowable Frontal Area, in ft-squared, that the vehicle can project. For details on calculations, please refer to Ram Body Builders Guide. If the Vehicle Emission Control Information (VECI) Label and Max Upfit Weight are not available, then the vehicle is not restricted to Maximum Vehicle Capacity Weight (MVCW), Frontal Area or Maximum Upfit Weight limits; however, GVWR/GAWR/GCWR cannot be exceeded. (39) Do not attempt water fording unless depth is known and consistent with the vehicle's water fording rating in the Owner's Manual. Traversing water can cause damage that may not be covered by the new vehicle warranty. Always off-road responsibly in approved areas. (40) Based on EPA-estimated 82 MPGe and 30 MPG combined. Actual mileage may vary. (41) Always be aware of your surroundings, and drive carefully, consistent with conditions. (42) Curb weights are estimates and include standard equipment and full quantities of fuel, lubricant and coolant. (43) Based on 2026MY FE.gov estimates – actual mileage may vary.

©2026 FCA US LLC. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Altitude, Big Horn, BusinessLink, Charger, Chrysler wing design, Command-Trac, Compass, Durango, Gladiator, Grand Cherokee, Grand Cherokee Summit, HEMI, the Jeep grille design, LaneSense, Laramie, Laredo, Latitude, Limited, Mega Cab, Mopar, Overland, Pacifica, ParkSense, ParkView, Pentastar, Power Wagon, Quad Cab, Quadra-Drive II, Quadra-Lift, Quadra-Trac I, Quadra-Trac II, Ram Articulink, Ram ProMaster, Ram ProMaster City, RamBox, the Ram's Head logo, Rebel, Rock-Trac, Rubicon, Sahara, Scat Pack, Selec-Speed, Selec-Terrain, Sentry Key, SRT, SRT Hellcat, Stow 'n Go, Stow 'n Vac, Stow N Place, TorqueFlite, Tradesman, Trail Rated, Trailhawk, Tru-Lok, Uconnect and Wrangler are registered trademarks, and Active-Level, AutoStick, FamCAM, Jeep Active Drive, Jeep Active Drive Low, Keyless Enter 'n Go, Limited Longhorn, Pinnacle and Trail Rail are trademarks of FCA US LLC. FIAT and 500 are registered trademarks of FCA Group Marketing S.p.A., used under license by FCA US LLC. Free2move is a registered trademark of Stellantis N.V. All product specifications are based on authorized information as of 05/11/26. Photographs within this piece are for representation purposes only. Vehicle features listed are not all standard. FCA US LLC is not responsible for the safety or quality of independent supplier alterations.

Alpine and the Alpine logo are registered trademarks of Alpine Electronics, Inc. All rights reserved. Amazon, Alexa, and all related logos and marks are trademarks of Amazon.com, Inc. or its affiliates. Amazon Fire TV is a registered trademark of Amazon.com Inc. Android, Android Auto, Blogger, YouTube, and other related marks and logos are trademarks of Google LLC. Apple and iPhone are registered trademarks, and Apple CarPlay is a trademark of Apple Inc., used under license by FCA US LLC. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Bluetooth is a registered trademark owned by Bluetooth SIG, Inc. Blu-ray Disc is a registered trademark, and Blu-ray is a trademark owned by Blu-ray Disc Association. BREMBO is a registered trademark of Brembo N.V. and its subsidiaries. Bridgestone and any Bridgestone products or service names are trademarks or registered trademarks of Bridgestone Corporation. Cummins is a registered trademark of Cummins, Inc. Dana is a registered trademark of Dana Corporation. Facebook and logo are registered trademarks of Meta Platforms, Inc. Falken is a registered trademark of Sumitomo Rubber Industries, Ltd. Firestone is a registered trademark of Bridgestone Americas Tire Operations, LLC. FOX is a registered trademark of Fox Factory, Inc. Goodyear and DuraTrac are registered trademarks of The Goodyear Tire & Rubber Company. Gorilla Glass is a registered trademark of Corning Incorporated. Harman Kardon is a registered trademark of Harman International Industries, Inc. Hotchkis is a registered trademark of Hotchkis Performance, Inc. Instagram is a registered trademark of Instagram, Inc. JBL is a registered trademark of Harman International Industries, Incorporated in the US and other countries. Katzkin is a registered trademark of Katzkin Leather Interiors, Inc. Klipsch is a registered trademark of the Klipsch Group, Inc., a VOXX International Company. KONI is a registered trademark of KONI North America. LinkedIn, the LinkedIn logo, the IN logo and InMail are registered trademarks or trademarks of LinkedIn Corporation and its affiliates in the United States and/or other countries. MAGNETI MARELLI is a trademark of Magneti Marelli S.p.A. McIntosh is a registered trademark of McIntosh Laboratory, Inc. Michelin is a registered trademark of Michelin North America, Inc. Copyright 1996 – 2026, NHRA. All logos and images are reserved. Nauto and the Nauto logo are registered trademarks of Nauto, Inc. in the United States and other countries. Pirelli is a registered trademark. Pirelli & C. S.p.A. All rights reserved. SCORPION ZERO is a trademark of Pirelli & C. S.p.A. or its affiliates. SiriusXM Connected Vehicles Services Inc., Sirius, XM, SiriusXM, SiriusXM Guardian, and all related marks and logos are registered trademarks of SiriusXM Radio Inc. Sunrider is a registered trademark of Bestop, Inc. TENNECO is a registered trademark of Tenneco Automotive Operating Company Inc. TomTom is a registered trademark of TomTom International BV. All our trademarks, service marks, trade names and trade dress are valuable assets owned by TomTom and are essential to protecting our brand identity. Torx is a registered trademark of the Camcar Corporation, division of Textron Industries. The X service marks (formerly, Twitter) are the intellectual property of X Corp. WARN is a registered trademark of Warn Industries, Inc.