2027 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE





SELECT FEATURES

- 6.4L HEMI® V8 Engine / 8HP75 TorqueFlite® 8-speed Automatic Transmission
- Alternator – 220-amp
- Battery – 730-amp, maintenance-free
- Class V Hitch Receiver
- Driver's- and Passenger-Side Assist Handles
- Four-Wheel Antilock Disc Brakes
- LED Fog Lamps
- LED Reflector Headlamps with Auto Feature
- Locking Tailgate
- Power Recirculating Ball Steering
- Ram Air Filtration System
- Rear Axle – 11.5-inch
- Tilt Steering Column
- Tinted Glass, All Windows
- Trailer-Tow Harness – Four-/seven-pin connector
- Variable / Intermittent Windshield Wipers

SAFETY & SECURITY

- Adaptive Cruise Control (ACC) with Stop[6]
- Air Bags[31] – Multistage driver's and front-passenger, supplemental side-curtain and side-seat
- Dynamic Front Crumple Zones and Side-Impact Door Beams
- Electronic Stability Control (ESC)[8] – Includes Brake Assist,[9] Electronic Roll Mitigation, Hill Start Assist, Rain Brake Support, Ready Alert Braking, Full-Function All-Speed Traction Control and Trailer Sway Damping[8]
- Enhanced Accident Response System
- Full-Speed Forward Collision Warning Plus (FSFCW+)[9]
- ParkView® Rear Back-Up Camera[4]
- Pedestrian / Cyclist Emergency Braking[9]
- Sentry Key® Theft Deterrent System
- Tire Pressure Information System (3500 models)
- Tire Pressure Monitoring System with Display (2500 only)

AVAILABLE FLEET FEATURES

- *V9 Cloth Bench Seat Option for Tradesman®
- Blind Spot Monitoring (BSM)[7] and Rear Cross-Path Detection System[4] for Tradesman
- Low-Volume Paint Options
- Two Additional Key Fobs for Tradesman

RAM EMERGENCY RESPONSE VEHICLE – SELECT FEATURES

- 18-inch Steel Wheels
- Antispin Rear Differential
- Auxiliary Switches
- Column Shifter
- Dual 200-amp Alternator (400-amp total)
- Heavy-Duty Vinyl Seats and Flooring
- Standard 4.10 Axle Ratio
- Transfer Case Skid Plate
- Vehicle System Interface Module (VSIM)

ENGINES	HORSEPOWER[32]	TORQUE[32]
6.4L HEMI V8	405 hp @ 5,600 rpm	429 lb-ft @ 4,000 rpm
6.7L I-6 High-Output (HO) Cummins® Turbo Diesel	430 hp @ 2,800 rpm	1,075 lb-ft @ 1,800 rpm

RAM 2500 EXTERIOR DIMENSIONS[33]

All specs are for base models only.	Regular Cab	Crew Cab	
	8' Box	6'4" Box	8' Box
Overall Width	83.5	83.5	83.5
Overall Height (4x4)	80.2	80.2	80.1
Overall Length	232	238.8	260.8
Front Track	68.7	68.7	68.7
Rear Track	68.1	68.1	68.1
Wheelbase	140.2	149.1	169

RAM 3500 EXTERIOR DIMENSIONS[33]

All specs are for base models only.	Regular Cab		Crew Cab		
	8' Box	8' Box DRW	6'4" Box	8' Box	8' Box DRW
Overall Width	83.5	96.5	83.5	83.5	96.5
Overall Height (4x4)	80.4	79.5	80.3	79.8	79.3
Overall Length	232	232	238.8	260.8	260.8
Front Track	67.7	67.7	67.7	67.7	67.7
Rear Track	67.1	75.9	67.1	67.1	75.9
Wheelbase	140.2	140.2	149	169.3	169.3

INTERIOR DIMENSIONS[33]

Ram Interiors	Regular Cab	Crew Cab
Headroom (front / rear)	39.8	40.9 / 39.8
Hip Room (front / rear)	62.9	62.9 / 62.7
Shoulder Room (front / rear)	65.9	65.9 / 65.6
Legroom (front / rear)	40.9	40.9 / 40.2
Seating Capacity (max occupants)	3	6

ALL RAM PICKUP BOXES[33]	6'4" BOX	8' BOX
Maximum Length at Floor	76.3	98.3
Front of Box to End of Open Tailgate	100.2	120.2
Depth of Box/Open Tailgate	20.1 / 20.1	20.2 / 20.2
Cargo Volume (cu ft)	57.5	74.7
Width between Wheelhousings	51	51
Maximum Width, Wall-to-Wall	66.4	66.4

TOWING[29],[32]	
Maximum Towing (lb)	
– 2500	19,930
– 3500	36,610

PAYLOAD[29],[32]	
Maximum Payload (lb)	
– 2500	4,580
– 3500	7,200

2027 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

EXTERIOR PAINT COLORS



STANDARD FEATURES AND OPTIONS	Tradesman®
CPOS	2TA
CONFIGURATIONS	
Body Model – Regular Cab 8'-box – 140.2-inch wheelbase (–62)	•
– Crew Cab 6'4"-box – 149.1-inch wheelbase (Single Rear Wheel (SRW) only) (–91)	O
– Crew Cab 8'-box – 169.1-inch wheelbase (–92)	O
Drive – 4x4 (2500/3500)	•
ENGINES/TRANSMISSIONS	
6.4L HEMI® V8/8-speed Automatic (8HP75) (ESL/DFX)	•
6.7L I-6 High-Output (HO) Cummins® Turbo Diesel/8-speed ZF TorqueFlite® Automatic (ETM/DFM)	O
MECHANICAL FEATURES	
Alternators – Single: 220-amp (BAJ)	•
– Dual: 400-amp (XBJ)	O
– Dual: 480-amp (diesel engine only) (XF1)	O
Axle Ratios – 3.42 (included with ETM) (DMR)	P
– 3.73 (DME)	•
– 4.10 (requires ESL) (DMF)	O
Brakes – Power-assisted four-wheel antilock (BRT)	•
– Electronic Stability Control (ESC)[8] (BNB)	•
– Brake Assist[9] (BGE)	•
– Pedestrian/Cyclist Emergency Braking[9] (LST)	•
– Electronic Roll Mitigation (BNS)	•
– Hill Start Assist (BNG)	•

STANDARD FEATURES AND OPTIONS	Tradesman®
CPOS	2TA
MECHANICAL FEATURES (CONTINUED)	
Brakes (continued) – Traction Control (BNM)	•
– Trailer Sway Damping[8] (BNT)	•
– Ready Alert Braking (BHD)	•
– Mechanical park brake	•
– Diesel exhaust brake (included with diesel engine) (NEN)	P
Differential – Open (2500 only) (DS8)	•
– Antispin rear (2500: optional; required if 4.10 axle and gas engine; 3500: standard) (DSA)	O/•
Engine Thermal Management – Engine cooling, heavy-duty (standard with diesel engine) (NMC)	P
– Active grille shutters (MDX)	•
– Front grille cover (included with Cold Weather Group) (XD6)	P
– Engine block heater (included with Cold Weather Group on diesel engine) (NHK)	O/P
– Supplemental cabin heater (included with diesel engine) (HDB)	P
Fuel Tank – 28-gallon (included on Regular Cab with diesel engine) (NGC)	P
– 31-gallon (standard on Crew Cab with 6'4" box) (NFT)	•
– 32-gallon (standard on Regular Cab and Crew Cab with 8' box) (NFX)	•
– 50-gallon (optional on Crew Cab with 8' box; Tradesman only for 2500 model) (NFC)	O
Shocks – Front and rear, heavy-duty – Magneti Marelli™ with KONI® Frequency Selective Damping valving (SFB/SGB)	•
Skid Plates (4x4) – Transfer case (included with Special Service Vehicle Group (AAP)) (XEF)	•
Start Control – Keyless push-button start (GX4)	•
Steering – Power, recirculating ball (SBE)	•
Suspension – Three-link front	•
– Rear link with coil springs (2500 only)	•

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

2027 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

STANDARD FEATURES AND OPTIONS	Tradesman®
CPOS	2TA
MECHANICAL FEATURES (CONTINUED)	
Suspension (continued) – Rear Hotchkis leaf-spring (3500 only)	•
– Front stabilizer bar (SHA)	•
– Auto-Level Rear Air Suspension (3500 only) (SEB)	O
Tow Hooks – Black (XEA)	•
Trailer Tow – Four-pin trailer harness plug, rear bumper (combination receptacle with seven-pin) (XFU)	•
– Seven-pin trailer harness plug, rear bumper (combination receptacle with four-pin) (XFK)	•
– Class V hitch receiver (2500: 20,000 lb; 3500: 23,000 lb) (XFR)	•
– Mopar® Fifth-Wheel Hitch, 20,000 lb (requires Fifth-Wheel/Gooseneck Prep Group) (XML)	O
– Mopar Fifth-Wheel Hitch, 30,000 lb (3500 Dual Rear Wheel (DRW) only; requires Fifth-Wheel/Gooseneck Prep Group) (XNH)	O
Transfer Case (4x4 only) – Electronic shift-on-the-fly (DK3)	•
Upfitter Module – Upfitter Electronic Monitoring Module (Vehicle System Interface Module (VSIM); included with Special Service Vehicle Group (AAP)) (XXS)	•
EXTERIOR FEATURES	
Bed Step, Rear, Deployable – Mopar (included with Bed Utility Group) (MDN)	P
Bedliner – Spray-in (included with Bed Utility Group) (XMF)	P
Bumpers – Black-painted, front and rear (MB1/MBN)	•
– Chrome, front and rear (included with Chrome Appearance Group and L2 Group) (MCT/MBF)	P
Center High-Mounted Stop Lamp (CHMSL) – Lamp (incandescent) with cargo-box illumination (LPE)	•
– LED with camera (included with Towing Technology Group; requires UBQ radio) (LPD)	P
Clearance Lamps, LED – Cab-mounted (optional on 2500 and 3500 Single Rear Wheel (SRW); included with 3500 DRW) (LNC)	O/P
– Box- and rear-fender-mounted (included with 3500 DRW) (LND)	P
Fog Lamps – LED with cornering feature (LNV)	•
Grilles – Matte Black upper header/lower appliqué (MM5)	•
– Chrome upper header/lower appliqué (included with Chrome Appearance Group and L2 Group) (MNQ)	P
– Tradesman grille with Matte Black-painted nostrils (MFF)	•
– Matte Black mesh with Chrome (included with Chrome Appearance Group and L2 Group) (MAF)	P
Headlamps/Taillamps – LED reflector headlamps (LM3)	•
– Incandescent taillamps (LA6)	•
– Daytime running lamps (DRLs), low-beam (LM1)	•
– Premium LED taillamps (included with Blind Spot Monitoring (BSM)[7]) (LAY)	P
– Automatic headlamps (LMG)	•
– Auto High-Beam Headlamp Control (included with Safety Group) (LMS)	P
Lighting – Pickup box (included with Bed Utility Group) (LPL)	P

STANDARD FEATURES AND OPTIONS	Tradesman®
CPOS	2TA
EXTERIOR FEATURES (CONTINUED)	
Mirrors, Exterior – Trailer-tow, manual-adjust for flat and convex, manual-adjust for folding and telescoping (GT1)	•
– Trailer-tow, heated, power-adjust for flat and convex, manual-adjust for folding and telescoping; includes mirror running lights, courtesy lamps and supplemental turn signals (included with L1 and L2 Groups) (GT2)	P
– Trailer-tow, heated, power-adjust for flat and convex, power-adjust for folding and telescoping; includes mirror running lights, courtesy lamps, supplemental turn signals and forward/reverse utility lights (included with Towing Technology Group) (GT3)	P
– Exterior mirror color – Black (LE4)	•
Paint – Monotone (APA)	•
Side Steps/Running Boards – Tubular, Black, cab-length (included with L1 and L2 Groups) (MRU)	O/P
Tailgate – Locking (XJJ)	•
Tie-Downs – Lower, fixed (four)	•
Tonneau Cover – Soft tri-fold (CS7)	O
Windshield Wipers – Variable/intermittent (JHA)	•
– Rain-sensitive (included with Safety Group) (JHC)	P
INTERIOR FEATURES	
Air Conditioning – Manual temperature control; base (HAA)	•
– Dual-Zone automatic temperature control (included with Convenience Group) (HAF)	P
Auxiliary Switches – Instrument panel-mounted (included with Special Service Vehicle Group (AAP)) (LHL)	•
Auxiliary Pass-Through Wires – Four (included with Special Service Vehicle Group (AAP)) (BC3)	•
Consoles and Storage – Storage, floor-mounted tray (included with bench seat only; not included on Regular Cab 4x2) (CUY)	P
– Storage, behind-seat (Regular Cab) (CU3)	•
– Storage, rear underseat compartment (Crew Cab only) (CUE)	•
– Close-out panel, in-floor storage (Crew Cab only) (CUH)	•
– Overhead console (incandescent lighting; included with Chrome Appearance Group and L1 and L2 Groups on Regular Cab) (CUN)	P/•
Door Locks – Powered and speed-sensitive (JPH)	•
– Remote Keyless Entry (GXM)	•
Instrument Cluster, Display – 3.5-inch Driver Information Display (DID), color (JAK)	•
– 7-inch DID, color (included with Safety Group) (JAL)	P
Off-Road Pages Application in Radio (included with UBQ radio) (JA8)	P
Pedals – Non-adjustable (XA8)	•
Seats – Heavy-duty vinyl 40/20/40 split-bench front with manual-adjust and folding rear bench (Crew Cab) (*TX)	•
– Cloth 40/20/40 split-bench front with manual-adjust and folding rear bench (Crew Cab; included with L1 and L2 Groups) (*V9)	F/P
Speed Control – Adaptive Cruise Control (ACC) with Stop[6] (NH3)	•

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

2027 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

STANDARD FEATURES AND OPTIONS	Tradesman®
CPOS	2TA
INTERIOR FEATURES (CONTINUED)	
Steering Wheel – Urethane (SCF)	•
– Luxury (included with Safety Group) (SCK)	P
– Audio controls (included with SCK) (RDZ)	P
Mirror – Rearview, auto-dimming (included with Safety Group and Convenience Group) (GNK)	P
– Rearview, digital (dedicated camera located in Center High-Mounted Stop Lamp (CHMSL); included with Tow-Mode Digital Rearview Mirror Package) (GRG)	P
– Rearview, digital 3.0 (included with Tow Technology Plus Group) (GNQ)	P
Windows – Power, front one-touch down (Regular Cab only) (JPY)	•
– Power, front one-touch up/down (Crew Cab) (JP3)	•
– Rear, fixed (GJD)	•
– Rear, manual-sliding (Regular Cab only; included with L1 and L2 Groups) (GFD)	P
– Rear, power-sliding (Crew Cab only; paired with defroster; included with L1 and L2 Groups) (GFE)	P
– Rear window defroster (optional with fixed rear glass on Tradesman) (GFA)	O
UCONNECT® MULTIMEDIA	
Uconnect Voice Command (XRB)	•
Compass – Compass and temperature display (in radio) (JFJ)	•
– GPS antenna input on radio (JLP)	•
Connectivity, Radio – Auxiliary input, headphone jack	•
– Front Media Hub (one fully functional USB, one charging-only USB and one auxiliary input; each USB connection is a Type-A/-C USB pair) (RSF)	•
– Single-remote USB port – Charging only (center armrest, Type-A; included with *TX and *V9 seats) (RS3)	P
– Apple CarPlay™[16] (RFP)	•
– Android Auto™[15] (RF5)	•
Power – 12-volt DC auxiliary power point (JJJ)	•
– Front 115-volt, 400-watt outlet (three-prong; included with Chrome Appearance Group, Commercial Features Package, and L1 and L2 Groups) (JKV)	P
– Exterior 115-volt, 400-watt outlet (three-prong, located in driver's-side pickup box inner; included with Chrome Appearance Group and L1 and L2 Groups; not available with Box Delete) (XBE)	P
– 2.4-kW On-Board Power System (requires XF1 or XBJ dual alternators) (XBH)	O
– Accessory delay	•
Systems – Uconnect 5 with 8.4-inch touchscreen display (UBE)	•
– Uconnect 5 NAV with 12-inch touchscreen display (included with Convenience Group) (UBQ)	P
SiriusXM® Radio[21] (RSD)	•
TomTom® Connected Travel and Traffic Services[22] (included with UBQ radio) (RTV)	P

STANDARD FEATURES AND OPTIONS	Tradesman®
CPOS	2TA
UCONNECT® MULTIMEDIA (CONTINUED)	
SiriusXM with 360L[21] (included with UBQ radio) (RTU)	P
Speaker Systems, Audio – Base four-speaker system (standard on Regular Cab Tradesman only) (RCD)	•
– Base six-speaker system (standard on Crew Cab; included with Convenience Group on Regular Cab) (RCG)	•/P
Active Noise Control System (standard with 6.4L gas engine and 6.7L diesel engine on Crew Cab; included with L1 Group if equipped with 6.7L diesel engine on Regular Cab only) (JLW)	•/P
TIRES	
Tires – Single Rear Wheel (SRW) – LT245/70R17E BSW Firestone® Transforce HT All-Season (A/S) (2500 only) (TWD)	•
– LT275/70R18E OWL Firestone Transforce On-/Off-Road (TCP)	O
Dual Rear Wheel (DRW) – LT235/80R17E BSW A/S (TV2)	•
– LT235/80R17E Off-Road (TSG)	O
Spare Tire – Full-size, matching (TBB)	•
– Full-size, delete (included with Box Delete) (TBF)	P
– Full-size, add (requires Box Delete) (TBE)	O
– Carrier (TBM)	•
SAFETY, SECURITY & CONVENIENCE	
Air Bags[31] – Advanced multistage front (CG3)	•
– Supplemental side-curtain (CGS)	•
– Supplemental side-seat (CJ1)	•
Cameras – ParkView® Rear Back-Up Camera[4] (not available with Surround-View Camera System[4]) (XAC)	•
– Surround-View Camera System[4] (included with Towing Technology Group; requires Cargo-View Camera[4]; not available with Pickup Box Delete or Regular Cab) (XAK)	P
– Cargo-View Camera[4] with LED Center High-Mounted Stop Lamp (CHMSL) and cargo-box illumination (includes dynamic centerline with Surround-View Camera System[4]; requires UBQ radio; not available with incandescent CHMSL; included with Towing Technology Group) (LPD)	P
– Auxiliary (Trailer) Camera Prep – Includes in-cab wiring, camera HDMI in radio, seven-/12-pin rear-bumper connector and/or seven-/12-pin pickup bed connector (requires L1 or L2 Group) (XFQ)	O
Drowsy-Driver Detection[6] (included with Safety Group) (XNM)	P
Traffic Sign Recognition System[13] (included with Safety Group) (SJB)	P
Active Lane Management System[5] (included with Safety Group) (XNW)	P
Blind Spot Monitoring (BSM)[7] and Rear Cross-Path Detection System[4] – Includes LED taillamps on Tradesman (included with Safety Group and Towing Technology Group) (XAN)	F/P
Full-Speed Forward Collision Warning Plus[9] – With Auto Emergency Braking[9] (LSU)	•
Trailer Reverse Guidance[4] (included with Towing Technology Group) (XPU)	P
Trailer Reverse Steering Control[5] (included with Tow Technology Plus Group) (XA1)	P

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

2027 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

STANDARD FEATURES AND OPTIONS	Tradesman®
CPOS	2TA
SAFETY FEATURES	
Adaptive Cruise Control (ACC) with Stop[6] (NH3)	•
Back-Up Alarm – Audible alarm when vehicle is in Reverse (XAW)	O
DOT Safety Kit – Includes DOT fire extinguisher, three reflecting triangles, two red flags and spare fuses (ACL)	O
Parking Sensors – ParkSense® Front/Rear Park Assist[12] (included with L1 and L2 Groups) (XAG)	P
Restraints – Front, height-adjustable three-point seat belts (outboard positions only) (CGD)	•
Rear-Seat Reminder Alert (JFB)	•
LATCH – Child Seat Anchor System (CGU)	•
Adaptive Steering System[6] – Variable Steering Effort System (included with Safety Group) (SJE)	P
Security – Sentry Key® Theft Deterrent System – Engine immobilizer (GXX)	•
Tailgate-Ajar Warning Lamp (LAN)	•
Tire Pressure Monitor – Tire Pressure Monitoring System, cluster display (2500 only) (XGM)	•
– Tire Pressure Information System, cluster display (3500 only) (XBT)	•
– Selectable Tire-Fill Alert (LA5)	•
– Tire-Fill Alert (LAW)	•
Trailer Brake Controller – Electronic Trailer Brake Controller (ITBM) (XHC)	•
Trailer-Light Check Out (cluster-activated routine) (JJ1)	•
Trailer Tire Pressure Monitoring System – Includes four trailer tire sensors (included with Towing Technology Group) (XG9)	P
EQUIPMENT PACKAGES	
Tradesman Level 1 Equipment (L1 Group) – Includes Convenience Group, overhead console, *V9 cloth bench seats, carpet floor covering, rear antispin differential, exterior 115-volt outlet, 400-watt inverter, Active Noise Control System, sliding rear window (Regular Cab only), power sliding rear window (Crew Cab only), GT2 exterior mirrors, carpet floor mats, interior front 115-volt outlet, Black tubular side steps on Crew Cab and ParkSense Front/Rear Park Assist System[12] (A7B)	O
Tradesman Level 2 Equipment (L2 Group) – Includes L1 Group, Chrome grille surround, Chrome front and rear bumpers, and Chrome-clad steel wheels for Single Rear Wheels (SRWs) or polished aluminum wheels for Dual Rear Wheels (DRWs) (A7D)	O

STANDARD FEATURES AND OPTIONS	Tradesman®
CPOS	2TA
FUNCTIONAL PACKAGES/GROUPS	
Chrome Appearance Group – Includes overhead console, exterior 115-volt outlet, 400-watt inverter, interior front 115-volt outlet, Chrome grille surround, Chrome front and rear bumpers, and Chrome-clad steel wheels for SRW or polished aluminum wheels for DRW (A7C)	O
Convenience Group – Includes auto-dimming rearview mirror, tinted acoustic windshield, Dual-Zone automatic temperature control, six speakers (Regular Cab only) and Uconnect® 5 NAV with 12-inch touchscreen display (included with L1 and L2 Groups) (ADC)	P
Bed Utility Group – Includes LED bed lighting, spray-in bedliner and rear, deployable bed step (ANT)	O
Cold Weather Group – Includes engine block heater and winter front grille cover (diesel engine only) (ADE)	O
Dual Rear Wheel (DRW) Group – Includes 6,000-lb front axle with hub extension, rear wheelhouse liners, cab-mounted LED clearance lamps, and box- and rear-fender-mounted LED clearance lamps (3500 only) (WLA)	O
Fifth-Wheel/Gooseneck Prep Group – Includes bed-mounted seven-pin connector (seven-/12-pin connector if equipped with Auxiliary Camera Prep), mounting holes for fifth-wheel hitch and gooseneck ball, and mounting hole covers (included with Max Tow Package on 3500) (AHU)	O/P
Commercial Features Package – Includes exterior 115-volt outlet, 400-watt inverter, interior front 115-volt outlet and ParkSense Front/Rear Park Assist System[12] (AGS)	O
Safety Group – Includes Drowsy-Driver Detection,[6] auto-dimming rearview mirror, rain-sensitive windshield wipers, 7-inch Driver Information Display (DID) cluster (Tradesman only), Auto High-Beam Headlamp Control, Traffic Sign Recognition System,[13] Adaptive Steering System,[6] Active Lane Management System,[5] luxury steering wheel, and BSM[7] and Rear Cross-Path Detection System[4] (AAU)	O
Special Service Vehicle Group – Includes transfer case skid plate, dash pass-through wire circuits, upfitter electronic module (Vehicle System Interface Module (VSIM)) and dash-mounted auxiliary switches (AAP)	•
Max Tow Package – Includes Fifth-Wheel/Gooseneck Prep Group, DOT-certified roadside safety kit, LED Center High-Mounted Stop Lamp (CHMSL) with Cargo-View Camera[4] and Auto-Level Rear Air Suspension on select 4x4 models (requires DRW and diesel engine) (AJL)	O
Towing Technology Group – Includes Surround-View Camera System,[4] LED CHMSL with Cargo-View Camera,[4] Trailer Reverse Guidance,[4] Trailer Tire Pressure Monitoring System, GT3 exterior mirrors for Tradesman, and BSM[7] and Rear Cross-Path Detection System[4] (requires L2 Group) (AAN)	O
Tow Technology Plus Group – Includes 3.0 digital rearview mirror, auxiliary switch prep and Trailer Reverse Steering Control[5] (requires Adaptive Steering System,[6] Surround-View Camera System[4] and L2 Group) (AVS)	O
Tow-Mode Digital Rearview Mirror Package – Includes digital rearview mirror and wired tow-mode camera (requires L1 or L2 Group) (AVF)	O

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

(1) Visit Mopar.com for complete details and a copy of the Powertrain Limited Warranty. (2) Visit Mopar.com for complete details and a copy of the Basic Limited Warranty. (3) Based on Nauto customer case. (4) Always check entire surroundings visually before proceeding. (5) This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and maintain control of the vehicle. (6) This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (7) Always check visually for vehicles prior to changing lanes. (8) Always drive carefully, consistent with conditions. Always wear your seat belt and obey traffic laws. (9) This system is an alert system for the front of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (10) This system is a driver convenience system, not a substitute for active driver involvement. Factors including weather and condition of the traffic sign can impact recognition and display of the sign. Driver must remain aware of traffic conditions and maintain control of the vehicle. (11) This system is an alert system for the front and sides of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (12) Always look before proceeding. An electronic drive aid is not a substitute for conscientious driving. Always be aware of your surroundings. (13) Traffic Sign Recognition System is not a substitute for safe and attentive driving. Factors including weather and condition of the traffic sign can impact recognition and display of the sign. Always check traffic signs visually while driving. (14) Vehicle must be enrolled with Dodge, Jeep or Ram Connect, be in an active and usable cellular range, have an active subscription and be properly equipped with a Uconnect 5 NAV system. Requires a Wi-Fi Hotspot data plan and linked Amazon account to run Alexa in the vehicle. (15) To wirelessly use Android Auto on your display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at g.co/androidauto/requirements. Android Auto is a trademark of Google LLC. (16) Requires compatible iPhone. See dealer for phone compatibility. Data plan rates apply. Vehicle user interface is a product of Apple. Apple CarPlay is a trademark of Apple Inc. iPhone is a registered trademark of Apple Inc., registered in the US and other countries. Apple terms of use and privacy statements apply. (17) All vehicles properly equipped to receive connected services come with a three-month trial of Assistance Package or Assistance + Navigation Package (if equipped), five years of Vehicle Performance Package, and 10 years of Safety and Security Package effective from the date of purchase or lease of a new vehicle. Enrollment in the trial is required to receive services. Upon expiration of the trial period, purchase of a subscription is required to continue or renew services. Services are available on equipped vehicles purchased within the United States, Canada and Puerto Rico. Services can only be used where cellular coverage is available. See the applicable Terms of Service for complete terms and conditions, including service limitations. (18) Vehicle must be in an active and usable cellular range and be properly equipped with a Uconnect 5 NAV system and the Rear-Seat Entertainment Package. For streaming, requires a Wi-Fi connection and linked Amazon account to run Fire TV in the vehicle. Streaming service subscriptions are not included. Certain services are subject to change or withdrawal at any time, may not be available in all areas and languages, and may require separate subscriptions. (19) SiriusXM Guardian equipped vehicles only. Vehicle uses Connected Travel and Traffic Services. All SiriusXM Guardian equipped vehicles come with a three-month complimentary trial effective on the date of purchase or lease of a new vehicle. Enrollment in the trial is required to receive service. Upon expiration of the trial period, purchase of a subscription is required to continue SiriusXM Guardian. SiriusXM Guardian is available only on equipped vehicles purchased within the United States and Puerto Rico. Services can only be used where cellular coverage is available. See Uconnect and SiriusXM Guardian Terms of Service for complete service limitations. (20) Not all vehicles or devices are capable of receiving all services offered by SiriusXM. Data displays and individual product availability vary by vehicle hardware. Current information and features may not be available in all locations, or on all receivers. Weather Forecast, Current Conditions may not be available in all locations. (21) All SiriusXM services require a subscription, sold separately by SiriusXM after the trial period. Your SiriusXM service will automatically stop at the end of your trial unless you decide to subscribe. **If you decide to continue service after the trial, the subscription plan chosen will automatically renew and you will be charged according to your chosen payment method at the then-current rates.** Fees and taxes apply. **See the SiriusXM Customer Agreement and Privacy Policy at www.siriusxm.com for full terms and how to cancel, which includes online methods or calling 1-866-635-2349.** Available in the 48 contiguous United States, D.C. and Puerto Rico (with coverage limits and capable receiver). Visit www.siriusxm.com/FAQS for most current service area information. Availability of some services and features is subject to device capabilities and location restrictions. All fees, content and features are subject to change. SiriusXM and all related logos are trademarks of SiriusXM Radio Inc. and its respective subsidiaries. SiriusXM with 360L is only available on select vehicles. Certain features and/or content may not be available unless an active data connection is enabled in the vehicle. Content varies by subscription plan. Features and display may vary by vehicle. (22) Vehicle must be enrolled in an active subscription with Connected Services. (23) Three-month/1GB trial included with the purchase or lease of a new vehicle. Upon expiration of the trial period, purchase of a subscription is required. Wi-Fi Hotspot available through third-party subscription. Requires Internet-enabled mobile device. See dealer for details. This feature is not intended for use by the driver while the vehicle is in motion. Always drive carefully. (24) The Uconnect Phone requires a mobile phone equipped with the Bluetooth Hands-Free Profile. To check phone compatibility, please visit www.UconnectPhone.com. (25) This system is not intended to be used while vehicle is in motion. (26) Highway Assist System requires the driver to keep his or her hands on the steering wheel at all times. This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and maintain control of the vehicle. (27) Check state and local laws regarding the use of remote start systems. (28) Based on manufacturer's estimates – actual mileage may vary. (29) When properly equipped. See dealer for details. (30) Only available in Texas. (31) Always sit properly in designated seating positions with seat belts fastened at all times. (32) Based on 2026 model-year specifications. (33) All dimensions are in inches unless otherwise noted. (34) Vehicle must be locked and system activated for alarm to sound. (35) 2026MY EPA estimates shown. Actual mileage may vary. (36) Always sit properly with the head restraint properly adjusted. Never place anything in front of the head restraint. (37) Does not include allowances for wheelhousings. (38) Payload and Max Trailer Weights are ESTIMATED values. All values are shown in lb unless otherwise stated. Payload and Max Trailer Weight values are rounded to the nearest 10 lb. Payload = GVWR – Base Weight. GAWRs, GVWRs and GCWRs should never be exceeded. Recommended tongue weight determined by class of hitch receiver and hardware limits of upfit. Upfit or aftermarket equipment weight not included with Base Weight. Frontal Area: maximum allowable Frontal Area, in ft-squared, that the vehicle can project. For details on calculations, please refer to Ram Body Builders Guide. If the Vehicle Emission Control Information (VECI) Label and Max Upfit Weight are not available, then the vehicle is not restricted to Maximum Vehicle Capacity Weight (MVCW), Frontal Area or Maximum Upfit Weight limits; however, GVWR/GAWR/GCWR cannot be exceeded. (39) Do not attempt water fording unless depth is known and consistent with the vehicle's water fording rating in the Owner's Manual. Traversing water can cause damage that may not be covered by the new vehicle warranty. Always off-road responsibly in approved areas. (40) Based on EPA-estimated 82 MPGe and 30 MPG combined. Actual mileage may vary. (41) Always be aware of your surroundings, and drive carefully, consistent with conditions. (42) Curb weights are estimates and include standard equipment and full quantities of fuel, lubricant and coolant. (43) Based on 2026MY FE.gov estimates – actual mileage may vary.

©2026 FCA US LLC. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Altitude, Big Horn, BusinessLink, Charger, Chrysler wing design, Command-Trac, Compass, Durango, Gladiator, Grand Cherokee, Grand Cherokee Summit, HEMI, the Jeep grille design, LaneSense, Laramie, Laredo, Latitude, Limited, Mega Cab, Mopar, Overland, Pacifica, ParkSense, ParkView, Pentastar, Power Wagon, Quad Cab, Quadra-Drive II, Quadra-Lift, Quadra-Trac I, Quadra-Trac II, Ram Articulink, Ram ProMaster, Ram ProMaster City, RamBox, the Ram's Head logo, Rebel, Rock-Trac, Rubicon, Sahara, Scat Pack, Selec-Speed, Selec-Terrain, Sentry Key, SRT, SRT Hellcat, Stow 'n Go, Stow 'n Vac, Stow N Place, TorqueFlite, Tradesman, Trail Rated, Trailhawk, Tru-Lok, Uconnect and Wrangler are registered trademarks, and Active-Level, AutoStick, FamCAM, Jeep Active Drive, Jeep Active Drive Low, Keyless Enter 'n Go, Limited Longhorn, Pinnacle and Trail Rail are trademarks of FCA US LLC. FIAT and 500 are registered trademarks of FCA Group Marketing S.p.A., used under license by FCA US LLC. Free2move is a registered trademark of Stellantis N.V. All product specifications are based on authorized information as of 05/11/26. Photographs within this piece are for representation purposes only. Vehicle features listed are not all standard. FCA US LLC is not responsible for the safety or quality of independent supplier alterations.

Alpine and the Alpine logo are registered trademarks of Alpine Electronics, Inc. All rights reserved. Amazon, Alexa, and all related logos and marks are trademarks of Amazon.com, Inc. or its affiliates. Amazon Fire TV is a registered trademark of Amazon.com Inc. Android, Android Auto, Blogger, YouTube, and other related marks and logos are trademarks of Google LLC. Apple and iPhone are registered trademarks, and Apple CarPlay is a trademark of Apple Inc., used under license by FCA US LLC. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Bluetooth is a registered trademark owned by Bluetooth SIG, Inc. Blu-ray Disc is a registered trademark, and Blu-ray is a trademark owned by Blu-ray Disc Association. BREMBO is a registered trademark of Brembo N.V. and its subsidiaries. Bridgestone and any Bridgestone products or service names are trademarks or registered trademarks of Bridgestone Corporation. Cummins is a registered trademark of Cummins, Inc. Dana is a registered trademark of Dana Corporation. Facebook and logo are registered trademarks of Meta Platforms, Inc. Falken is a registered trademark of Sumitomo Rubber Industries, Ltd. Firestone is a registered trademark of Bridgestone Americas Tire Operations, LLC. FOX is a registered trademark of Fox Factory, Inc. Goodyear and DuraTrac are registered trademarks of The Goodyear Tire & Rubber Company. Gorilla Glass is a registered trademark of Corning Incorporated. Harman Kardon is a registered trademark of Harman International Industries, Inc. Hotchkis is a registered trademark of Hotchkis Performance, Inc. Instagram is a registered trademark of Instagram, Inc. JBL is a registered trademark of Harman International Industries, Incorporated in the US and other countries. Katzkin is a registered trademark of Katzkin Leather Interiors, Inc. Klipsch is a registered trademark of the Klipsch Group, Inc., a VOXX International Company. KONI is a registered trademark of KONI North America. LinkedIn, the LinkedIn logo, the IN logo and InMail are registered trademarks or trademarks of LinkedIn Corporation and its affiliates in the United States and/or other countries. MAGNETI MARELLI is a trademark of Magneti Marelli S.p.A. McIntosh is a registered trademark of McIntosh Laboratory, Inc. Michelin is a registered trademark of Michelin North America, Inc. Copyright 1996 – 2026, NHRA. All logos and images are reserved. Nauto and the Nauto logo are registered trademarks of Nauto, Inc. in the United States and other countries. Pirelli is a registered trademark. Pirelli & C. S.p.A. All rights reserved. SCORPION ZERO is a trademark of Pirelli & C. S.p.A. or its affiliates. SiriusXM Connected Vehicles Services Inc., Sirius, XM, SiriusXM, SiriusXM Guardian, and all related marks and logos are registered trademarks of SiriusXM Radio Inc. Sunrider is a registered trademark of Bestop, Inc. TENNECO is a registered trademark of Tenneco Automotive Operating Company Inc. TomTom is a registered trademark of TomTom International BV. All our trademarks, service marks, trade names and trade dress are valuable assets owned by TomTom and are essential to protecting our brand identity. Torx is a registered trademark of the Camcar Corporation, division of Textron Industries. The X service marks (formerly, Twitter) are the intellectual property of X Corp. WARN is a registered trademark of Warn Industries, Inc.