



SELECT FEATURES

 $6.4 L~{\rm HEMI}^{\rm @}~{\rm V8~Engine/8HP75~8}\text{-speed}$ Automatic Transmission

Alternator - 180-amp

Antilock Four-Wheel Disc Brakes

Automatic Headlamps

Battery – 730-amp, maintenance-free

Class V Hitch Receiver

Driver's- and Passenger-Side Assist Handles

Locking Tailgate

Power Recirculating Ball Steering

Rear Axle - 11.5-inch

Tilt Steering Column

Tinted Glass, All Windows

Trailer-Tow Harness – Four-/seven-pin connector

Variable/Intermittent Windshield Wipers

SAFETY & SECURITY

Dynamic Front Crumple Zones and Side-Impact Door Beams
Electronic Stability Control (ESC)⁽⁶⁾ System – Includes Brake
Assist, Electronic Roll Mitigation, Hill Start Assist, Rain
Brake Support, Ready Alert Braking, Full-Function All-Speed
Traction Control and Trailer Sway Damping⁽⁶⁾

Enhanced Accident Response System

Air Bags⁽²¹⁾ – Multistage driver's and front-passenger, supplemental side-curtain and side-seat

ParkView® Rear Back-Up Camera(1)

Sentry Key® Theft Deterrent System

Tire Pressure Information System (3500 models)

Tire Pressure Monitoring System with Display (2500 only)

AVAILABLE FLEET FEATURES

Cloth Bench Seat Option for Tradesman®

Two Additional Key Fobs for Tradesman and Big Horn®/Lone Star⁽²⁰⁾

ParkSense® Front and Rear Assist⁽¹⁾ for Tradesman and Big Horn/Lone Star⁽²⁰⁾

Front Fog Lamps for Tradesman

Low-Volume Paint Options

Mopar® Black Tubular Side Steps for Tradesman

ENGINES	HORSEPOWER(22)	TORQUE ⁽²²⁾
6.4L HEMI V8	410 hp @ 5,600 rpm	429 lb-ft @ 4,000 rpm
6.7L Cummins® Turbo Diesel	370 hp @ 2,800 rpm	850 lb-ft @ 1,700 rpm
6.7L High Output Cummins Turbo Diesel (3500)	420 hp @ 2,800 rpm	1,075 lb-ft @ 1,800 rpm





RAM 2500 EXTERIOR DIMENSIONS*				
All space are for base models only	Regular Cab	egular Cab Crew Cab		Mega Cab®
All specs are for base models only.	8' Box	6'4" Box	8' Box	6'4" Box
Overall Body Width	83.5	83.5	83.5	83.5
Overall Height (4x2/4x4)	78/80.2	78.2/80.2	78.1/80.1	80.1 (4x4 only)
Overall Length	232	238.8	260.8	249.9
Track - Front	68.7	68.7	68.7	68.7
Track – Rear	68.1	68.1	68.1	68.1
Wheelbase	140.2	149.1	169	160.4

RAM 3500 EXTERIOR DIMI	ENSIONS*						
All f	Regul	ar Cab		Crew Cab	Mega Cab		
All specs are for base models only.	8' Box	8' Box DRW	6'4" Box	8' Box	8' Box DRW	6'4" Box	6'4" Box DRW
Overall Width	83.5	96.5	83.5	83.5	96.5	83.5	96.5
Overall Height (4x2/4x4)	78.3/80.4	77.8/79.5	78.3/80.3	78.4/79.8	77.1/79.3	79.9 (4x4 only)	78.9 (4x4 only)
Overall Length	232	232	238.8	260.8	260.8	249.9	250
Track – Front	67.7	67.7	67.7	67.7	67.7	67.7	67.7
Track - Rear	67.1	75.9	67.1	67.1	75.9	67.1	75.9
Wheelbase	140.2	140.2	149	169.3	169.3	160.4	160.4

TOWING(19)	
Maximum Towing (lb)	
- 2500	20,000
- 3500	37,090

PAYLOAD(19)	
Maximum Payload (lb)	
- 2500	4,010
- 3500	7,680

EXTERIOR PAINT COLORS

Diamond Black Crystal Pearl

Granite Crystal Metallic

Billet Silver Metallic

Patriot Blue Pearl

Delmonico Red Pearl

Flame Red

Pearl White

Bright White

SELECT TO VIEW SPECIAL EXTERIOR PAINT COLORS

INTERIOR DIMENSI	ONS*		
All Ram Interiors	Regular Cab	Crew Cab	Mega Cab
Head Room (front/rear)	39.8	40.9/39.8	40.9/40.3
Hip Room (front/rear)	62.9	62.9/62.7	62.9 / 62.8
Shoulder Room (front/rear)	65.9	65.9/65.6	65.9/65.6
Leg Room (front/rear)	40.9	40.9/40.2	40.9/43.1
Seating Capacity (max occupants)	3	6	6

ALL RAM PICKUP BOXES*	6'4" BOX	8' BOX
Maximum Length at Floor	76.3	98.3
Front of Box to End of Open Tailgate	100.2	120.2
Depth of Box/Open Tailgate	20.1/20.1	20.2/20.2
Cargo Volume† (cu ft)	57.5	74.7
Width between Wheelhousings	51	51
Maximum Width, Wall-to-Wall	66.4	66.4

*Based on 2022MY vehicle information. All dimensions are in inches unless otherwise noted. †Does not include allowances for wheelhousings.

SPECIAL EXTERIOR PAINT COLORS





COLOR AVAILABILITY LEGEND

- 1 Ram 1500 Classic
- 2 Ram Heavy Duty and Chassis Cab
- Ram ProMaster®

CONFIGURATIONS Body Model - Regular Cab 8'-box - 140.2-inch wheelbase (-62)	® Laramie®	Limited Longhorn™	Limited
Body Model - Regular Cab 81-box - 140.2-inch wheelbase (-62)	2TH	2TK	2TM
Body Model - Regular Cab 8'-box - 140.2-inch wheelbase (-62)			
- Crew Cab 8'-box - 169.1-inch wheelbase (-92)			
- Mega Cab® 6'4"-box - 160.2-inch wheelbase (4x4 only) (-81) Drive - 4x2 (2500/3500) - 4x4 (2500/3500) Comparison of the state of th	•	•	•
Drive − 4x2 (2500/3500) <td>0</td> <td>0</td> <td>0</td>	0	0	0
ENGINES/TRANSMISSIONS/AXLES 6.4L HEMI® V8/8-speed Automatic (8HP75) (ESB/DFX) - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DFX+AR9) (DRQ/DME) - 11.5-inch rear axle/4.10 ratio (2500/3500 SRW; optional if DFX+AR9; requires DSA) (DRQ/DMF) - 11.5-inch rear axle/3.73 ratio 3500 Dual Rear Wheel (DRW); included with DFX+WLA) (DRX/DME) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+WLA) (DRX/DMF) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+WLA) (DRX/DMF) - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard output (ETL/DG7) - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DG7+AR9) (DRQ/DME) - 11.5-inch rear axle/3.73 ratio (3500 DRW; optional if DG7+WLA) (DRX/DME) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DME) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) - 10.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) - 12-inch rear axle/3.73 ratio (3500 SRW only; included with DG7+WLA) (DRX/DMF) - 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+WLA) (DRX/DMF) - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: standard; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TW, 2TK and 2TW, 2TK and 2TW, 2TK engency/Fire/	0	0	0
ENGINES/TRANSMISSIONS/AXLES 6.4L HEMI® V8/8-speed Automatic (8HP75) (ESB/DFX) - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DFX+AR9) (DRQ/DME) - 11.5-inch rear axle/4.10 ratio (2500/3500 SRW; optional if DFX+AR9; requires DSA) (DRQ/DMF) 0 0 - - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+AR9; requires DSA) (DRQ/DMF) 0 0 0 - - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+WLA) (DRX/DMF) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•	•	•
6.4L HEMI® V8/8-speed Automatic (8HP75) (ESB/DFX) - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DFX+AR9) (DRQ/DME) - 11.5-inch rear axle/4.10 ratio (2500/3500 SRW; optional if DFX+AR9; requires DSA) (DRQ/DMF) 0 0 - 11.5-inch rear axle/3.73 ratio 3500 Dual Rear Wheel (DRW); included with DFX+WLA) (DRX/DME) P P - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+WLA) (DRX/DMF) 0 0 6.7L Cummins® Turbo Diesel/6-speed Automatic (68RFE) – Standard output (ETL/DG7) 0 0 - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DG7+AR9) (DRQ/DME) - 11.5-inch rear axle/3.73 ratio (3500 DRW; included with DG7+WLA) (DRX/DME) P P - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DME) P P - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) 0 0 6.7L High Output Cummins Turbo Diesel/6-speed Heavy-Duty Automatic (AISIN® AS69RC) – (3500 only) (ETM/DF2) 0 0 - 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) P P - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) P P - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) MECHANICAL FEATURES Alternators – Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P	0	0	0
- 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DFX+AR9) (DRQ/DME) - 11.5-inch rear axle/4.10 ratio (2500/3500 SRW; optional if DFX+AR9; requires DSA) (DRQ/DMF) - 11.5-inch rear axle/3.73 ratio 3500 Dual Rear Wheel (DRW); included with DFX+WLA) (DRX/DME) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+WLA) (DRX/DMF) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+WLA) (DRX/DMF) - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard output (ETL/DG7) - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DG7+AR9) (DRQ/DME) - 11.5-inch rear axle/3.73 ratio (3500 DRW; included with DG7+WLA) (DRX/DMF) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) - 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) MECHANICAL FEATURES Alternators - Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P			
- 11.5-inch rear axle/4.10 ratio (2500/3500 SRW; optional if DFX+AR9; requires DSA) (DRQ/DMF) - 11.5-inch rear axle/3.73 ratio 3500 Dual Rear Wheel (DRW); included with DFX+WLA) (DRX/DME) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+WLA) (DRX/DMF) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+WLA) (DRX/DMF) - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard output (ETL/DG7) - 11.5-inch rear axle/3.73 ratio (3500 DRW; included with DG7+AR9) (DRQ/DME) - 11.5-inch rear axle/3.73 ratio (3500 DRW; included with DG7+WLA) (DRX/DMF) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) - 12-inch rear axle/4.10 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DME) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 13-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 13-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 13-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) - 13-inch rear axle/4.10 ratio (3500 DRW only; optional on 2TA, 2TZ, 2TY and 2TP only; ont available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: standard; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ - O/P	•	•	•
- 11.5-inch rear axle/3.73 ratio 3500 Dual Rear Wheel (DRW); included with DFX+WLA) (DRX/DME) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+WLA) (DRX/DMF) 0 0 6.7L Cummins® Turbo Diesel/6-speed Automatic (68RFE) - Standard output (ETL/DG7) 0 0 - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DG7+AR9) (DRQ/DME) - 11.5-inch rear axle/3.73 ratio (3500 DRW; included with DG7+WLA) (DRX/DME) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) 0 0 6.7L High Output Cummins Turbo Diesel/6-speed Heavy-Duty Automatic (AISIN® AS69RC) - (3500 only) (ETM/DF2) 0 0 - 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) P P - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) MECHANICAL FEATURES Alternators - Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	•	•	•
- 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DFX+WLA) (DRX/DMF) 6.7L Cummins® Turbo Diesel/6-speed Automatic (68RFE) – Standard output (ETL/DG7) - 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DG7+AR9) (DRQ/DME) - 11.5-inch rear axle/3.73 ratio (3500 DRW; included with DG7+WLA) (DRX/DME) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) - 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) MECHANICAL FEATURES Alternators – Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	0	0	0
6.7L Cummins® Turbo Diesel/6-speed Automatic (68RFE) – Standard output (ETL/DG7) — 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DG7+AR9) (DRQ/DME) — 11.5-inch rear axle/3.73 ratio (3500 DRW; included with DG7+WLA) (DRX/DME) — 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) — 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) — 0 6.7L High Output Cummins Turbo Diesel/6-speed Heavy-Duty Automatic (AISIN® AS69RC) – (3500 only) (ETM/DF2) — 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) — 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) — 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) MECHANICAL FEATURES Alternators – Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) — Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	Р	Р	Р
- 11.5-inch rear axle/3.73 ratio (2500/3500 SRW; standard with DG7+AR9) (DRQ/DME) - 11.5-inch rear axle/3.73 ratio (3500 DRW; included with DG7+WLA) (DRX/DME) P - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) O O 6.7L High Output Cummins Turbo Diesel/6-speed Heavy-Duty Automatic (AISIN® AS69RC) – (3500 only) (ETM/DF2) O O - 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) P - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) P - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) O/P MECHANICAL FEATURES Alternators – Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	0	0	0
- 11.5-inch rear axle/3.73 ratio (3500 DRW; included with DG7+WLA) (DRX/DME) P P - 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) O O 6.7L High Output Cummins Turbo Diesel/6-speed Heavy-Duty Automatic (AISIN® AS69RC) – (3500 only) (ETM/DF2) O O - 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) P P - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) P P - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) O/P MECHANICAL FEATURES Alternators – Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P	0	0	0
- 11.5-inch rear axle/4.10 ratio (3500 DRW; optional if DG7+WLA) (DRX/DMF) 6.7L High Output Cummins Turbo Diesel/6-speed Heavy-Duty Automatic (AlSIN® AS69RC) – (3500 only) (ETM/DF2) 0 0 - 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) P P - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) P P - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) O/P MECHANICAL FEATURES Alternators – Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	•	•	•
6.7L High Output Cummins Turbo Diesel/6-speed Heavy-Duty Automatic (AISIN® AS69RC) – (3500 only) (ETM/DF2) — 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) — 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) — 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) MECHANICAL FEATURES Alternators – Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) — Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	Р	Р	Р
- 12-inch rear axle/3.73 ratio (3500 SRW only; included with DF2+AR9) (DR7/DME) - 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) MECHANICAL FEATURES Alternators – Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	0	0	0
- 12-inch rear axle/3.73 ratio (3500 DRW only; included with DF2+WLA) (DRC/DME) - 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) MECHANICAL FEATURES Alternators – Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	0	0	0
— 12-inch rear axle/4.10 ratio (3500 DRW only; optional if DF2+WLA) (DRC/DMF) MECHANICAL FEATURES Alternators — Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) — Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	Р	Р	Р
MECHANICAL FEATURES Alternators - Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	Р	Р	Р
Alternators – Single 180-amp (gas engine: standard; diesel engines: standard on 2TA, 2TZ, 2TY and 2TP only; not available on 2TH, 2TK or 2TM) (BAD) – Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	O/P	O/P	O/P
not available on 2TH, 2TK or 2TM) (BAD) - Single 220-amp (gas engine: optional; diesel engines: optional on 2TA, 2TZ and 2TY only; standard on 2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P			
2TH, 2TK and 2TM; all engines: included with Special Service Vehicle Group (AAP), Emergency/Fire/ O/P O/P	•	•	•
Rescue Special Service Package (AH6) and Snow Plow Prep Group (AHD)) (BAJ)	•/0/P	•/0/P	•/O/P
- Dual: 160- + 220-amp = 380-amp (gas engine only; included with Snow Chief Group) (XF5) O/P O/P	O/P	O/P	O/P
- Dual: 2x220-amp = 440-amp (diesel engines only; included with Snow Chief Group) (XF7) O/P O/P	O/P	O/P	O/P

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
MECHANICAL FEATURES (CONTINUED)						
Brakes – Power-assisted four-wheel antilock (BRT)	•	•	•	•	•	•
– Electronic Stability Control (ESC) ⁽⁶⁾ System (BNB)	•	•	•	•	•	•
- Brake Assist (BGE)	•	•	•	•	•	•
- Electronic Roll Mitigation (BNS)	•	•	•	•	•	•
- Hill Start Assist (BNG)	•	•	•	•	•	•
- Traction Control (BNM)	•	•	•	•	•	•
- Trailer Sway Damping ⁽⁶⁾ (BNT)	•	•	•	•	•	•
- Ready Alert Braking (BHD)	•	•	•	•	•	•
– Mechanical park brake	•	•	•	•	•	•
- Diesel exhaust brake (included with diesel engines) (NEN)	Р	Р		Р	P	Р
Differential – Open (2500 only) (DS8)	•	•		•	•	•
- Antispin rear (2500: optional; required if 4.10 axle and gas engine; 3500: standard) (DSA)	0/•	0/•		0/•	0/•	0/•
- Electronically locking, front and rear (included with Power Wagon Package) (DSE)	P		•		-	
Engine Thermal Management – Engine cooling, heavy-duty (standard with diesel engines) (NMC)	Р	Р		Р	Р	Р
- Active grille shutters (MDX)	•	•	•	•	•	•
- Front grille cover (included with Cold Weather Group) (XD6)	Р	Р		Р	Р	Р
- Engine block heater (included with Cold Weather Group on diesel engines) (NHK)	O/P	O/P		O/P	O/P	O/P
– Supplemental cabin heater (included with diesel engines) (HDB)	Р	Р		Р	Р	Р
Fuel Tank – 28-gallon (standard on Regular Cab with diesel engines) (NGC)	Р	Р				
– 31-gallon (standard on Crew Cab and Mega Cab® with 6'4" box) (NFT)	•	•	•	•	•	•
- 32-gallon (standard on Regular Cab and Crew Cab with 8' box) (NFX)	•	•		•	•	•
– 50-gallon (optional on Crew Cab with 8' box) (NFC)	0					
Shocks – Front and rear, heavy-duty – Magneti Marelli™ with KONI® Frequency Selective Damping valving (SFB/SGB)	•	•		•	•	•
 Front and rear, performance-tuned - Bilstein® (included with Off-Road Group and Power Wagon Package on Tradesman) (SFC/SGC) 	Р	Р	•	Р	Р	Р
Skid Plates (4x4) – Transfer case (included with Special Service Vehicle Group (AAP), Emergency/Fire/ Rescue Special Service Package (AH6), Protection Group (ADB), Snow Plow Prep Group (AHD), Off-Road Group (ARC), Power Wagon Package (ACE) and Snow Chief Group (AD2)) (XEF)	Р	Р	•	Р	Р	Р
– Fuel tank (included with Power Wagon Package) (XEE)	Р		•			
Start Control – Keyless push-button start (GX4)	•	•	•	•	•	•
Steering – Power, recirculating ball (SBE)	•	•	•	•	•	•

 $[\]cdot$ = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
MECHANICAL FEATURES (CONTINUED)						
Suspension – Three-link front	•	•	•	•	•	•
- Rear link with coil springs (2500 only)	•	•	•	•	•	•
– Rear Hotchkis leaf-spring (3500 only)	•	•		•	•	•
– Suspension, Ram Articulink® front (included with Power Wagon Package) (SD1)	Р		•			
– Stabilizer bar, front, standard (SHA)	•	•		•	•	•
- Stabilizer bar, front, electronic disconnecting (included with Power Wagon Package) (SHG)	Р		•			
- Auto-Level Rear Air Suspension (not available with 3500 gas Regular Cab Single Rear Wheel (SRW) 4x4 or 2500 gas Regular Cab; not available with Off-Road Group) (SEB)	0	0		0	0	0
Tow Hooks - Black - 2500 (4x2: free-standing option; 4x4: included with Special Service Vehicle Group (AAP), Emergency/Fire/Rescue Special Service Package (AH6), Protection Group, Off-Road Group, Power Wagon Package, Night Edition on Limited and are included with diesel engines) (XEA)	O/P	O/P	٠	O/P	٠	Р
- Black - 3500 (Tradesman: optional on 4x2 Regular Cab; included with Special Service Vehicle Group (AAP), Emergency/Fire/Rescue Special Service Package (AH6) and Night Edition on Limited) (XEA)	O/•/P	•		•	•	Р
- Chrome (XHQ)					0	•
Trailer Tow – Four-pin trailer harness plug, rear bumper (combination receptacle with seven-pin) (XFU)	•	•	•	•	•	•
– Seven-pin trailer harness plug, rear bumper (combination receptacle with four-pin) (XFK)	•	•	•	•	•	•
– Class V hitch receiver (20K lb 2500/23K lb 3500) (XFR)	•	•	•	•	•	•
– Mopar⊚ Fifth-Wheel Hitch, 20K lb (requires Fifth-Wheel/Gooseneck Prep Group) (XML)	0	0		0	0	0
– Mopar Fifth-Wheel Hitch, 30K lb (3500 only; requires Fifth-Wheel/Gooseneck Prep Group) (XNH)	0	0		0	0	0
Transfer Cases (4x4 only) – Manual shift-on-the-fly (DK1)	•		•			
– Electronic shift-on-the-fly (included with X2 Group on Power Wagon) (DK3)	0	•	O/P	•	•	•
Upfitter Module - Upfitter Electronic Monitoring Module (Vehicle System Interface Module (VSIM); included with Special Service Vehicle Group (AAP) and Emergency/Fire/Rescue Special Service Package (AH6)) (XXS)	0/P	0	0	0	0	0
EXTERIOR FEATURES						
Winch – WARN® front electric, 12,000-lb capacity (included with Power Wagon Package) (XE5)	Р		Р			
Bed Step, Rear, Deployable – Mopar (included with Bed Utility Group) (MDN)	Р	Р	Р	Р	0	0
Bedliner – Spray-in (included with Bed Utility Group) (XMF)	O/P	O/P	O/P	O/P	•	•
– Spray-in Delete (XM9)					0	0
Bumpers – Black-painted, front and rear (MB1/MBN)	•					
- Chrome, front and rear (included with Chrome Bumper Package (AST) and Chrome Appearance Group or Tradesman) (MCT/MBF)	Р			Р	Р	Р
• - Standard O - Ontional D - Available with Package noted F - Fleet only						

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
EXTERIOR FEATURES (CONTINUED)						
Bumpers (continued) – Lower Accent-color-painted, front and rear (included with Two-Tone paint) (MBU/MBV)					Р	
Body-color-painted, front and rear (included with Night Edition, Sport Appearance Package and Body-Color Bumper Group) (MBA/MBC)		Р		•	•	•
- Black-powder-coated, front and rear (included with Power Wagon Package) (MCS/MB5)	Р		•			
Center High-Mounted Stop Lamp (CHMSL) – Lamp (incandescent) with cargo-box illumination (LPE)	•	•	•	•	•	•
- LED with camera (included with M1 Group, Towing Technology Group and Tech Package; requires L1, L2, H1 or H2 Group) (LPD)	O/P	O/P	O/P	O/P	O/P	O/P
Clearance Lamps, LED – Cab-mounted (optional on 2500 and 3500 Single Rear Wheel (SRW); included with 3500 Dual Rear Wheel (DRW) and Snow Chief Group) (LNC)	O/P	O/P	•	O/P	O/P	O/P
– Box- and rear-fender-mounted (included with 3500 DRW) (LND)	Р	Р		Р	Р	Р
Fog Lamps – Halogen with cornering feature (included with H1 and H2 Groups) (LNJ)	F	O/P				
– LED with cornering feature (included with Power Wagon Package, Premium Lighting Group and Tech Package) (LNV)	Р	Р	•	Р	٠	•
Grilles – Matte Black upper header/lower appliqué (MM5)	•					
– Chrome upper header/lower appliqué (included with Chrome Appearance Group on Tradesman) (MNQ)	Р	•		•	•	•
- Body-color-painted upper header/lower appliqué (included with Sport Appearance Package and Night Edition) (MM6)		Р		Р		Р
– Molded-in-color upper header/lower appliqué (MMY)			•			
– Tradesman grille with Matte Black-painted nostrils (MFF)	•					
- Tradesman grille with Chrome nostrils (included with Chrome Appearance Group) (MAF)	Р					
– Big Horn/Lone Star ⁽²⁰⁾ grille with Chrome nostrils/Black inserts (included with Towing Technology Group) (MHJ)	Р	•				
– Black grille with Gloss Black nostrils/Black inserts (included with Night Edition) (MHK)		Р				
- Black grille with Gloss Black nostrils/Gloss Black billets (included with Night Edition) (MAK)				Р		
– Power Wagon vertical bar grille with Billet Silver Ram badge (MF7)			•			
– Laramie grille with Chrome nostrils/Chrome billets (MF1)				•		
– Limited Longhorn grille (MFZ)					•	
– Limited grille (MFJ)						•
– Limited grille in All Black (included with Night Edition) (MF6)						Р
Headlamps/Taillamps – Base quad-halogen headlamps (LME)	•	•		•		
– Mid-level LED headlamps (included with Premium Lighting Group and Tech Package) (LPX)		Р	•	Р		
– High-level signature LED directional headlamps (included with X2 Group) (LM6)			Р		•	•
– Incandescent taillamps (LA6)	•	•				
Charded O O Ortical D Available with Deduce and E Flort and						

 $[\]bullet$ = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
EXTERIOR FEATURES (CONTINUED)						
Headlamps/Taillamps (continued) - Daytime running lamps (DRLs), low-beam (LM1)	•	•	•	•	•	•
- Premium LED taillamps (Red Opaque center; included with Blind Spot Monitoring (BSM) ⁽⁵⁾) (LAY)	Р	Р	•	•	•	•
– Automatic headlamps (LMG)	•	•	•	•	•	•
– Auto High-Beam Headlamp Control (included with X1, X2, P1 and P2 Groups and Safety Group) (LMS)	Р	Р	Р	Р	•	•
Lighting - Pickup box (included with Bed Utility Group, RamBox® Cargo Management System, and R1 and M1 Groups) (LPL)	Р	Р	Р	Р	Р	Р
Mirrors, Exterior – Trailer-tow, manual-adjust for flat and convex mirrors, manual-adjust for folding and telescoping (GT1)	•					
 Trailer-tow, heated, power-adjust for flat and convex mirrors, manual-adjust for folding and telescoping, includes mirror running lights, courtesy lamps and supplemental turn signals (included with L1 and L2 Groups) (GT2) 	Р	•				
- Trailer-tow, heated, power-adjust for flat and convex mirrors, power-adjust for folding and telescoping, includes mirror running lights, courtesy lamps, supplemental turn signals and forward/reverse utility lights (included with Towing Technology Group and H1 and H2 Groups; requires L1 and L2 Groups) (GT3)	O/P	Р	•	•		
 Trailer-tow, heated, power-/memory-adjust for flat and convex mirrors, power-/memory-adjust for folding and telescoping, includes auto-dimming function, auto-adjust-in-Reverse function, mirror running lights, courtesy lamps, supplemental turn signals and forward/reverse utility lights (included with X1, X2, P1 and P2 Groups) (GT4) 			Р	Р	•	٠
– Exterior mirror color - Black (included with Night Edition) (LE4)	•	•	•	Р		Р
– Exterior mirror color – Chrome (not available with Night Edition) (LE4)				•	•	•
Paint – Monotone (included with Black paint on Power Wagon) (APA)	•	•	O/P	•	•	•
– Lower Two-Tone (APD)			•		0	
RamBox Cargo Management System – Includes illuminated, lockable, drainable bins on both bed sides, 115-volt driver's-side outlet in bin and integrated lighting (short box only; Single Rear Wheel (SRW) only (included with M1 Group); not available with low-volume paints, Fifth-Wheel/Gooseneck Prep Group or Box Delete) (XB9)			0	0	0	Р
Side Steps/Running Boards - Running boards, power (included with R1 and M1 Groups) (MY7)					Р	Р
– Side steps, tubular, Chrome, cab-length (Regular Cab only) (MRT)	0	0				
– Side steps, tubular, Black, cab-length (Regular Cab, Tradesman Crew Cab (Fleet Only) and Power Wagon only) (MRU)	F/O	0	0			
- Rock rails with side steps, Black, cab-length (included with Power Wagon Off-Road Package) (MM4)			Р			
 Side steps, flat, wheel-to-wheel, painted (Crew Cab and Mega Cab® only; SRW applications only; optional with Night Edition on Big Horn/Lone Star⁽²⁰⁾ and Laramie (Black); included with Two-Tone paint on Limited Longhorn) (MY5) 		0		0	Р	
 Side steps, flat, wheel-to-wheel, Chrome (Crew Cab and Mega Cab only; SRW applications only; requires Chrome Appearance Group on Tradesman; standard on Limited Longhorn with SRW and Monotone paint; optional on Limited Longhorn with SRW and R1 Group; optional on Limited with SRW and M1 Group) (MR5) 	0	0		0	•/0	0
= Standard. O = Optional. P = Available with Package noted. F = Fleet only.						

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
EXTERIOR FEATURES (CONTINUED)						
Side Steps/Running Boards (continued) – Side steps, flat, cab-length, painted (Crew Cab and Mega Cab® only optional with Night Edition on Laramie and Big Horn/Lone Star ⁽²⁰⁾ (Black); included with Dual Rear Wheel (DRW) and Two-Tone paint on Limited Longhorn) (MR4)	;	0		0	O/P	
 Side steps, flat, cab-length, Chrome (Crew Cab and Mega Cab only; requires Chrome Appearance Group on Tradesman; included with DRW and Monotone paint on Limited Longhorn; optional with M1 Group and DRW on Limited) (MRS) 	0	0		0	O/P	0
Sport Performance Hood (included with Sport Appearance Package and Night Edition) (MGB)			•	Р		Р
Tailgate - Locking (XJJ)	•	•	•	•	•	•
- Damped (included with H2 Group) (MWD)		Р	•	•	•	•
- Remote tailgate release (included with P1 and P2 Groups) (JKR)			•	Р	•	•
Tie-Downs – Lower, fixed, boat-style (four)	•	•	•	•	•	•
– Upper, adjustable (four; included with RamBox® Cargo Management System) (CL2)			Р	Р	Р	Р
Tonneau Cover – Soft tri-fold (CS7)	0	0	0	0	0	0
Wheel Flares – Black, Power Wagon design (included with Power Wagon Package on Tradesman) (MMZ)	Р		•			
– Body-color-painted (MML)					•	•
- Accent-color-painted (included with lower Two-Tone paint) (MMJ)					Р	
Windshield Wipers – Variable/intermittent (JHA)	•	•	•	•	•	•
– Rain-sensitive (included with Safety Group and X1, X2, P1 and P2 Groups) (JHC)	Р	Р	Р	Р	•	•
INTERIOR FEATURES						
Air Conditioning – Manual temperature control; base (HAA)	•	•				
 Dual-Zone automatic temperature control (included with Convenience Group, H2 Group or NAV radio on Big Horn/Lone Star⁽²⁰⁾) (HAF) 	Р	Р	•	•	•	•
Auxiliary Switches – Instrument panel-mounted (included with Snow Chief Group) (LHL)	O/P	O/P	0	O/P	O/P	O/P
Auxiliary Pass-Through Wires (quantity four; included with Special Service Vehicle Group (AAP), Emergency/Fire/Rescue Special Service Package (AH6) and auxiliary switches) (BC3)	Р	Р	Р	Р	Р	Р
Consoles and Storage – Storage, floor-mounted tray (included with bench seat only; not included on Regular Cab 4x2) (CUY)	Р	Р	•	Р		
– Full-size floor console (included with bucket seats) (CUP)		Р	Р	Р		
– Full-size floor console - Premium (included with bucket seats) (CVT)					Р	Р
– Storage, behind-seat (Regular Cab and Mega Cab) (CU3)	•	•		•	•	•
– Storage, rear underseat compartment (Crew Cab only) (CUE)	•	•	•	•	•	•

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
INTERIOR FEATURES (CONTINUED)						
Consoles and Storage (continued) – Fold-flat load floor (Crew Cab only) with underseat storage (included with *M9 seats and above) (CVN)		Р	Р	Р	Р	Р
– Storage, in-floor boxes, rear (Crew Cab only; included with H1, H2, P1 and P2 Groups) (CB9)		Р	•	Р	•	•
– Close-out panel, in-floor storage (Crew Cab only) (CUH)	•	•		•		
- Storage, front center-seat cushion (included with *VI, *M9, *S9, *ZL, *TX and *V9 seats) (CVH)	Р	Р	Р	Р		
- Overhead console (incandescent lighting; included with L1 and L2 Groups on Regular Cab) (CUN)	P/•	•	•			
- Overhead console (LED lighting; included with X1 and X2 Groups) (CUS)			Р	•	•	•
Door Locks - Manual (Regular Cab only) (JE8)	•					
- Powered and speed-sensitive (included with L1 and L2 Groups on Regular Cab; standard on Crew Cab) (JPH)	P/•	•	•	•	•	•
 Remote Keyless Entry (included with L1 and L2 Groups on Regular Cab; standard on Crew Cab; requires power locks; deletes manual lock cylinder from passenger side on 2TA) (GXM) 	P/•	•	•	•	•	•
- Remote proximity (passive) keyless entry (included with X1 and X2 Groups) (GXD)			Р	•	•	•
Instrument Cluster, Display – 3.5-inch Driver Information Display, color (included with 8.4-inch radio, Convenience Group and H1 Group) (JAK)	•	•				
- 7-inch Driver Information Display, color (included with Safety Group and H2 Group; optional with 8.4-inch radio and Convenience Group) (JAL)	O/P	O/P		•		
– Premium 12-inch digital Driver Information Display (included with P2 Group) (JAN)			•	O/P	•	•
Off-Road Pages Application in Radio (included with navigation radios) (JA8)	Р	Р	Р	Р	•	•
Key, Remote Start ⁽¹²⁾ System – Key fob-activated (included with H2 Group) (XBM)		O/P	•	•	•	•
Memory – Radio presets/driver's seat/exterior mirrors/power-adjust pedals (included with leather-trimmed seats on Power Wagon and P1 and P2 Groups) (LEV)			Р	Р	•	•
Pedals – Non-adjustable (XA8)	•	•		•		
– Power-adjust (included with H1 and H2 Groups) (XAP)		Р	•			
– Power-adjust with memory (included with X1, X2, P1 and P2 Groups) (XAM)			Р	Р	•	•
Seats - Heavy-duty vinyl 40/20/40 split-bench front with manual-adjust and 60/40 split-folding rear bench (Crew Cab) (*TX)	٠	F				
- Cloth 40/20/40 split-bench front with manual-adjust and 60/40 split-folding rear bench (Crew Cab and Mega Cab®; included with L2 Group) (*V9)	F/P	•				
- Premium cloth 40/20/40 split-bench front with power-adjust for driver, 60/40 split-folding rear bench with center fold-down armrest and fold-flat load floor (included with H1 and H2 Groups) (*M9)		O/P				
- Premium cloth front bucket with power-adjust for driver, full-length center console, 60/40 split-folding rear bench with center fold-down armrest and fold-flat load floor (requires H1 and H2 Groups) (*MJ)		0				

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
INTERIOR FEATURES (CONTINUED)						
Seats (continued) – Premium vinyl and cloth with embossed-tread-pattern 40/20/40 split-bench front heated with power-adjust for driver, 60/40 split-folding rear bench with center fold-down armrest and fold-flat load floor (*S9)			•			
- Premium vinyl and cloth with embossed-tread-pattern heated front bucket with full-length center console, power-adjust for driver, 60/40 split-folding rear bench with center fold-down armrest and fold-flat load floor (*K9)			0			
- Leather-trimmed 40/20/40 split-bench front heated and ventilated with power-/memory-adjust for driver and power-adjust for passenger, 60/40 split-folding heated rear bench with center fold-down armrest and fold-flat load floor (included with X1 Group) (*ZL)			Р			
 Leather-trimmed, heated and ventilated front bucket with full-length center console, power-/memory- adjust for driver and power-adjust for passenger, 60/40 split-folding heated rear bench with center fold-down armrest and fold-flat load floor (requires X1 Group) (*AL) 			0			
 Premium leather-trimmed, heated and ventilated front bucket with full-length center console, power-/ memory-adjust for driver and power-adjust for passenger, 60/40 split-folding heated rear bench with center fold-down armrest and fold-flat load floor (included with X2 Group) (*GL) 			Р			
 Leather-trimmed 40/20/40 split-bench front heated with power-adjust for driver and passenger, 60/40 split-folding rear bench with center fold-down armrest and fold-flat load floor (*VL) 				•		
 Leather-trimmed, heated front bucket with full-length center console, power-adjust for driver and passenger, 60/40 split-folding rear bench with center fold-down armrest and fold-flat load floor (*GJ) 				0		
 Premium leather with filigree, heated and ventilated front bucket with full-length premium center console, power-/memory-adjust for driver and power-adjust for passenger, 60/40 split-folding heated rear bench with center fold-down armrest and fold-flat load floor (*XJ) 					٠	
 Premium leather, heated and ventilated front bucket with full-length premium center console, power-/ memory-adjust for driver and power-adjust for passenger, 60/40 split-folding heated rear bench with center fold-down armrest and fold-flat load floor (*DJ) 					0	
 Premium leather, heated and ventilated front bucket with full-length premium center console, power-/ memory-adjust for driver and power-adjust for passenger, 60/40 split-folding heated rear bench with center fold-down armrest and fold-flat load floor (*UL) 						٠
Speed Control – Cruise control (NHM)	•	•	•	•	•	•
- Adaptive Cruise Control (ACC) with Stop ⁽²⁾ (included with Safety Group and M1 Group) (NH3)	Р	Р	Р	Р	Р	Р
Steering Wheels - Urethane (SCF)	•	•				
– Leather-wrapped (included with Safety Group, H1 and H2 Groups, and Heated Seats and Wheel Group) (SCV)	Р	Р		•		
– Leather-wrapped, perforated with Gray stitching (SCB)			•			
– Leather-wrapped with real wood (SCW)					•	•
– Audio controls (included with leather-wrapped steering wheels) (RDZ)	Р	Р	•	•	•	•
– Heated (included with H2 Group, and Heated Seats and Wheel Group) (NHS)		Р	•	•	•	•
r = Standard. O = Optional. P = Available with Package noted. F = Fleet only.						

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
INTERIOR FEATURES (CONTINUED)						
Sunroof (not available with Regular Cab; requires H2, P1 and P2 Groups) (GWA)		0	0	0	0	0
Universal Garage Door Opener in Visor (included with H1 and H2 Groups) (XGD)		Р	•	•	•	•
Mirror – Rearview, auto-dimming (included with Convenience Group) (GNK)	Р	•	•	•	•	•
- Rearview, digital (dedicated camera located in Center High-Mounted Stop Lamp (CHMSL); included with Tow-Mode Digital Rearview Mirror Package and M1 Group) (GRG)	Р	Р	Р	Р	Р	Р
Windows – Manual (Regular Cab only) (JF8)	•					
- Power, front one-touch down (Regular Cab; included with L1 and L2 Groups) (JPY)	Р	•				
- Power, front one-touch up/down (Crew Cab and Mega Cab®) (JP3)	•	•	•	•	•	•
- Rear, fixed (GJD)	•	•	•	•		
- Rear, manual-sliding (Regular Cab only; included with L2 and H1 Groups) (GFD)	O/P	O/P				
- Rear, power-sliding (Crew Cab and Mega Cab only; paired with defroster; included with L2, H1, X1 and P1 Groups) (GFE)	Р	Р	Р	Р	٠	•
- Rear window defroster (included with L2 and H2 Groups; optional with fixed rear glass on Tradesman and Big Horn/Lone Star ⁽²⁰⁾) (GFA)	0/P	O/P	•	•	•	•
UCONNECT® MULTIMEDIA						
Uconnect Voice Command (XRB)	•	•	•	•	•	•
Compass – Compass and temperature display (in radio) (JFJ)	•	•	•	•	•	•
– GPS antenna input on radio (JLP)	•	•	•	•	•	•
Connectivity, Radio – Auxiliary input, headphone jack	•	•	•	•	•	•
 Front Media Hub (one fully functional USB, one charging-only USB and one auxiliary input; each USB connection is a Type-A/-C USB pair) (RSF) 	•	•	•	•	•	•
– Single-remote USB port – Charging only (center armrest, Type-A) (RS3)	•	•	•	•	•	•
- Dual-remote USB Media Hub - Charging only (two Type-A/-C pairs with bucket seats and two Type-A connectors with bench seats; included with H2 Group and leather-trimmed seats on Power Wagon) (RS2)		Р	Р	•	•	•
- Wireless charging pad (requires bucket seats; included with P2 and R1 Groups) (RFX)				Р	Р	•
− Apple CarPlay ^{™(4)} (included with 8.4-inch and 12-inch radios) (RFP)		Р	•	•	•	•
- Android Auto™(3) (included with 8.4-inch and 12-inch radios) (RF5)		Р	•	•	•	•
Power – 12-volt DC auxiliary power point (JJJ)	•	•	•	•	•	•
- Front 115-volt, 400-watt outlet (three-prong; included with H2 Group; requires L1 or L2 Group) (JKV)	0	O/P	•	•	•	•
- Rear 115-volt, 400-watt outlet (three-prong; included with *M9 and *MJ cloth seats and *ZL, *AL and *GL leather-trimmed seats; requires H2 Group) (JJN)	-	Р	Р	•	•	•

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
UCONNECT® MULTIMEDIA (CONTINUED)						
Power (continued) – Exterior 115-volt, 400-watt outlet (three-prong, located in driver's-side pickup box inner or inside RamBox®; included with front 115-volt, 400-watt outlet; not available with Box Delete) (XBE)	Р	Р	•	•	•	•
- 400-watt inverter (included with JKV 115-volt outlet) (XHR)	Р	Р	•	•	•	•
– Accessory delay	•	•	•	•	•	•
Systems – Uconnect 3 with 5-inch touchscreen display (UAA)	•					
– Uconnect 5 with 8.4-inch touchscreen display (requires L1 or L2 Group) (UBD)	0	•				
- Uconnect 5 NAV with 8.4-inch touchscreen display (requires Convenience Group) (UBL)	0	0	•	•	•	•
- Uconnect 5 NAV with 12-inch touchscreen display (included with Tech Package; requires L1, L2, H1 and H2 Groups) (UBQ)	0	O/P	Р	Р	Р	Р
SiriusXM® Radio ⁽¹³⁾ (included with L2 Group and UBD radio) – Available (RSD)	Р	•	•	•	•	•
TomTom® Connected Travel and Traffic Services (included with UBL and UBQ radios) (RTV)	Р	Р	•	•	•	•
SiriusXM Guardian ^{TM(14)} (included with UAA radio) – Available (RT1)	Р					
SiriusXM with 360L ⁽¹³⁾ (included with ULB and UBQ radios) – Available (RTU)	Р	Р	•	•	•	•
Speaker Systems, Audio – Base four-speaker system (standard on Regular Cab Tradesman only) (RCD)	•					
– Base six-speaker system (standard on Crew Cab and Mega Cab®) (RCG)	•/0	•	•			
– Premium seven-speaker system, with center instrument-panel speaker and amplifier (Regular Cab only) (RCK)		0				
 Premium 10-speaker Surround Sound system (Crew Cab and Mega Cab; nine amplified speakers and subwoofer; included with X1 Group; requires H1 and H2 Groups) (RC3) 		0	O/P	•	•	•
- Premium 17-speaker Surround Sound system (Crew Cab and Mega Cab; included with X2, P2, R1 and M1 Groups; requires X1 Group) (RCA)			O/P	Р	Р	Р
Active Noise Control System (includes ATMM on gas engine only; included with 6.4L gas engine and 6.7L diesel engines on Crew Cab and Mega Cab; included with L1 Group on Regular Cab only) (JLW)	Р	Р	Р	Р	Р	Р
TIRES						
Tires – 2500 - LT245/70R17E BSW Firestone® Transforce HT All-Season (A/S) (2500 only) (TWD)	•					
– LT285/70R17D OWL Goodyear® Wrangler DuraTrac® All-Terrain (A/T) (included with Power Wagon Package) (TW2)	Р		•			
– LT275/70R18E BSW Firestone Transforce HT A/S (included with Chrome Appearance Group on Tradesman with 18-inch steel wheel) (TCN)	Р	•		•	•	
- LT275/70R18E OWL Firestone Transforce On-/Off-Road (included with Snow Chief Group) (TCP)	O/P	O/P		O/P	O/P	
- LT285/60R20E OWL Firestone On-/Off-Road (included with WF3, WRE and WRJ wheels; not available with Regular Cab) (TEA)		Р		Р	Р	•
Charles O Oction D Available with Dallace and D Clark and						

 $[\]cdot$ = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
TIRES (CONTINUED)						
3500 Dual Rear Wheel (DRW) – LT235/80R17E BSW All-Season (A/S) (TV2)	•	•		•	•	•
- LT235/80R17E OWL On-/Off-Road (TV3)	0	0		0	0	0
Spare Tire – Full-size, matching (TBB)	•	•	•	•	•	•
- Full-size, delete (included with Box Delete) (TBF)	Р	Р				
- Full-size, add (requires Box Delete) (TBE)	0	0				
– Carrier (TBM)	•	•	•	•	•	•
SAFETY, SECURITY & CONVENIENCE						
Air Bags ⁽²¹⁾ – Advanced multistage front (CG3)	•	•	•	•	•	•
– Supplemental side-curtain (CGS)	•	•	•	•	•	•
– Supplemental side-seat (CJ1)	•	•	•	•	•	•
Cameras – ParkView® Rear Back-Up Camera ⁽¹⁾ (not available with Surround-View Camera System ⁽¹⁾) (XAC)	•	•	•	•	•	•
- Surround-View Camera System ⁽¹⁾ (included with Towing Technology Group, Tech Package and M1 Group; requires Cargo-View Camera ⁽¹¹⁾ ; not available with Pickup Box Delete or Regular Cab) (XAK)	Р	Р	Р	Р	Р	Р
- Trailer Surround-View Camera System ⁽¹⁾ (requires Tech Package, Towing Technology Group or M1 Group) (XN1)	0	0	0	0	0	0
 Cargo-View Camera⁽¹⁾ with LED Center High-Mounted Stop Lamp (CHMSL) and cargo-box illumination (includes dynamic centerline with Surround-View Camera System⁽¹⁾; requires 8.4-inch or 12-inch radio and H1 Group on Big Horn/Lone Star⁽²⁰⁾; not available with incandescent CHMSL; included with Towing Technology Group, Tech Package and M1 Group; requires L1, L2, H1 and H2 Groups) (LPD) 	O/P	O/P	O/P	O/P	O/P	O/P
 Auxiliary (Trailer) Camera Prep provides in-cab wiring, camera HDMI in radio, seven-/12-pin rear-bumper connector and/or seven-/12-pin pickup bed connector (requires L1 or L2 Group and Trailer Brake Controller) (XFQ) 	0	0	0	0	0	0
 Auxiliary (Trailer) Camera System⁽¹⁾, wired (Mopar® Accessory available at dealer; requires 8.4-inch or 12-inch radio, Auxiliary (Trailer) Camera Prep and H1 Group; single-camera compatibility; not available with CHMSL camera without Surround-View Camera System⁽¹⁾) 	0	0	0	0	0	0
SAFETY & SECURITY						
Blind Spot Monitoring (BSM) ⁽⁵⁾ and Rear Cross-Path Detection System ⁽¹⁾ – Includes LED taillamps on Tradesman and Big Horn/Lone Star ⁽²⁰⁾ (included with Safety Group, Towing Technology Group, and H2, P1, P2 and R1 Groups; requires L1 and L2 Groups; included with Safety Group and P1 Group on Laramie, R1 Group on Limited Longhorn, Surround-View Camera System ⁽¹⁾ and Towing Technology Group) (XAN)	O/P	O/P	O/P	O/P	O/P	•
Full-Speed Forward Collision Warning Plus ⁽⁸⁾ – With Auto Emergency Braking (included with Safety Group and M1 Group) (LSU)	Р	Р	Р	Р	Р	Р

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
SAFETY & SECURITY (CONTINUED)						
Trailer Reverse Guidance ⁽¹⁾ (included with M1 Group, Towing Technology Group, Tech Package and Surround-View Camera System ⁽¹⁾) (XPU)	Р	Р	Р	Р	Р	Р
Adaptive Cruise Control (ACC) with Stop ⁽²⁾ (included with Safety Group and M1 Group) (NH3)	Р	Р	Р	Р	Р	Р
Hill Descent Control (included with Off-Road Group) (BNH)	Р	Р	•	Р	Р	Р
Back-Up Alarm – Audible alarm when vehicle is in Reverse (XAW)	0	0	0	0	0	0
DOT Safety Kit (ACL)	0	0	0	0	0	0
Parking Sensors – ParkSense® Rear Park Assist ⁽¹¹⁾ (XAA)	0			•		
– ParkSense Front and Rear Park Assist ⁽¹⁾ (included with Power Wagon Package, H2 and P1 Groups, Sport Appearance Package and Night Edition; requires H1 Group) (XAG)	F/P	F/O/P	•	Р	•	•
Restraints – Front, height-adjustable three-point seat belts (outboard positions only) (CGD)	•	•	•	•	•	•
Rear-Seat Reminder Alert (JFB)	•	•	•	•	•	•
LATCH - Child Seat Anchor System (CGU)	•	•	•	•	•	•
LaneSense® Lane Departure Warning Plus ⁽¹⁰⁾ – Includes Adaptive Steering System (included with Safety Group and M1 Group) (LAS)	Р	Р	Р	Р	Р	Р
Adaptive Steering – Variable Steering Effort System (included with Lane Keep Assist ⁽¹⁰⁾) (SJE)	Р	Р	O/P	O/P	O/P	O/P
Security - Sentry Key® Theft Deterrent System - Engine immobilizer (GXX)	•	•	•	•	•	•
– Security alarm ⁽²⁴⁾ (included with H2, X1 and X2 Groups) (LSA)		O/P	O/P	•	•	•
Tire Pressure Monitor – Tire Pressure Monitoring System, cluster display (2500 only) (XGM)	•	•	•	•	•	•
– Tire Pressure Information System, cluster display (3500 only) (XBT)	•	•		•	•	•
– Selectable Tire-Fill Alert (included with 8.4-inch and 12-inch radios) (LA5)	Р	Р	Р	•	•	•
– Tire-Fill Alert (LAW)	•	•	•	•	•	•
Trailer Brake Controller – Electronic Trailer Brake Controller (ITBM) (XHC)	0	•	•	•	•	•
Trailer-Light Check Out (cluster-activated routine; packaged with Trailer Brake Controller) (JJ1)	Р	•	•	•	•	•
Trailer Tire Pressure Monitoring System (including four Trailer Tire Sensors; must have 8.4-inch or 12-inch radio, Trailer Brake Controller, L1 Group on Regular Cab and H1 Group) (XG9)	0	0	0	0	0	0

0

Tradesman Level 1 Equipment Group (L1) – Includes overhead console, incandescent lighting, one-touch down power windows, speed-sensitive power door locks, premium vinyl door trim, Active Noise Control System on Regular Cab with diesel engine, GT2 tow mirrors and Remote Keyless Entry (A61)

 $[\]cdot$ = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
EQUIPMENT GROUPS (CONTINUED)						
Tradesman Level 2 Equipment Group (L2) – Includes L1 Group, *V9 cloth seats, carpet floor covering, carpeted floor mats, manual-sliding rear window (Regular Cab only), power-sliding rear window (Crew Cab), rear window defroster (Crew Cab only) and available SiriusXM® Radio ⁽¹³⁾ (A6B)	0					
Big Horn/Lone Star ⁽²⁰⁾ Level 1 Equipment Group (H1) – Includes halogen fog lamps, GT3 exterior mirrors, *M9 premium cloth seats, leather-wrapped steering wheel with audio controls, sun visors with illuminated vanity mirror, switchable dome lamp, footwell lighting, upper closed glove box with painted door and Big Horn/Lone Star ⁽²⁰⁾ badge, glove box lamps, storage, rear in-floor boxes (Crew Cab only), fold-flat load floor (Crew Cab only), manual-sliding rear window (Regular Cab only) and driver's-door foam bottle insert (A62)		0				
Big Horn/Lone Star ⁽²⁰⁾ Level 2 Equipment Group (H2) – Includes H1 Group, Universal Garage Door Opener, power-adjust pedals, Blind Spot Monitoring (BSM) ⁽⁵⁾ and Rear Cross-Path Detection System ⁽¹⁾ premium LED taillamps, 7-inch Driver Information Display, key fob-activated Remote Start ⁽¹²⁾ System, security alarm ⁽²⁴⁾ ParkSense [®] Front and Rear Park Assist ⁽¹¹⁾ (six rear sensors with Dual Rear Wheel (DRW)), heated front seats, heated steering wheel, Dual-Zone automatic temperature control, power-sliding rear window (Crew Cab and Mega Cab [®] only), rear window defroster (Crew Cab and Mega Cab only), dual remote USB ports (charging only; not available with Regular Cab), 115-volt, 400-watt AC power outlets (front and rear; rear not available with Regular Cab) and damped tailgate (A63)		0				
Power Wagon Level 1 Equipment Group (X1) – Includes manual-sliding rear window, premium overhead console, leather-trimmed *ZL seats, Body-color door handles, security alarm; ²⁴⁾ remote proximity keyless entry, GT4 exterior mirrors, rain-sensitive windshield wipers, LED interior lighting, Auto High-Beam Headlamp Control, premium nine-speaker audio system and power-adjust pedals (A64)			0			
Power Wagon Level 2 Equipment Group (X2) – Includes X1 Group, leather-wrapped grab handles, luxury door trim panels, Black with metallic pinstripe rotary shifter, *GL leather-trimmed bucket seats, electronic shifting transfer case, carpeted floor mats, instrument panel bezels aluminum-litho with Black trim, premium LED projector headlamps and premium 17-speaker audio system (A65)			0			
Laramie Level 1 Equipment Group (P1) — Includes Auto High-Beam Headlamp Control, rain-sensitive windshield wipers, power-release tailgate, storage, rear in-floor boxes (Crew Cab only), driver's-door foam bottle insert, ventilated outboard seating positions, memory for radio/driver's seat/mirrors/pedals, power-adjust pedals, GT4 exterior mirrors, and BSM ⁽⁵⁾ and Rear Cross-Path Detection System ⁽¹⁾ (A66)				0		
Laramie Level 2 Equipment Group (P2) – Includes P1 Group, heated rear seat, wireless charging pad (with bucket seats only) and premium 17-speaker audio system (A67)				0		
Limited Longhorn Level 1 Equipment Group (R1) – Includes BSM ⁽⁵⁾ and Rear Cross-Path Detection System, premium 17-speaker audio system, wireless charging pad and power running boards (A68)					0	
Limited Level 1 Equipment Group (M1) — Includes digital rearview mirror, LaneSense® Lane Departure Warning Plus, O Surround-View Camera System, Center High-Mounted Stop Lamp (CHMSL) with Cargo-View Camera, Full-Speed Forward Collision Warning Plus with Auto Emergency Braking, Adaptive Cruise Control (ACC) with Stop, premium 17-speaker audio system and Trailer Reverse Guidance (included with Surround-View Camera System) (A69)						0

 $[\]cdot$ = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
APPEARANCE PACKAGES						
Sport Appearance Package – Includes Monotone paint, Sport Performance Hood on Laramie, Body-color door handles, Body-color front and rear bumpers, Body-color-painted upper header/lower appliqué, Black interior with Black headliner, Black interior accents (Piano Silverline instrument panel, door and console trim on Laramie only), ParkSense® Front and Rear Park Assist ⁽¹⁾ (six rear sensors with Dual Rear Wheel (DRW); Big Horn/Lone Star ⁽²⁰⁾ only; standard on Laramie) and 17-inch polished aluminum wheels (Big Horn/Lone Star ⁽²⁰⁾ DRW only; requires H1, H2, P1 or P2 Group) (AEF)		0		0		
Night Edition – Includes Sport Performance Hood on Laramie and Limited; Body-color paint for grille surround, door handles and bumpers; Black grille inserts; Black badges; Black bezel headlamps and taillamps; Black tow hooks; Black exterior mirrors; Black interior treatment; Black-painted aluminum wheels; and, for Big Horn/Lone Star; ⁽²⁰⁾ ParkSense Front and Rear Park Assist ⁽¹¹⁾ (requires H1, H2, P1 or P2 Group) (ASH)		0		0		0
Chrome Appearance Group (Tradesman) – Includes Chrome front and rear bumpers, Chrome upper header/ lower appliqué, Tradesman grille with Chrome nostrils, 18-inch Chrome-clad steel wheels (Single Rear Wheel (SRW)) and 17-inch Chrome-clad steel wheels (DRW) (AMP)	0					
Chrome Bumper Package - Includes front and rear Chrome bumpers (AST)				0	0	0
OPTION GROUPS						
Convenience Group – Includes acoustic windshield, 3.5-inch Driver Information Display color instrument cluster, auto-dimming interior rearview mirror and Dual-Zone automatic temperature control (requires L1 or L2 Group and UBQ radio) (ADC)	0					
Bed Utility Group – Includes pickup box lighting, spray-in bedliner and rear, deployable bed step (requires L1, H1, X1 and P1 Groups) (ANT)	0	0	0	0		
Emergency/Fire/Rescue Special Service Package – Includes 220-amp alternator, tow hooks, transfer case skid plate, upfitter electronic module (Vehicle System Interface Module (VSIM)) and dash-mounted auxiliary switches (AH6)	F					
Heated Seats and Wheel Group – Includes heated front seats and heated leather-wrapped steering wheel (requires H1 Group) (AGF)		0				
Cold Weather Group – Includes engine block heater and winter front grille cover (diesel engines only) (ADE)	0	0		0	0	0
Dual Rear Wheel Group – Includes rear wheelhouse liners, cab-mounted LED clearance lamps, and box- and rear-fender-mounted LED clearance lamps (3500 only) (WLA)	0	0		0	0	0
Fifth-Wheel/Gooseneck Prep Group - Includes bed-mounted seven-pin connector, or seven-/12-pin connector if equipped with Auxiliary Camera Prep Group, mounting holes for fifth-wheel hitch and gooseneck ball, and mounting hole covers (requires Trailer Brake Controller; not available with RamBox® Cargo Management System) (AHU)	0	0		0	0	0

^{• =} Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman®	Big Horn®/ Lone Star ⁽²⁰⁾	Power Wagon®	Laramie®	Limited Longhorn™	Limited
CPOS	2TA	2TZ/2TY	2TP	2TH	2TK	2TM
OPTION GROUPS (CONTINUED)						
Off-Road Group – Includes front/rear Bilstein® shocks, transfer case skid plate, tow hooks, Hill Descent Control and All-Terrain (A/T) tires (2500 4x4 only) (ARC)	0	0		0	0	0
Premium Lighting Group – Includes LED headlamps and LED fog lamps (requires H2 Group) (AD6)		0				
Protection Group – Includes tow hooks and transfer case skid plate (4x4 only) (ADB)	0	0		0	0	0
Power Wagon Package – Includes Ram Articulink® front suspension, front/rear Bilstein shocks, Hill Descent Control, Tru-Lok® front and rear axles, 4.10 axle ratio, tow hooks, fuel tank skid plate, transfer case skid plate, front electric winch, Black wheel flares, fog lamps, Chrome front and rear bumpers, front disconnecting stabilizer bar, 17-inch Power Wagon aluminum wheels, LT285/70R17D OWL Goodyear® Wrangler DuraTrac® A/T tires and rear wheel-well liners (2500: gas engine; Crew Cab: 4x4 only) (ACE)	0					
Snow Plow Prep Group – Includes 220-amp alternator and transfer case skid plate (4x4 only) (AHD)	0	0		0	0	0
Snow Chief Group – Includes dual alternators rated at 380 amps for gas and 440 amps for diesel, antispin rear differential, instrument panel-mounted auxiliary switches, LED clearance lamps, LT275/70R18E OWL On-/Off-Road tires (if 18-inch wheels) and transfer case skid plate (not available with 4x2, Dual Rear Wheel (DRW) models and Night Edition) (AD2)	0	0		0	0	0
Safety Group – Includes rain-sensitive windshield wipers, cluster with 7-inch Driver Information Display on Tradesman and Big Horn/Lone Star; ²⁰⁾ Auto High-Beam Headlamp Control, Full-Speed Forward Collision Warning Plus with Auto Emergency Braking; ⁸⁾ Adaptive Cruise Control (ACC) with Stop; ²⁾ LaneSense® Lane Departure Warning Plus; ¹⁰⁾ leather-wrapped steering wheel, Blind Spot Monitoring (BSM) ⁽⁵⁾ and Rear Cross-Path Detection System; ¹⁰⁾ and Trailer Brake Controller (requires L1 Group) (AAU)		0	0	0	0	0
Special Service Vehicle Group – Includes 220-amp alternator, tow hooks, transfer case skid plate, dash pass-through wire circuits, upfitter electronic module (Vehicle System Interface Module (VSIM)) and dash-mounted auxiliary switches (AAP)	F					
Tech Package – Includes Cargo-View Camera, ⁽¹⁾ LED headlamps and fog lamps, premium nine-speaker audio system, Uconnect® 5 NAV with 12-inch touchscreen display and Surround-View Camera System ⁽¹⁾ with Trailer Reverse Guidance ⁽¹⁾ (requires H2 Group; not available on Regular Cab) (AA2)		0				
Towing Technology Group – Includes Surround-View Camera System, ⁽¹⁾ Cargo-View Camera ⁽¹¹⁾ with dynamic grid lines, Trailer Reverse Guidance, ⁽¹⁾ GT3 exterior mirrors for Tradesman, and BSM ⁽⁵⁾ and Rear Cross-Path Detection System ⁽¹⁾ (requires 8.4-inch or 12-inch radio; requires Trailer Brake Controller and L1, L2, H1, H2, X1, X2, P1, P2 or R1 Group) (AAN)	0	0	0	0	0	0
Tow-Mode Digital Rearview Mirror Package – Includes digital rearview mirror and wired tow-mode camera (requires L1 or L2 Group) (AVF)	0	0	0	0	0	0

 $[\]cdot$ = Standard. O = Optional. P = Available with Package noted. F = Fleet only.





FLEET & BUSINESS SOLUTIONS

(1) Always check entire surroundings visually before backing up. (2) This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (3) To use Android Auto on your phone screen, you'll need an Android phone running 6 or higher and the Android Auto App. Android and Android Auto are trademarks of Google LLC. (4) Requires compatible iPhone. See dealer for phone compatibility. Data plan rates apply. Vehicle user interface is a product of Apple. Apple CarPlay is a trademark of Apple Inc., iPhone is a trademark of Apple Inc., registered in the US and other countries. Apple terms of use and privacy statements apply. (5) Always check entire surroundings visually before proceeding. (6) Always drive carefully, consistent with conditions. Always wear your seat belt and obey traffic laws. (7) This system is solely an alert system for the front of the vehicle that does not take any actions to change vehicle dynamics to avoid a collision, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (8) This system is an alert system for the front of the vehicle. It is not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (9) HAS requires the driver to keep his or her hands on the steering wheel at all times. This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and maintain control of the vehicle. (10) This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and maintain control of the vehicle. (11) Always look before proceeding. An electronic drive aid is not a substitute for conscientious driving. Always be aware of your trial subscription unless you decide to continue service. If you do not wish to enjoy your trial subscription, you can cancel it by calling the number below. If you decide to continue service after your trial subscription, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. Please see our Customer Agreement at www.siriusxm.com for complete terms and how to cancel, which includes calling us at 1-866-635-2349. All fees, content and features are subject to change. (14) All SiriusXM Guardian equipped vehicles come with a 12-month trial effective on the date of purchase or lease of a new vehicle. Enrollment in the trial is required to receive service. Upon expiration of the trial period, purchase of a subscription is required to continue SiriusXM Guardian. SiriusXM Guardian is available only on equipped vehicles purchased within the United States and Puerto Rico. Services can only be used where cellular coverage is available. See Uconnect and SiriusXM Guardian Terms of Service for complete service limitations. (15) Traffic Sign Recognition is not a substitute for safe and attentive driving. Factors including weather and condition of the traffic sign can impact recognition and display of the sign. Always check traffic signs visually while driving. (16) The Uconnect Phone requires a mobile phone equipped with the Bluetooth Hands-Free Profile. To check phone compatibility, please visit www.UconnectPhone.com. (17) Vehicle must be in an active and usable cellular range and properly equipped with a Uconnect 5 NAV system and Rear-Seat Entertainment Package. Requires a Wi-Fi data plan and linked Amazon account to run Amazon Fire TV in the vehicle. Streaming service subscriptions are not included. (18) Based on manufacturer's estimates – actual mileage may vary. (19) When properly equipped. See dealer for details. (20) Only available in Texas. (21) Always sit properly in designated seating positions with seat belts fastened at all times. (22) Based on 2022 model-year specifications. (23) Voice Text Reply and Voice Texting features require a compatible mobile device enabled with Bluetooth Message Access Profile (MAP). iPhone and some other smartphones do not currently support Bluetooth MAP. Visit www.UconnectPhone.com for system and device compatibility. Ensure MAP is ON and incoming message notification is enabled. Vehicle must be registered for Uconnect Access and you must fulfill minimum subscription requirements. Also requires the use of a compatible smartphone that supports text messaging and Bluetooth. Check www.UconnectPhone.com for device compatibility. (24) Vehicle must be locked and system activated for alarm to sound. (25) Always sit properly with the head restraint properly adjusted. Never place anything in front of the head restraint. (26) Based on EPA-estimated 82 MPGe and 30 MPG combined. Actual mileage may vary. (27) Always be aware of your surroundings, and drive carefully, consistent with conditions. (28) Do not attempt water fording unless depth is known and consistent with the vehicle's water fording rating in the Owner's Manual. Traversing water can cause damage that may not be covered by the new vehicle warranty. Always off-road responsibly in approved areas. (29) Available on properly equipped vehicles with a Uconnect 5C/5C NAV system. Requires a Wi-Fi Hotspot plan and linked Amazon account to run Alexa in the vehicle. (30) Based on EPA-estimated all-electric 0 - 32-mile rating with fully charged battery. Actual mileage may vary. (31) Based on EPA-estimated 520-mile total range estimate. Actual mileage may vary.

©2022 FCA US LLC. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Wagoneer, HEMI, Mopar, SRT, the Chrysler wing badge, the Jeep grille, the Ram's Head logo, AllSecure, Big Horn, Challenger, Charger Pursuit, Citadel, Command-Trac, CommandView, Compass, Durango, Grand Cherokee, Grand Cherokee, Summit, LaneSense, Laramie, Laredo, Latitude, Limited Longhorn, Mega Cab, Mojave, Overland, Pacifica, ParkSense, ParkView, Pentastar, Power Wagon, Quadra-Drive, Quadra-Drive, Quadra-Trac II, R/T, $Ram 1500 \ Express, Ram 1500 \ Classic \ Warlock, Ram \ Articulink, Ram \ ProMaster, Ram ProMa$ Tradesman, Trail Rated, Trailhawk, Tru-Lok, Uconnect, Voyager, Warlock, Willys and Wrangler are registered trademarks and Active-Level, Gladiator, Keyless Enter 'n Go, Limited Longhorn, Pinnacle, Ram Telematics, SafetyTec and Trail Rail are trademarks of FCA US LLC. FIAT is a registered trademark of FCA Group Marketing S.p.A., used under license by FCA US LLC. All product specifications are based on authorized information as of 4/29/2022. Photographs within this piece are for representation purposes only. Vehicle features listed are not all standard.

AISIN is a registered trademark of Aisin Seiki Co., Ltd. Alpine and the Alpine logo are registered trademarks of Alpine Electronics, Inc. All rights reserved. Amazon Fire TV is a registered trademark of Amazon.com Inc. Android, Android Auto, Google Play, Google+, YouTube, and other related marks and logos are trademarks of Google LLC. Apple, iPhone and Siri are registered trademarks and Apple CarPlay is a trademark of Apple Inc., used under license by FCA US LLC. Bilstein is a registered trademark of August-Bilstein GmbH & Co. Bluetooth is a registered trademark owned by Bluetooth SIG, Inc. Blu-ray Disc is a registered trademark owned by Blu-ray Disc Association. Brembo is a registered trademark of Brembo SpA. Bridgestone and any Bridgestone products or service names are trademarks or registered trademarks of Bridgestone Corporation. Case is a registered trademark of CNH Industrial America LLC. Cummins is a registered trademark of Cummins, Inc. Dana is a registered trademark of Dana Corporation. Dr. Dre, Beats and the b logo are trademarks of Beats Electronics, LLC. Facebook and logo are registered trademark of Meta Platforms, Inc. Falken is a registered trademark of Sumitomo Rubber Industries, Ltd. Firestone is a registered trademark of Bridgestone Americas Tire Operations, LLC. FOX is a registered trademark of Fox Factory, Inc. Garmin is a registered trademark of Garmin Ltd. or its subsidiaries, registered in the U.S.A. and other countries. Goodyear and DuraTrac are registered trademarks of The Goodyear Tire & Rubber Company. Gorilla Glass is a registered trademark of Corning Incorporated. Harman Kardon is a registered trademark of Harman International Industries, Inc. Instagram is a registered trademark of Instagram, Inc. Katzkin and the Katzkin logo are registered trademarks of Katzkin Leather Interiors, Inc. KONI is a registered trademark of KONI North America. LinkedIn, the LinkedIn logo, the IN logo and InMail are registered trademarks or trademarks of LinkedIn Corporation and its affiliates in the United States and/or other countries. MAGNETI MARELLI is a trademark of Magneti Marelli S.p.A. McIntosh is a registered trademark of McIntosh Laboratory, Inc. SiriusXM Connected Vehicles Services Inc., SiriusXM, SiriusXM, SiriusXM, Guardian, and all related marks and logos are trademarks of SiriusXM Radio Inc. Sunrider is a registered trademark of Bestop, Inc. "TomTom" is a registered trademark of TomTom International BV. All our trademarks, service marks, trade names and trade dress are valuable assets owned by TomTom and are essential to protecting our brand identity. Torx is a registered trademark of the Camcar Corporation, division of Textron Industries. The Twitter name, logo, Twitter T, Tweet and Twitter bird are service marks of Twitter, Inc. in the United States and other countries. WARN is a registered trademark of Warn Industries, Inc.











