

2025 RAM 3500/4500/5500 CHASSIS CAB



SELECT FEATURES

- 6.4L HEMI® V8 Engine/8-speed Automatic Transmission (3500)/8-speed ZF 8AP430 Powerline Automatic Transmission (4500/5500)
- Air Conditioning
- Alternator – 220-amp
- Auxiliary Input Jack for Mobile Devices
- Auxiliary Power Outlets – 12-volt
- Auxiliary Switches – Five
- Battery – 730-amp (one per vehicle with gas engine; two per vehicle with diesel engine)
- Engine Cooling – Heavy-duty
- Lamps – Cab-clearance
- LED Fog Lamps
- LED Reflector Headlamps with Automatic Function
- Rear – Antispin differential
- Shock Absorbers – Heavy-duty
- Speed Control
- Stabilizer Bar – Front
- Steering – Power, recirculation ball
- USB Port – Media port with Type-A/-C USB pairs and auxiliary input port
- Windshield Wipers – Variable/intermittent

SAFETY & SECURITY

- Adaptive Cruise Control (ACC) with Stop⁽⁶⁾
- Air Bags⁽³¹⁾ – Multistage front
- Brakes – Power-assisted four-wheel antilock disc

- Electronic Stability Control (ESC)⁽⁸⁾ System
- Full-Speed Forward Collision Warning Plus with Auto Emergency Braking⁽⁹⁾
- ParkView® Rear Back-Up Camera⁽⁴⁾ (Available)
- Pedestrian/Cyclist Emergency Braking⁽⁹⁾
- Sentry Key® Theft Deterrent System – Engine immobilizer

AVAILABLE FLEET FEATURES

- Emergency/Fire/Rescue Special Emissions Package
- Low-Volume Paint Options
- Mopar® Black Tubular Side Steps for Tradesman® and Big Horn®
- Mopar Front Splash/Mud Guards
- Two Additional Key Fobs

ENGINES	HORSEPOWER ⁽³²⁾	TORQUE ⁽³²⁾
6.4L HEMI V8	370 hp @ 5,600 rpm	429 lb-ft @ 4,000 rpm
6.7L Cummins® Turbo Diesel	360 hp @ 2,800 rpm	800 lb-ft @ 1,800 rpm


INTERIOR DIMENSIONS ⁽³³⁾		
All Ram Chassis Cab Interiors	Regular Cab	Crew Cab
Headroom (front/rear)	39.8	40.9/39.8
Hip Room (front/rear)	62.9	62.9/62.7
Shoulder Room (front/rear)	65.9	65.9/65.6
Legroom (front/rear)	40.9	40.9/40.2
Seating Capacity (max occupants)	3	6

RAM 3500 CHASSIS CAB MAX JOB RATING INFORMATION (3500 DD) ^{(33),(38)}						
3500 Chassis Cab (3500 DD)		Regular Cab			Crew Cab	
		60" CA (4x2/4x4)	60" CA (4x2/4x4)	84" CA (4x2/4x4)	60" CA (4x2/4x4)	60" CA (4x2/4x4)
Powertrain	Capacity Type	SRW	DRW		SRW	DRW
6.4L HEMI V8/ ZF 8HP75 8-speed Automatic Transmission	MAX GVWR	10,700/11,000	14,000	14,000	10,700/11,000	14,000
	MAX PAYLOAD	4,940/5,000	7,890/7,660	7,810/7,530	4,500/4,480	7,420/7,140
	MAX GAWR, FRONT	5,500	5,500	5,500	5,500	5,500
	MAX GAWR, REAR	6,800	9,850	9,850	6,800	9,850
	MAX TOWING	16,090/15,850	15,740/15,510	15,660/15,370	15,650/15,330	15,260/14,990
6.4L HEMI V8/ ZF 8AP430 Powerline 8-speed Automatic Transmission	MAX GVWR	10,700/11,000	14,000	14,000	10,700/11,000	14,000
	MAX PAYLOAD	4,820/4,880	7,770/7,540	7,690/7,410	4,380/4,360	7,300/7,020
	MAX GAWR, FRONT	5,500	5,500	5,500	5,500	5,500
	MAX GAWR, REAR	6,800	9,850	9,850	6,800	9,850
	MAX TOWING	18,970/18,730	18,620/18,390	18,540/18,250	18,530/18,210	18,140/17,870
6.7L Cummins Turbo Diesel/ ZF Powerline 8-speed Automatic Transmission	MAX GVWR	11,600/12,000	14,000	14,000	11,600/12,000	14,000
	MAX PAYLOAD	4,990/5,140	7,040/6,800	6,950/6,670	4,550/4,660	6,560/6,280
	MAX GAWR, FRONT	6,000	6,000	6,000	6,000	6,000
	MAX GAWR, REAR	6,800	9,850	9,850	6,800	9,850
	MAX TOWING	20,730/20,490	25,890/25,650	25,800/25,520	20,290/20,010	25,410/25,130
	MAX GCWR	27,500	33,000	33,000	27,500	33,000

CA = Cab-to-Axle SRW = Single Rear Wheel DRW = Dual Rear Wheel

2025 RAM 3500/4500/5500 CHASSIS CAB

EXTERIOR PAINT COLORS



RAM 4500 CHASSIS CAB MAX JOB RATING INFORMATION ^{(33),(38)}							
4500 Chassis Cab		Regular Cab				Crew Cab	
		60" CA (4x2/4x4)	84" CA (4x2/4x4)	108" CA (4x2/4x4)	120" CA (4x2/4x4)	60" CA (4x2/4x4)	84" CA (4x2/4x4)
Powertrain	Capacity Type	DRW				DRW	
6.4L HEMI® V8/ ZF 8AP430 Powerline 8-speed Automatic Transmission	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
	MAX PAYLOAD	9,700 / 9,310	9,540 / 9,160	9,550 / 9,040	9,520 / 8,980	9,120 / 8,770	8,980 / 8,680
	MAX GAWR, FRONT	6,000	6,000	6,500	6,500	6,000	6,000
	MAX GAWR, REAR	12,000	12,000	12,000	12,000	12,000	12,000
	MAX TOWING	21,550 / 21,160	21,390 / 21,010	21,400 / 20,890	21,370 / 20,830	20,970 / 20,620	20,830 / 20,530
	MAX GCWR	28,500	28,500	28,500	28,500	28,500	28,500
6.7L Cummins® Turbo Diesel/ ZF Powerline 8-speed Automatic Transmission	MAX GVWR	16,500	16,500	16,500	16,500	16,500	16,500
	MAX PAYLOAD	8,950 / 9,330	8,790 / 8,410	8,800 / 8,290	8,770 / 8,230	8,370 / 8,020	8,230 / 7,940
	MAX GAWR, FRONT	7,000	7,000	7,000	7,000	7,000	7,000
	MAX GAWR, REAR	12,000	12,000	12,000	12,000	12,000	12,000
	MAX TOWING	29,800 / 30,180	29,630 / 29,260	29,650 / 29,140	29,620 / 29,080	29,220 / 28,870	29,080 / 28,790
	MAX GCWR	37,500	37,500	37,500	37,500	37,500	37,500

RAM 5500 CHASSIS CAB MAX JOB RATING INFORMATION ^{(33),(38)}							
5500 Chassis Cab		Regular Cab				Crew Cab	
		60" CA (4x2/4x4)	84" CA (4x2/4x4)	108" CA (4x2/4x4)	120" CA (4x2/4x4)	60" CA (4x2/4x4)	84" CA (4x2/4x4)
Powertrain	Capacity Type	DRW				DRW	
6.4L HEMI V8/ ZF 8AP430 Powerline 8-speed Automatic Transmission	MAX GVWR	19,000	19,500	19,500	19,500	19,500 / 18,000	19,500
	MAX PAYLOAD	12,140 / 11,670	12,510 / 12,170	12,550 / 12,030	12,520 / 11,950	11,950 / 10,290	11,950 / 11,620
	MAX GAWR, FRONT	6,000	6,000	6,500	6,500	6,000	6,000
	MAX GAWR, REAR	13,500	13,500	13,500	13,500	13,500	13,500
	MAX TOWING	21,490 / 21,020	21,360 / 21,020	21,400 / 20,880	21,370 / 20,800	20,800 / 18,140	20,800 / 20,470
	MAX GCWR	28,500	28,500	28,500	28,500	28,500 / 26,000	28,500
6.7L Cummins Turbo Diesel/ ZF Powerline 8-speed Automatic Transmission	MAX GVWR	19,500	19,500	19,500	19,500	19,500	19,500
	MAX PAYLOAD	11,870 / 11,420	11,790 / 11,420	11,800 / 11,280	11,770 / 11,200	11,200 / 10,870	11,200 / 10,870
	MAX GAWR, FRONT	7,000	7,000	7,000	7,000	7,000	7,000
	MAX GAWR, REAR	13,500	13,500	13,500	13,500	13,500	13,500
	MAX TOWING	35,220 / 34,770	35,130 / 34,770	35,150 / 34,630	35,120 / 34,550	34,550 / 34,220	34,550 / 34,220
	MAX GCWR	43,000	43,000	43,000	43,000	43,000	43,000

CA = Cab-to-Axle SRW = Single Rear Wheel DRW = Dual Rear Wheel

2025 RAM 3500/4500/5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	
	2TA	2TZ
CPOS		
BODY MODELS		
3500 (DD) – Regular Cab - 60-inch CA (143.5-inch wheelbase) (L63)	0	0
– Regular Cab - 84-inch CA (167.5-inch wheelbase; DD only) (L64)	0	0
– Crew Cab - 60-inch CA (172.4-inch wheelbase) (L93)	0	0
Drive Systems – 4x2 (DD)	•	
– 4x4 (DD)	0	•
4500/5500 (DP) – Regular Cab - 60-inch CA (144.5-inch wheelbase) (L63)	0	0
– Regular Cab - 84-inch CA (168.5-inch wheelbase) (L64)	0	0
– Regular Cab - 108-inch CA (192.5-inch wheelbase) (L65)	0	0
– Regular Cab - 120-inch CA (204.5-inch wheelbase) (L66)	0	0
– Crew Cab - 60-inch CA (173.5-inch wheelbase) (L93)	0	0
– Crew Cab - 84-inch CA (197.4-inch wheelbase) (L94)	0	0
Drive Systems – 4x2 (DP 4/5)	•	•
– 4x4 (DP 9/0)	0	0
ENGINES/TRANSMISSIONS		
6.4L HEMI® V8/8HP75 8-speed Automatic (3500 only) (ESL/DFX)	•	•
6.4L HEMI V8/8-speed ZF 8AP430 Powerline Automatic (optional for 3500; standard on 4500/5500) (ESL/DFZ)	0/•	0/•
6.7L Cummins® Turbo Diesel I-6/8-speed ZF Powerline Automatic (ETN/DFM)	0	0
MECHANICAL FEATURES		
Alternators – 220-amp (BAJ)	•	•
– 400-amp (dual alternators; require 6.4L HEMI V8) (XBJ)	0	0
– 480-amp (dual alternators; require 6.7L Cummins; included with Emergency/Fire/Rescue Special Emissions Package (AH6)) (XF1)	0/P	0/P
Axles: 3500 – Single Rear Wheel (SRW) Group (standard on 3L63, 8L63, 3L93 and 8L93) (AR9)	•	•
– Dual Rear Wheels (DRW) (standard on 3L64 and 8L64) (WLA)	•	•
– DRW (optional on DD 3L63, 8L63, 3L93 and 8L93; includes front, 205-mm (DRW axle) and rear, 11.5-inch (DRW axle)) (WLA)	0	0
– Front, 6,000-lb GAWR (SRW axle; standard on 3L63, 8L63, 3L93 and 8L93) (DJN)	•	•
– Rear, 11.5-inch (SRW axle; standard on 3L63, 8L63, 3L93 and 8L93) (DRQ)	•	•
– Front, 205-mm (DRW axle; standard on 3L64 and 8L64; included with optional DRW on 3L63, 8L63, 3L93 and 8L93) (DJM)	•/P	•/P
– Rear, 11.5-inch (DRW axle; standard on 3L64 and 8L64; included with optional DRW on 3L63, 8L63, 3L93 and 8L93) (DRX)	•/P	•/P
Axle Ratios: 3500 – 3.42 (included with diesel models only) (DMR)	P	P
– 4.10 (standard with 6.4L HEMI V8) (DMF)	•	•
– Add 4.10 axle (requires 6.7L Cummins) (DM8)	0	0

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	
	2TA	2TZ
CPOS		
MECHANICAL FEATURES (CONTINUED)		
Axle Ratios: 3500 (continued) – Front-axle disconnect, electronic disconnect (4x4 only)	•	•
– Rear, antispin differential (DSA)	•	•
Axles: 4500/5500 – DRW (WLA)	•	•
– Front, 10.5-inch (DJK)	•	•
– Front, 10.5-inch, 7,250-lb GAWR (includes taller springs) (AZB)	0	0
– Front-axle disconnect, electronic disconnect (4x4 only)	•	•
– Rear, antispin differential (DSA)	•	•
Axle Ratios: 4500 – Rear, 4.44 (DMK)	•	•
– Rear, by American Axle (12,000-lb GAWR) (DR8)	•	•
Axle Ratios: 5500 – 4.44 (DMK)	•	•
– Rear, by American Axle (13,500-lb GAWR) (DR8)	•	•
Battery – 730-amp maintenance-free (included with 6.4L HEMI V8) (BCN)	•	•
– Dual 730-amp maintenance-free (included with 6.7L Cummins) (BCC)	P	P
Engine Block Heater (available with 6.4L HEMI V8; included with Cold Weather Group with 6.7L Cummins) (NHK)	O/P	O/P
Diesel Engine – Diesel Exhaust Brake (included with 6.7L Cummins) (NEN)	P	P
– Manual DPF regeneration (optional with 6.7L Cummins; included with Emergency/Fire/Rescue Special Emissions Package (AH6)) (XNR)	O/P	O/P
– Clean idle emission label (4500/5500 only; included with 6.7L Cummins) (XKH)	P	P
– Selective catalytic reduction (urea; included with 6.7L Cummins) (XAL)	P	P
– Winter front grille cover (included with Cold Weather Group) (XD6)	P	P
Dash Pass-Through Wire Circuits (BC3)	•	•
Emissions – 50-state-compliant (included with 6.7L Cummins) (NAS)	P	P
Engine Cooling – Heavy-duty (NMC)	•	•
Vehicle Speed (max speed options) – 65-mph (JJ4)	0	0
– 70-mph (JJ5)	0	0
– 77-mph (JJ9)	0	0
Fuel Tank – 52-gallon, rear (NFH)	•	•
– 74-gallon dual - 52- and 22-gallon tanks (not available with 6.4L HEMI V8 on 63/93 models) (NLL)	0	0
– 22-gallon mid-ship fuel tank (optional on 3500 DD and 4500/5500 Chassis Cab models) (NFA)	0	0
Right-/Left-Side Power Take-Off (included with DFZ or DFM transmission) (XG7)	P	P
– Split-shaft (included with Right-/Left-Side Power Take-Off with 6.7L Cummins) (LBX)	P	P
– Hardwired Remote Start ⁽²⁷⁾ /Stop (included with Right-/Left-Side Power Take-Off) (XBV)	P	P
Shock Absorbers – Front, heavy-duty (SFB)	•	•
– Rear, heavy-duty (SGB)	•	•
Skid Plate – Transfer case (included with DFZ or DFM transmission (4x4 only)) (XEF)	P	P
Steering – Power, recirculating ball (SBE)	•	•
Suspension – Stabilizer Bar - Front (SHA)	•	•

• = Standard. 0 = Optional. P = Available with Package noted. F = Fleet only.

2025 RAM 3500/4500/5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew Big Horn® Reg/Crew	
	2TA	2TZ
CPOS		
MECHANICAL FEATURES (CONTINUED)		
Tow Hooks – Black (XEA)	•	•
Trailer Tow – Seven wires (seven blunt-cut wires, shrink-wrapped and labeled) (XFK)	•	•
Trailer Brake Controller (included with L1 and L2 Groups on 3500/4500/5500; included with Max Tow Package on 5500 4x4) (XHC)	P	•
Transfer Case – Electric shift, part-time (4x4 only) (DK3)	•	•
– Max tow electric shift, part-time (included with Max Tow Package on 5500 4x4 only) (DHV)	P	P
Transmission – Electronic range select (DH4)	•	•
Voltage Monitoring – Auto idle-up (XF6)	•	•
EXTERIOR FEATURES		
Antenna – Shark-fin (AM/FM; passenger-side roof) (RD3)	•	•
Bumpers – Front, Black (MB1)	•	
– Front, Chrome (included with Chrome Appearance Group) (MCT)	P	•
– Front, painted (included with H3 Group) (MBA)		P
Cab Steps – Tubular side steps (Black; Regular Cab and Crew Cab) (MRU)	F	F
Door Handles – Black (included with low-volume paints) (MNA)	•	•
– Body-color (included with H3 Group) (MNK)		P
Engine Shut-Off Timer – 6.4L HEMI® V8 and 6.7L Cummins® (5 minutes; dealer-programmable from 1 to 60 minutes) (XCL)	•	•
Fog Lamps – LED (LNV)	•	•
Grille – Upper header/lower appliqué – Matte Black-painted (MM5)	•	
– Upper header/lower appliqué – Chrome (included with Chrome Appearance Group) (MNQ)	P	•
– Tradesman grille – Matte Black-painted nostrils (MFF)	•	
– Matte Black mesh with Chrome (included with Chrome Appearance Group) (MAF)	P	•
– Chrome billets/accents (included with H3 Group) (MF1)		P
– Active grille shutters (MDX)	•	•
– Grille module (X79)	•	•
Headlamps – Auto-on (LMG)	•	•
– Headlamp-off - Time delay (LHD)	•	•
– LED-reflector (LM3)	•	•
– LED-projector (included with H3 Group) (LM6)		P
– Black headlamp bezels (MFA)	•	
– Daytime running lamps (DRLs) (customer on/off programmability availability in radios) (LM1)	•	•
Lighting, Exterior Cab – Roof-mounted LED clearance lamps (LNC)	•	•
– Center High-Mounted Stop Lamp (CHMSL) Delete, CHMSL/cargo lamp plate (LP8)	•	•
– CHMSL (incandescent) and cargo lamps (not available with CHMSL camera) (LPE)	O	O
– CHMSL LED with camera (included with H2 and H3 Groups) (LPD)		P

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew Big Horn® Reg/Crew	
	2TA	2TZ
CPOS		
EXTERIOR FEATURES (CONTINUED)		
Mirrors, Exterior – Black, manual-folding, manual-adjust, manual-telescoping (Regular Cab only) (GT1)	•	
– Black, heated, manual-folding, manual-telescoping, power-adjust; includes courtesy lamps, supplemental turn signal and running lights (included with L1 and L2 Groups) (GT2)	P	•
Start Engine Feature – Tip start (XBN)	•	•
Remote Start ⁽²⁷⁾ System (included with L2, H1, H2 and H3 Groups) (XBM)	P	P
Tires, 3500 – LT275/70R18E BSW All-Season (A/S) (standard with Single Rear Wheels (SRW)) (TCM)	•	•
– LT235/80R17E BSW A/S (standard on 3L64 and 8L64; included with Dual Rear Wheels (DRW) on 3L63, 8L63, 3L93 and 8L93) (TV2)	•/P	•/P
– LT235/80R17E Off-Road (TSG)	O	O
Tires, 4500/5500 – 225/70R19.5G BSW All-Purpose (A/P) (4x2 models only) (TAE)	•	•
– 225/70R19.5G BSW A/P front, rear traction (standard on 4x4; optional for 4x2 models) (TAJ)	•/O	•/O
– LT225/70R19.5 Michelin® XDS Off-Road (TSJ)	O	O
Taillamps – Incandescent (LA6)	•	•
Wheel Flares – Black (included with L2, H1 and H2 Groups on 3500; standard with 4500/5500) (MMZ)	P/•	P/•
– Body-color (included with H3 Group) (MML)		P
Windshield Wipers – Variable/intermittent (JHA)	•	•
Wheel Well Liners – Front (MHR)	•	•
– Splash guards/mud flaps, front (4500/5500 only) (MKM)	F	F
Wheels, 3500 SRW – 18x8-inch Black-painted steel (WBF)	•	
– 18x8-inch polished aluminum (included with Chrome Appearance Group) (WBE)	P	•
– 18x8-inch Diamond-Cut aluminum with Black pockets (included with H3 Group) (WBC)		O/P
Wheels, 3500 DRW – 17x6-inch Black-painted steel (WFG)	•	
– 17x6-inch polished aluminum (included with Chrome Appearance Group) (WF7)	P	•
Wheels, 4500/5500 DRW – 19.5x6-inch Black-painted steel (WPJ)	•	
– 19.5x6-inch steel (included with Chrome Appearance Group) (WP3)	P	•
– 19.5x6-inch polished aluminum (set of four; included with H2 and H3 Groups) (WP4)		P
INTERIOR FEATURES		
Air Conditioning – Single-Zone manual temperature control (HAA)	•	•
– Dual-Zone automatic temperature control (included with L2, H1, H2 and H3 Groups) (HAF)	P	P
Auxiliary Switches – Six push-button switches (the sixth switch becomes a Power Take-Off on/off switch when equipped with DFM/DFZ transmissions only) (LHL)	•	•
Consoles – Floor – Storage tray (included with *TX, *V9 and *AP bench seats) (CUY)	P	P
– Full-length upgraded floor console (included with *GJ bucket seats) (CUP)		P
Console, Overhead – Incandescent lighting (included with L1 and L2 Groups; standard on Crew Cab Tradesman) (CUN)	P/•	•
– Premium; includes LED overhead lamps (included with H3 Group) (CUS)		P

2025 RAM 3500/4500/5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew Big Horn® Reg/Crew	
	2TA	2TZ
CPOS		
INTERIOR FEATURES (CONTINUED)		
Door Locks – Manual (Regular Cab only) (JE8)	•	
– Speed-sensitive (included with L1 and L2 Groups; standard on Crew Cab Tradesman) (JPH)	P/•	•
– Remote keyless entry (included with L1 and L2 Groups; standard on Crew Cab Tradesman) (GXM)	P/•	•
– Remote proximity, passive keyless entry (included with H3 Group) (GXD)		P
Floor Covering – Heavy-duty vinyl (CKJ)	•	
– Carpet (CKE)		•
Floor Mats – Front, carpeted (Regular Cab; included with carpet) (CLA)		•
– Front and rear, carpeted (Crew Cab; included with carpet) (CLE)		•
Heat (supplemental) – Rapid cabin supplemental heater (included with 6.7L Cummins®) (HDB)	P	P
Instrument Cluster Displays – 3.5-inch color Driver Information Display (DID) (JAK)	•	•
– 7-inch DID (included with Safety Group and H1 and H2 Groups) (JAL)	P	P
– Premium digital 12-inch DID (included with H3 Group) (JAN)		P
Key – Extra base metal key option (Regular Cab only; adds two keys for a total of four; each key includes a fob; not available with L1 or L2 Group, GXM or JPH) (GXJ)	F	
– Sentry Key® Theft Deterrent System (GXX)	•	•
Mirrors (inside; DD and DP only) – Day/night, manual (GNA)	•	•
– Digital rearview mirror (included with L2, H1 and H2 Groups and Safety Group) (GRG)	P	P
Pedals – Non-adjustable (3500/4500/5500) (XA8)	•	•
Seats – Heavy-duty vinyl 40/20/40 split-bench front with manual-adjust, rear full-length fold-up bench (Crew Cab only) (*TX)	•	
– Cloth 40/20/40 split-bench front with manual-adjust, rear full-length fold-up bench (Crew Cab only) (*V9)	O	•
– Leather-trimmed, 40/20/40 split-bench with power-adjust for driver and passenger (Regular Cab only) (*AP)		F
– Leather-trimmed, ventilated front bucket with full-length center console, power-adjust for driver and passenger, rear 60/40 split-folding bench with center fold-down armrest and fold-flat load floor (included with H3 Group) (*GJ)		P
– Power two-way lumbar-adjust for driver’s (optional with vinyl and cloth seats; packaged with leather seats) (JPE)	F	F/P
Seat Delete Options – Front Center Seat Delete (included with Interior Trim Delete Group) (CJT)	F/P	F/P
– Rear Seat Delete (Crew Cab) (CF8)	F	F
Seat Belts – Front, shoulder, height-adjustable (CGD)	•	•
– Red (CGQ)	O	O
Steering – Tilt column (SUA)	•	•
– Four-spoke, urethane (SCF)	•	•
– Luxury with remote audio control buttons (included with Safety Group; H1, H2 and H3 Groups; and *AP seats) (SCK)	P	P
– Audio controls (included with SCK and SCW steering wheels) (RDZ)	P	P
– Heated steering wheel (included with H1, H2 and H3 Groups and *AP seats) (NHS)		P
Storage – Front, behind-seat (Regular Cab only) (CU3)	•	•
– Front, center-seat cushion (included with *AP seats) (CVH)		P
– Rear, underseat (standard with Crew Cab only) (CUE)	•	•
– Fold-flat load floor (included with *GJ seats) (CVN)		P

• = Standard. O = Optional. P = Available with Package noted. F = Fleet only.

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew Big Horn® Reg/Crew	
	2TA	2TZ
CPOS		
INTERIOR FEATURES (CONTINUED)		
Turn Signals – One-touch three-blink lane-change feature	•	•
Upfitter Interface – Vehicle System Interface Module (VSIM) (XXS)	•	•
Universal Garage Door Opener (included with H2 and H3 Groups) (XGD)		P
Visors – Passenger-side vinyl with mirror (GNM)	•	
– Passenger-side cloth with lighted mirror (GN6)		•
– Driver’s-/passenger-side cloth incandescent illuminated mirrors and Universal Garage Door Opener (included with H2 and H3 Groups) (GNC)		P
Windows – Manual (Regular Cab only) (JF8)	•	
– Power, front with driver’s one-touch down (Regular Cab only; included with L1 and L2 Groups) (JPY)	P	•
– Power, front and rear with driver’s one-touch up-and-down (Crew Cab models only) (JP3)	•	•
– Rear backlight, fixed (GJD)	•	•
– Rear backlight, power-sliding – Includes rear defroster (Crew Cab models only; included with L2, H1, H2 and H3 Groups) (GFE)	P	P
– Rear defroster (included with L1 Group and GFE rear window) (GFA)	P	P
UCONNECT® MULTIMEDIA		
Uconnect Voice Command (XRB)	•	•
Compass – Compass display in the radio (JFJ)	•	•
GPS Antenna Input on Radio (JLP)	•	•
Connectivity – Front: Media Hub - Includes two fully functional Type-A/-C USB port pairs and one auxiliary jack (four USB connection points) (RSF)	•	•
– Middle: 2.5-amp charge-only single USB port (located in center console or armrest) (RS3)	•	•
– Rear: Dual remote USB port, two Type-A/-C pairs; charge-only (included with H3 Group) (RS2)		P
– Auxiliary headphone jack for mobile devices (RSU)	•	•
– Dual wireless charging pads (included with *GJ seats) (CMS)		P
Power – Accessory delay (JKY)	•	•
– Auxiliary outlets (one battery and one ignition-fed) (JJJ)	•	•
– 115-volt auxiliary power outlet, instrument-panel-mounted (included with L2, H1, H2 and H3 Groups) (JKV)	P	P
– 115-volt auxiliary power outlet, rear-facing (included with *GJ seats; Crew Cab only) (JJN)		P
– 400-watt inverter (included with JKV and JJN) (XHR)	P	P
– 2.4-kW on-board power system (requires XBJ or XF1 dual alternators) (XBH)	O	O
Radios – Uconnect 5 with 8.4-inch touchscreen display and available SiriusXM® Radio ⁽²¹⁾ (UBE)	•	•
– Uconnect 5 NAV with 12-inch touchscreen display, navigation, available SiriusXM Radio ⁽²¹⁾ and HD radio (included with L2, H1, H2 and H3 Groups) (UBQ)	P	P
– Radio controls – Steering wheel-mounted audio controls (included with SCK and SCW steering wheels) (RDZ)	P	P
SiriusXM Radio ⁽²¹⁾ (RSD)	•	•
TomTom® Connected Travel and Traffic Services ⁽²²⁾ (included with NAV radios) (RTV)	P	P
SiriusXM with 360L ⁽²¹⁾ (included with NAV radios) (RTU)	•	•

2025 RAM 3500/4500/5500 CHASSIS CAB

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ

UCONNECT® MULTIMEDIA (CONTINUED)

Speakers – Four standard (Regular Cab only) (RCD)	•	
– Six (standard on Crew Cab Tradesman) (RCG)	•	•
– Premium seven-speaker audio system (Regular Cab only; included with H1 and H2 Groups) (RCK)		P
– Premium 10-speaker surround sound system (Crew Cab only; included with H1 and H2 Groups) (RC3)		P
– Premium 17-speaker surround sound system (included with H3 Group) (RCA)		P

SAFETY & SECURITY

Air Bags ⁽³¹⁾ – Multistage front (3500/4500/5500) (CG3)	•	•
Belt Alert – Driver’s	•	•
Rear-Seat Reminder Alert (JFB)	•	•
Brakes – Power-assisted four-wheel antilock disc (BRT)	•	•
Electronic Stability Control (ESC) ⁽⁶⁾ System – Four-channel Antilock Brake System, Electronic Brake-Force Distribution, Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Damping, Electronic Roll Mitigation and Hill Start Assist (BNB)	•	•
Cameras – ParkView® Rear Back-Up Camera ⁽⁴⁾ (XAC)	O	O
– Cargo camera (requires UBO radio; includes LED Center High-Mounted Stop Lamp (CHMSL) and cargo lamps; included with H2 and H3 Groups) (LPD)		P
ParkSense® Rear Park Assist ⁽¹²⁾ (XAA)	O	O
ParkSense Front/Rear Park Assist System ⁽¹²⁾ (included with H3 Group) (XAG)	O	P

SAFETY FEATURES

Security Alarm ⁽³⁴⁾ (included with Safety Group) (LSA)	P	P
Back-Up Alarm – Audible alarm when vehicle is in Reverse (XAW)	O	O
Adaptive Cruise Control (ACC) with Stop ⁽⁶⁾ (NH3)	•	•
LaneSense® Lane Departure Warning Plus ⁽⁵⁾ (included with Safety Group) (LAS)	P	P
Ready Alert Braking (BHD)	•	•
Full-Speed Forward Collision Warning Plus with Auto Emergency Braking ⁽⁹⁾ (LSU)	•	•
Trailer Tire Pressure Monitoring System (XG9)	O	O
DOT-Certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, two Red vinyl flags and spare fuses) (ACL)	O	O
Auto High-Beam Headlamp Control (included with H3 Group and Safety Group) (LMS)	P	P
Rain-Sensitive Windshield Wipers (included with H3 Group and Safety Group) (JHC)	P	P
Pedestrian/Cyclist Emergency Braking ⁽⁹⁾ (LST)	•	•
Drowsy-Driver Detection ⁽⁶⁾ (included with Safety Group) (XNM)	P	P
Traffic Sign Recognition ⁽¹³⁾ (included with Safety Group) (SJB)	P	P
Adaptive Steering System ⁽⁶⁾ (included with Safety Group) (SJE)	P	P

STANDARD FEATURES AND OPTIONS	Tradesman® Reg/Crew	Big Horn® Reg/Crew
CPOS	2TA	2TZ

PACKAGES / EQUIPMENT GROUPS

Emergency/Fire/Rescue Special Emissions Package – Includes dual alternators rated at 480 amps, manual DPF regeneration and Rear Air Conditioning/Heater Prep Group (requires valid Fleet Account Number) (AH6)	F	F
Ambulance Prep Group – Includes remote rear heat/air conditioning (provides ability to run auxiliary-mounted heater and air conditioning independently of instrument-panel controls), and air conditioning line tap and engine coolant access for upfitter (AH2)	O	O
Chrome Appearance Group – Includes Chrome front bumper, Chrome grille and polished aluminum wheels on 3500 models (AMP)	O	
Cold Weather Group – Includes engine block heater cord and winter front grille cover (diesel models only) (ADE)	O	O
Heavy-Duty Front Suspension Group (a stand-alone option for 4500/5500 only) – Increases max front GAWR to 7,000 with the 6.4L HEMI® V8 and max front GAWR to 7,250 with the 6.7L Cummins® (AZB)	O	O
Tradesman Level 1 Equipment (L1 Group) – Includes overhead console, power windows (Regular Cab), power door locks (Regular Cab), trailer brake controller, rear-window defroster, GT2 exterior mirrors, upgraded door trim panels and remote keyless entry (A7B)	O	
Tradesman Level 2 Equipment (L2 Group) – Includes L1 Group, Remote Start ⁽²⁷⁾ System, power-sliding rear window, digital rearview mirror, tinted acoustic windshield, Dual-Zone automatic temperature control, 115-volt power outlet and Uconnect 5 NAV with 12-inch touchscreen display (A7C)	O	
Big Horn Level 1 Equipment (H1 Group) – Includes Remote Start ⁽²⁷⁾ System, power-sliding rear window, digital rearview mirror, Dual-Zone automatic temperature control, 115-volt power outlet, dual glove boxes, driver’s-door foam bottle insert, 7-inch Driver Information Display (DID) cluster, glove box lamp, rear dome lamp with on/off switch, premium speaker audio system (seven for regular cab; nine for crew cab), luxury steering wheel and Uconnect 5 NAV with 12-inch touchscreen display (A7E)		O
Big Horn Level 2 Equipment (H2 Group) – Includes H1 Group, sun visors with illuminated vanity mirrors, Universal Garage Door Opener, LED CHMSL with camera and polished aluminum wheels on 4500/5500 (A7F)		O
Big Horn Level 3 Equipment (H3 Group) – Includes premium overhead console, highline door trim panel, *GJ leather-trimmed bucket seats, Body-color door handles, Remote Start ⁽²⁷⁾ System, power-sliding rear window, sun visors with illuminated vanity mirrors, remote proximity keyless entry, Dual-Zone automatic temperature control, Universal Garage Door Opener, heated steering wheel, 115-volt power outlet, dual glove boxes, driver’s-door foam bottle insert, rain-sensitive windshield wipers, 12-inch DID digital cluster, heated front seats, glove box lamp, exterior mirror-mounted Reverse lamps, LED interior lighting, LED CHMSL with camera, Auto High-Beam Headlamp Control, LED projector headlamps, LED daytime running lamps (DRLs), Body-color wheel flares, Body-color front bumper, Chrome Billet grille, ultra-premium 17-speaker audio system, RS2 Media Hub, Uconnect 5 NAV with 12-inch touchscreen display, luxury steering wheel, ParkSense Front/Rear Park Assist System ⁽¹²⁾ and aluminum wheels (A7G)		O
Safety Group – Includes security alarm, ⁽³⁴⁾ Drowsy-Driver Detection, ⁽⁶⁾ digital rearview mirror, rain-sensitive windshield wipers, 7-inch DID cluster for Tradesman and Big Horn, Auto High-Beam Headlamp Control, LaneSense Lane Departure Warning Plus, ⁽⁵⁾ Traffic Sign Recognition, ⁽¹³⁾ Adaptive Steering System, ⁽⁶⁾ and luxury steering wheel for Tradesman and Big Horn (AAU)	O	O
Max Tow Package – Includes max tow electronic shift part-time transfer case and trailer brake controller for Tradesman (5500 4x4 only; requires diesel engine) (AHQ)	O	O
Max Payload Package – Includes 19,000-lb GVWR on 63 and 93 models; 19,500-lb GVWR on 64, 65, 66 and 94 models (5500 gas models only) (AH5)	O	O
Interior Trim Delete Group – Includes Delete Front Center Seat, Delete Rear Floor Storage Tray and Delete Cab Back Trim Panel (Regular Cab only) (AS8)	F	F
15,000 GVWR Package – Includes 15,000-lb GVWR (4500) 4x2 (Z4B), 4x4 (Z9B) (Z4B/Z9B)	O	O
16,000 GVWR Package – Includes 16,000-lb GVWR (4500) 4x2 (Z4C), 4x4 (Z9C) (Z4C/Z9C)	O	O

2025 RAM SPECIAL EXTERIOR PAINT COLORS

1

RAM HEAVY DUTY PICKUPS

2

RAM CHASSIS CAB



Black – 1 and 2



Midnight Blue – 1 and 2



Patriot Blue – 1 and 2



Republic Blue – 1 and 2



Holland Blue – 1 and 2




Timberline Green Pearl – 1 and 2




Light Green – 1 and 2




Agriculture Red – 1 and 2



Omaha Orange – 1 and 2



Utility Orange – 1 and 2




School Bus Yellow – 1 and 2



Construction Yellow – 1 and 2



Detonator Yellow – 1 and 2



National Safety Yellow – 1 and 2



Yellow – 1 and 2