

2025 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE



SELECT FEATURES

- 6.4L HEMI® V8 Engine/8HP75 8-speed Automatic Transmission
- Alternator – 220-amp
- Battery – 730-amp, maintenance-free
- Class V Hitch Receiver
- Driver's- and Passenger-Side Assist Handles
- Four-Wheel Antilock Disc Brakes
- LED Fog Lamps
- LED Reflector Headlamps with Auto Feature
- Locking Tailgate
- Power Recirculating Ball Steering
- Ram Air Filtration System
- Rear Axle – 11.5-inch
- Tilt Steering Column
- Tinted Glass, All Windows
- Trailer-Tow Harness – Four-/seven-pin connector
- Variable/Intermittent Windshield Wipers

SAFETY & SECURITY

- Adaptive Cruise Control (ACC) with Stop⁽⁶⁾
- Air Bags⁽³¹⁾ – Multistage driver's and front-passenger, supplemental side-curtain and side-seat
- Dynamic Front Crumple Zones and Side-Impact Door Beams

Electronic Stability Control (ESC)⁽⁸⁾ System – Includes Brake Assist, Electronic Roll Mitigation, Hill Start Assist, Rain Brake Support, Ready Alert Braking, Full-Function All-Speed Traction Control and Trailer Sway Damping⁽⁸⁾

- Enhanced Accident Response System
- Full-Speed Forward Collision Warning Plus⁽⁹⁾
- ParkView® Rear Back-Up Camera⁽⁴⁾
- Pedestrian/Cyclist Emergency Braking⁽⁹⁾
- Sentry Key® Theft Deterrent System
- Tire Pressure Information System (3500 models)
- Tire Pressure Monitoring System with Display (2500 only)

AVAILABLE FLEET FEATURES

- *V9 Cloth Bench Seat Option for Tradesman®
- Blind Spot Monitoring (BSM)⁽⁷⁾ and Rear Cross-Path Detection System⁽⁴⁾ for Tradesman
- Low-Volume Paint Options
- Two Additional Key Fobs for Tradesman

ENGINES	HORSEPOWER ⁽³²⁾	TORQUE ⁽³²⁾
6.4L HEMI V8	405 hp @ 5,600 rpm	429 lb-ft @ 4,000 rpm
6.7L High-Output (HO) Cummins® Turbo Diesel	430 hp @ 2,800 rpm	1,075 lb-ft @ 1,800 rpm

RAM 2500 EXTERIOR DIMENSIONS ⁽³³⁾			
All specs are for base models only.	Regular Cab		Crew Cab
	8' Box	6'4" Box	8' Box
Overall Width	83.5	83.5	83.5
Overall Height (4x4)	80.2	80.2	80.1
Overall Length	232	238.8	260.8
Track – Front	68.7	68.7	68.7
Track – Rear	68.1	68.1	68.1
Wheelbase	140.2	149.1	169

RAM 3500 EXTERIOR DIMENSIONS ⁽³³⁾					
All specs are for base models only.	Regular Cab		Crew Cab		
	8' Box	8' Box DRW	6'4" Box	8' Box	8' Box DRW
Overall Width	83.5	96.5	83.5	83.5	96.5
Overall Height (4x4)	80.4	79.5	80.3	79.8	79.3
Overall Length	232	232	238.8	260.8	260.8
Track – Front	67.7	67.7	67.7	67.7	67.7
Track – Rear	67.1	75.9	67.1	67.1	75.9
Wheelbase	140.2	140.2	149	169.3	169.3

TOWING ⁽²⁹⁾	
Maximum Towing (lb)	
– 2500	19,970
– 3500	36,580


INTERIOR DIMENSIONS ⁽³³⁾		
Ram Interiors	Regular Cab	Crew Cab
Headroom (front / rear)	39.8	40.9 / 39.8
Hip Room (front / rear)	62.9	62.9 / 62.7
Shoulder Room (front / rear)	65.9	65.9 / 65.6
Legroom (front / rear)	40.9	40.9 / 40.2
Seating Capacity (max occupants)	3	6

ALL RAM PICKUP BOXES ⁽³³⁾		
	6'4" BOX	8' BOX
Maximum Length at Floor	76.3	98.3
Front of Box to End of Open Tailgate	100.2	120.2
Depth of Box/Open Tailgate	20.1 / 20.1	20.2 / 20.2
Cargo Volume (cu ft)	57.5	74.7
Width between Wheelhousings	51	51
Maximum Width, Wall-to-Wall	66.4	66.4

PAYLOAD ⁽²⁹⁾	
Maximum Payload (lb)	
– 2500	3,660
– 3500	7,210

2025 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

EXTERIOR PAINT COLORS



STANDARD FEATURES AND OPTIONS

CPOS Tradesman®
2TA

CONFIGURATIONS

Body Model – Regular Cab 8'-box - 140.2-inch wheelbase (-62)	•
– Crew Cab 6'4"-box - 149.1-inch wheelbase (Single Rear Wheel (SRW) only) (-91)	0
– Crew Cab 8'-box - 169.1-inch wheelbase (-92)	0
Drive – 4x4 (2500/3500)	•

ENGINES/TRANSMISSIONS

6.4L HEMI® V8/8-speed Automatic (8HP75) (ESL/DFX)	•
6.7L High-Output (HO) Cummins® Turbo Diesel/8-speed ZF Powerline Automatic (ETM/DFM)	0

MECHANICAL FEATURES

Alternators – Single 220-amp (BAJ)	•
– Dual: 400-amp (XBJ)	0
– Dual: 480-amp (diesel engine only) (XF1)	0
Axle Ratios – 3.42 (included with ETM) (DMR)	P
– 3.73 (DME)	•
– 4.10 (requires ESL) (DMF)	0
Brakes – Power-assisted four-wheel antilock (BRT)	•
– Electronic Stability Control (ESC) ⁽⁸⁾ System (BNB)	•
– Brake Assist (BGE)	•
– Pedestrian/Cyclist Emergency Braking ⁽⁹⁾ (LST)	•

STANDARD FEATURES AND OPTIONS

CPOS Tradesman®
2TA

MECHANICAL FEATURES (CONTINUED)

Brakes (continued) – Electronic Roll Mitigation (BNS)	•
– Hill Start Assist (BNG)	•
– Traction Control (BNM)	•
– Trailer Sway Damping ⁽⁸⁾ (BNT)	•
– Ready Alert Braking (BHD)	•
– Mechanical park brake	•
– Diesel exhaust brake (included with diesel engine) (NEN)	P
Differential – Open (2500 only) (DS8)	•
– Antispin rear (2500: optional; required if 4.10 axle and gas engine; 3500: standard) (DSA)	O/•
Engine Thermal Management – Engine cooling, heavy-duty (standard with diesel engine) (NMC)	P
– Active grille shutters (MDX)	•
– Front grille cover (included with Cold Weather Group) (XD6)	P
– Engine block heater (included with Cold Weather Group on diesel engine) (NHK)	O/P
– Supplemental cabin heater (included with diesel engine) (HDB)	P
Fuel Tank – 28-gallon (included with Regular Cab with diesel engine) (NGC)	P
– 31-gallon (standard on Crew Cab with 6'4" box) (NFT)	•
– 32-gallon (standard on Regular Cab and Crew Cab with 8' box) (NFX)	•
– 50-gallon (optional on Crew Cab with 8' box; Tradesman only for 2500 model) (NFC)	O
Shocks – Front and rear, heavy-duty - Magneti Marelli™ with KONI® Frequency Selective Damping valving (SFB/SGB)	•
Skid Plates (4x4) – Transfer case (included with Special Service Vehicle Group (AAP)) (XEF)	•

• = Standard. 0 = Optional. P = Available with Package noted. F = Fleet only.

2025 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

STANDARD FEATURES AND OPTIONS		Tradesman®
CPOS		2TA
MECHANICAL FEATURES (CONTINUED)		
Start Control – Keyless push-button start (GX4)		•
Steering – Power, recirculating ball (SBE)		•
Suspension – Three-link front		•
– Rear link with coil springs (2500 only)		•
– Rear Hotchkis leaf-spring (3500 only)		•
– Stabilizer bar, front, standard (SHA)		•
– Auto-Level Rear Air Suspension (3500 only) (SEB)		O
Tow Hooks – Black (XEA)		•
Trailer Tow – Four-pin trailer harness plug, rear bumper (combination receptacle with seven-pin) (XFU)		•
– Seven-pin trailer harness plug, rear bumper (combination receptacle with four-pin) (XFK)		•
– Class V hitch receiver (20K-lb 2500/23K-lb 3500) (XFR)		•
– Mopar® Fifth-Wheel Hitch, 20K lb (requires Fifth-Wheel/Gooseneck Prep Group) (XML)		O
– Mopar Fifth-Wheel Hitch, 30K lb (3500 Dual Rear Wheel (DRW) only; requires Fifth-Wheel/Gooseneck Prep Group) (XNH)		O
Transfer Case (4x4 only) – Electronic shift-on-the-fly (DK3)		•
Upfitter Module – Upfitter Electronic Monitoring Module (Vehicle System Interface Module (VSIM); included with Special Service Vehicle Group (AAP)) (XXS)		•
EXTERIOR FEATURES		
Bed Step, Rear, Deployable – Mopar (included with Bed Utility Group) (MDN)		P
Bedliner – Spray-in (included with Bed Utility Group) (XMF)		P
Bumpers – Black-painted, front and rear (MB1/MBN)		•
– Chrome, front and rear (included with Chrome Appearance Group and L2 Group) (MCT/MBF)		P
Center High-Mounted Stop Lamp (CHMSL) – Lamp (incandescent) with cargo-box illumination (LPE)		•
– LED with camera (included with Towing Technology Group; requires UBQ radio) (LPD)		P
Clearance Lamps, LED – Cab-mounted (optional on 2500 and 3500 Single Rear Wheel (SRW); included with 3500 DRW) (LNC)		O/P
– Box- and rear-fender-mounted (included with 3500 DRW) (LND)		P
Fog Lamps – LED with cornering feature (LNV)		•
Grilles – Matte Black upper header/lower appliqué (MM5)		•
– Chrome upper header/lower appliqué (included with Chrome Appearance Group and L2 Group) (MNQ)		P
– Tradesman grille with Matte Black-painted nostrils (MFF)		•
– Matte Black mesh with Chrome (included with Chrome Appearance Group and L2 Group) (MAF)		P

STANDARD FEATURES AND OPTIONS		Tradesman®
CPOS		2TA
EXTERIOR FEATURES (CONTINUED)		
Headlamps/Taillamps – LED reflector headlamps (LM3)		•
– Incandescent taillamps (LA6)		•
– Daytime running lamps (DRLs), low-beam (LM1)		•
– Premium LED taillamps (included with Blind Spot Monitoring (BSM) ⁽⁷⁾) (LAY)		P
– Automatic headlamps (LMG)		•
– Auto High-Beam Headlamp Control (included with Safety Group) (LMS)		P
Lighting – Pickup box (included with Bed Utility Group) (LPL)		P
Mirrors, Exterior – Trailer-tow, manual-adjust for flat and convex mirrors, manual-adjust for folding and telescoping (GT1)		•
– Trailer-tow, heated, power-adjust for flat and convex mirrors, manual-adjust for folding and telescoping; includes mirror running lights, courtesy lamps and supplemental turn signals (included with L1 and L2 Groups) (GT2)		P
– Trailer-tow, heated, power-adjust for flat and convex mirrors, power-adjust for folding and telescoping; includes mirror running lights, courtesy lamps, supplemental turn signals and forward/reverse utility lights (included with Towing Technology Group) (GT3)		P
– Exterior mirror color - Black (LE4)		•
Paint – Monotone (APA)		•
Side Steps/Running Boards – Side steps, tubular, Black, cab-length (included with L1 and L2 Groups) (MRU)		O/P
Tailgate – Locking (XJJ)		•
Tie-Downs – Lower, fixed (four)		•
Tonneau Cover – Soft tri-fold (CS7)		O
Windshield Wipers – Variable/intermittent (JHA)		•
– Rain-sensitive (included with Safety Group) (JHC)		P
INTERIOR FEATURES		
Air Conditioning – Manual temperature control; base (HAA)		•
– Dual-Zone automatic temperature control (included with Convenience Group) (HAF)		P
Auxiliary Switches – Instrument panel-mounted (included with Special Service Vehicle Group (AAP)) (LHL)		•
Auxiliary Pass-Through Wires (quantity four; included with Special Service Vehicle Group (AAP)) (BC3)		•
Consoles and Storage – Storage, floor-mounted tray (included with bench seat only; not included on Regular Cab 4x2) (CUY)		P
– Storage, behind-seat (Regular Cab) (CU3)		•
– Storage, rear underseat compartment (Crew Cab only) (CUE)		•
– Close-out panel, in-floor storage (Crew Cab only) (CUH)		•
– Overhead console (incandescent lighting; included with Chrome Appearance Group and L1 & L2 Groups on Regular Cab) (CUN)		P/•

2025 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

STANDARD FEATURES AND OPTIONS		Tradesman®
CPOS		2TA
INTERIOR FEATURES (CONTINUED)		
Door Locks – Powered and speed-sensitive (JPH)		•
– Remote Keyless Entry (GXM)		•
Instrument Cluster, Display – 3.5-inch Driver Information Display (DID), color (JAK)		•
– 7-inch DID, color (included with Safety Group) (JAL)		P
Off-Road Pages Application in Radio (included with UBQ radio) (JA8)		P
Pedals – Non-adjustable (XA8)		•
Seats – Heavy-duty vinyl 40/20/40 split-bench front with manual-adjust and folding rear bench (Crew Cab) (*TX)		•
– Cloth 40/20/40 split-bench front with manual-adjust and folding rear bench (Crew Cab; included with L1 and L2 Groups) (*V9)		F/P
Speed Control – Adaptive Cruise Control (ACC) with Stop ⁽⁶⁾ (NH3)		•
Steering Wheel – Urethane (SCF)		•
– Luxury (included with Safety Group) (SCK)		P
– Audio controls (included with SCK) (RDZ)		P
Mirror – Rearview, auto-dimming (included with Safety Group and Convenience Group) (GNK)		P
– Rearview, digital (dedicated camera located in Center High-Mounted Stop Lamp (CHMSL); included with Tow-Mode Digital Rearview Mirror Package) (GRG)		P
– Rearview, digital 3.0 (included with Tow Technology Plus Group) (GNQ)		P
Windows – Power, front one-touch down (Regular Cab only) (JPY)		•
– Power, front one-touch up/down (Crew Cab) (JP3)		•
– Rear, fixed (GJD)		•
– Rear, manual-sliding (Regular Cab only; included with L1 and L2 Groups) (GFD)		P
– Rear, power-sliding (Crew Cab only; paired with defroster; included with L1 and L2 Groups) (GFE)		P
– Rear window defroster (optional with fixed rear glass on Tradesman) (GFA)		O
UCONNECT® MULTIMEDIA		
Uconnect Voice Command (XRB)		•
Compass – Compass and temperature display (in radio) (JFJ)		•
– GPS antenna input on radio (JLP)		•
Connectivity, Radio – Auxiliary input, headphone jack		•
– Front Media Hub (one fully functional USB, one charging-only USB and one auxiliary input; each USB connection is a Type-A/-C USB pair) (RSF)		•
– Single-remote USB port - Charging only (center armrest, Type-A; included with *TX and *V9 seats) (RS3)		P
– Apple CarPlay ^{TM(16)} (RFP)		•
– Android Auto ^{TM(15)} (RF5)		•

STANDARD FEATURES AND OPTIONS		Tradesman®
CPOS		2TA
UCONNECT MULTIMEDIA (CONTINUED)		
Power – 12-volt DC auxiliary power point (JJJ)		•
– Front 115-volt, 400-watt outlet (three-prong; included with Chrome Appearance Group and L1 & L2 Groups) (JKV)		P
– Exterior 115-volt, 400-watt outlet (three-prong, located in driver's-side pickup box inner; included with Chrome Appearance Group and L1 & L2 Groups; not available with Box Delete) (XBE)		P
– 2.4-kW On-Board Power System (requires XF1 or XBJ dual alternators) (XBH)		O
– Accessory delay		•
Systems – Uconnect 5 with 8.4-inch touchscreen display (UBE)		•
– Uconnect 5 NAV with 12-inch touchscreen display (included with Convenience Group) (UBQ)		P
SiriusXM® Radio ⁽²¹⁾ (RSD)		•
TomTom® Connected Travel and Traffic Services ⁽²²⁾ (included with UBQ radio) (RTV)		P
SiriusXM with 360L ⁽²¹⁾ (included with UBQ radio) (RTU)		P
Speaker Systems, Audio – Base four-speaker system (standard on Regular Cab Tradesman only) (RCD)		•
– Base six-speaker system (standard on Crew Cab; included with Convenience Group on Regular Cab) (RCG)		•/P
Active Noise Control System (standard with 6.4L gas engine and 6.7L diesel engine on Crew Cab; included with L1 Group if equipped with 6.7L diesel engine on Regular Cab only) (JLW)		•/P
TIRES		
Tires – Single Rear Wheel (SRW) - LT245/70R17E BSW Firestone® Transforce HT All-Season (A/S) (2500 only) (TWD)		•
– LT275/70R18E OWL Firestone Transforce On-/Off-Road (included with Off-Road Group) (TCP)		O
Dual Rear Wheel (DRW) – LT235/80R17E BSW A/S (TV2)		•
– LT235/80R17E Off-Road (TSG)		O
Spare Tire – Full-size, matching (TBB)		•
– Full-size, delete (included with Box Delete) (TBF)		P
– Full-size, add (requires Box Delete) (TBE)		O
– Carrier (TBM)		•
SAFETY, SECURITY & CONVENIENCE		
Air Bags ⁽³⁾ – Advanced multistage front (CG3)		•
– Supplemental side-curtain (CGS)		•
– Supplemental side-seat (CJ1)		•
Cameras – ParkView® Rear Back-Up Camera ⁽⁴⁾ (not available with Surround-View Camera System ⁽⁴⁾) (XAC)		•
– Surround-View Camera System ⁽⁴⁾ (included with Towing Technology Group; requires Cargo-View Camera ⁽⁴⁾ ; not available with Pickup Box Delete or Regular Cab) (XAK)		P

2025 RAM HEAVY DUTY SPECIAL SERVICE VEHICLE

STANDARD FEATURES AND OPTIONS		Tradesman®
CPOS		2TA
SAFETY, SECURITY & CONVENIENCE (CONTINUED)		
Cameras (continued) – Cargo-View Camera ⁽⁴⁾ with LED Center High-Mounted Stop Lamp (CHMSL) and cargo-box illumination (includes dynamic centerline with Surround-View Camera System ⁽⁴⁾ ; requires UBQ or UBW radio; not available with incandescent CHMSL; included with Towing Technology Group) (LPD)	P	
– Auxiliary (Trailer) Camera Prep provides in-cab wiring, camera HDMI in radio, seven-/12-pin rear-bumper connector and/or seven-/12-pin pickup bed connector (requires L1 or L2 Group) (XFQ)	O	
Drowsy-Driver Detection ⁽⁶⁾ (included with Safety Group) (XNM)	P	
Traffic Sign Recognition ⁽¹³⁾ (included with Safety Group) (SJB)	P	
Active Lane Management System ⁽⁵⁾ (included with Safety Group) (XNW)	P	
Blind Spot Monitoring (BSM) ⁽⁷⁾ and Rear Cross-Path Detection System ⁽⁴⁾ – Includes LED taillamps on Tradesman (included with Safety Group and Towing Technology Group) (XAN)	F/P	
Full-Speed Forward Collision Warning Plus ⁽⁹⁾ – With Auto Emergency Braking (LSU)	•	
Trailer Reverse Guidance ⁽⁴⁾ (included with Towing Technology Group) (XPU)	P	
Trailer Reverse Steering Control ⁽⁵⁾ (included with Tow Technology Plus Group) (XA1)	P	
Adaptive Cruise Control (ACC) with Stop ⁽⁶⁾ (NH3)	•	
Back-Up Alarm – Audible alarm when vehicle is in Reverse (XAW)	O	
DOT Safety Kit – Includes DOT fire extinguisher, three reflecting triangles, two red flags and spare fuses (ACL)	O	
Parking Sensors – ParkSense® Front/Rear Park Assist ⁽¹²⁾ (included with L1 and L2 Groups) (XAG)	P	
Restraints – Front, height-adjustable three-point seat belts (outboard positions only) (CGD)	•	
Rear-Seat Reminder Alert (JFB)	•	
LATCH – Child Seat Anchor System (CGU)	•	
Adaptive Steering System ⁽⁶⁾ – Variable Steering Effort System (included with Safety Group) (SJE)	P	
Security – Sentry Key® Theft Deterrent System - Engine immobilizer (GXX)	•	
Tailgate-Ajar Warning Lamp (LAN)	•	
Tire Pressure Monitor – Tire Pressure Monitoring System, cluster display (2500 only) (XGM)	•	
– Tire Pressure Information System, cluster display (3500 only) (XBT)	•	
– Selectable Tire-Fill Alert (LA5)	•	
– Tire-Fill Alert (LAW)	•	
Trailer Brake Controller – Electronic Trailer Brake Controller (ITBM) (XHC)	•	
Trailer-Light Check Out (cluster-activated routine) (JJ1)	•	
Trailer Tire Pressure Monitoring System – Includes four Trailer Tire Sensors (included with Towing Technology Group) (XG9)	P	

STANDARD FEATURES AND OPTIONS		Tradesman®
CPOS		2TA
EQUIPMENT GROUPS		
Tradesman Level 1 Equipment (L1 Group) – Includes Convenience Group, overhead console, *V9 cloth bench seats, carpet floor covering, rear antispin differential, exterior 115-volt outlet, 400-watt inverter, Active Noise Control System, sliding rear window (Regular Cab only), power sliding rear window on Crew Cab, GT2 exterior mirrors, carpet floor mats, interior front 115-volt outlet, Black tubular side steps on Crew Cab and ParkSense Front/Rear Park Assist System ⁽¹²⁾ (A7B)	O	
Tradesman Level 2 Equipment (L2 Group) – Includes L1 Group, Chrome grille surround, Chrome front and rear bumpers, and Chrome-clad steel wheels for Single Rear Wheels (SRWs) or polished aluminum wheels for Dual Rear Wheels (DRWs) (A7D)		
OPTION GROUPS		
Chrome Appearance Group – Includes overhead console, exterior 115-volt outlet, 400-watt inverter, interior front 115-volt outlet, Chrome grille surround, Chrome front and rear bumpers, and Chrome-clad steel wheels for SRW or polished aluminum wheels for DRW (A7C)	O	
Convenience Group – Includes auto-dimming rearview mirror, tinted acoustic windshield, Dual-Zone automatic temperature control, six speakers (Regular Cab only) and Uconnect® 5 NAV with 12-inch touchscreen display (included with L1 and L2 Groups) (ADC)	P	
Bed Utility Group – Includes LED bed lighting, spray-in bedliner and rear, deployable bed step (ANT)	O	
Cold Weather Group – Includes engine block heater and winter front grille cover (diesel engine only) (ADE)	O	
Dual Rear Wheel (DRW) Group – Includes 6,000-lb front axle with hub extension, rear wheelhouse liners, cab-mounted LED clearance lamps, and box- and rear-fender-mounted LED clearance lamps (3500 only) (WLA)	O	
Fifth-Wheel/Gooseneck Prep Group – Includes bed-mounted seven-pin connector (seven-/12-pin connector if equipped with Auxiliary Camera Prep), mounting holes for fifth-wheel hitch and gooseneck ball, and mounting hole covers (included with Max Tow Package on 3500) (AHU)	O/P	
Commercial Features Package – Includes exterior 115-volt outlet, 400-watt inverter, interior front 115-volt outlet and ParkSense Front/Rear Park Assist System ⁽¹²⁾ (AGS)	O	
Safety Group – Includes Drowsy-Driver Detection ⁽⁶⁾ auto-dimming rearview mirror, rain-sensitive windshield wipers, cluster with 7-inch Driver Information Display (DID) on Tradesman and Big Horn/Lone Star ⁽³⁰⁾ Auto High-Beam Headlamp Control, Traffic Sign Recognition ⁽¹³⁾ Adaptive Steering System ⁽⁶⁾ Active Lane Management System ⁽⁵⁾ luxury steering wheel, and BSM ⁽⁷⁾ and Rear Cross-Path Detection System ⁽⁴⁾ (AAU)	O	
Special Service Vehicle Group – Includes transfer case skid plate, dash pass-through wire circuits, upfitter electronic module (Vehicle System Interface Module (VSIM)) and dash-mounted auxiliary switches (AAP)	•	
Max Tow Package – Includes Fifth-Wheel/Gooseneck Prep Group, DOT certified roadside safety kit, LED CHMSL with Cargo-View Camera ⁽⁴⁾ and Auto-Level Rear Air Suspension on select 4x4 models (requires DRW and diesel engine) (AJL)	O	
Towing Technology Group – Includes Surround-View Camera System ⁽⁴⁾ LED CHMSL with Cargo-View Camera ⁽⁴⁾ Trailer Reverse Guidance ⁽⁴⁾ Trailer Tire Pressure Monitoring System, GT3 exterior mirrors for Tradesman, and BSM ⁽⁷⁾ and Rear Cross-Path Detection System ⁽⁴⁾ (requires L2 Group) (AAN)	O	
Tow Technology Plus Group – Includes 3.0 digital rearview mirror, auxiliary switch prep, and Trailer Reverse Steering Control ⁽⁵⁾ (requires Adaptive Steering System ⁽⁶⁾ Surround-View Camera System ⁽⁴⁾ and L2 Group) (AVS)	O	
Tow-Mode Digital Rearview Mirror Package – Includes digital rearview mirror and wired tow-mode camera (requires L1 or L2 Group) (AVF)	O	